

# Byung-Ock Choi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/906896/publications.pdf>

Version: 2024-02-01

42  
papers

429  
citations

1040056

9  
h-index

752698

20  
g-index

43  
all docs

43  
docs citations

43  
times ranked

529  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of FDG PET/CT and Bone Marrow Biopsy Results in Patients with Diffuse Large B Cell Lymphoma with Subgroup Analysis of PET Radiomics. <i>Diagnostics</i> , 2022, 12, 222.	2.6	8
2	Abstract P1-21-01: Multicenter study for brain metastasis from breast cancer in Korea: The significance of molecular subtype (KROG 1612). <i>Cancer Research</i> , 2022, 82, P1-21-01-P1-21-01.	0.9	0
3	The Pattern of Care for Brain Metastasis from Breast Cancer over the Past 10 Years in Korea: A Multicenter Retrospective Study (KROG 16-12). <i>Cancer Research and Treatment</i> , 2022, 54, 1121-1129.	3.0	1
4	New brain metastases after whole-brain radiotherapy of initial brain metastases in breast cancer patients: the significance of molecular subtypes (KROG 16-12). <i>Breast Cancer Research and Treatment</i> , 2021, 186, 453-462.	2.5	5
5	Emerging Role of Consolidative Radiotherapy After Complete Remission Following R-CHOP Immunochemotherapy in Stage III-IV Diffuse Large B-Cell Lymphoma: A Single Institutional and Case-Matched Control Study. <i>Frontiers in Oncology</i> , 2021, 11, 578865.	2.8	1
6	Analysis of plan parameters affecting the delivery quality assurance passing rate of the Tomo direct method in Radixact X9. <i>Journal of the Korean Physical Society</i> , 2021, 78, 73-80.	0.7	0
7	Survival outcomes of breast cancer patients with brain metastases: A multicenter retrospective study in Korea (KROG 16-12). <i>Breast</i> , 2020, 49, 41-47.	2.2	16
8	Pattern of failure and optimal treatment strategy for primary gastric diffuse large B-cell lymphoma treated with R-CHOP chemotherapy. <i>PLoS ONE</i> , 2020, 15, e0238807.	2.5	6
9	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations. <i>PLoS ONE</i> , 2020, 15, e0239740.	2.5	12
10	Early Interim Chemotherapy Response Evaluation by F-18 FDG PET/CT in Diffuse Large B Cell Lymphoma. <i>Diagnostics</i> , 2020, 10, 1002.	2.6	2
11	FDG PET/CT Findings of Castleman Disease Assessed by Histologic Subtypes and Compared with Laboratory Findings. <i>Diagnostics</i> , 2020, 10, 998.	2.6	7
12	Analysis of the response time to involved-field radiotherapy in primary gastrointestinal low-grade B-cell lymphoma. <i>Radiation Oncology</i> , 2020, 15, 210.	2.7	3
13	Evaluation of Developed Thermal Distribution Prediction Algorithm Using Mass Density Distribution with CT Image. <i>Journal of the Korean Physical Society</i> , 2020, 76, 86-92.	0.7	1
14	Prediction of Tumor Temperature in Regional Hyperthermia by Using LED Luminance. <i>Journal of the Korean Physical Society</i> , 2020, 77, 524-529.	0.7	0
15	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations. , 2020, 15, e0239740.		0
16	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations. , 2020, 15, e0239740.		0
17	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations. , 2020, 15, e0239740.		0
18	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations. , 2020, 15, e0239740.		0

#	ARTICLE	IF	CITATIONS
19	Verification of lithium formate monohydrate in 3D-printed container for electron paramagnetic resonance dosimetry in radiotherapy. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2019, 42, 811-818.	1.3	1
20	Predictive Value of Interim and End-of-Therapy 18F-FDG PET/CT in Patients with Follicular Lymphoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2019, 53, 263-269.	1.0	12
21	Symptom palliation of hypofractionated radiotherapy for patients with incurable inflammatory breast cancer. <i>Radiation Oncology</i> , 2019, 14, 110.	2.7	12
22	Role of F-18 FDG PET/CT in non-conjunctival origin ocular adnexal mucosa-associated lymphoid tissue (MALT) lymphomas. <i>EJNMMI Research</i> , 2019, 9, 99.	2.5	3
23	Development of an Algorithm for Predicting the Thermal Distribution by using CT Image and the Specific Absorption Rate. <i>Journal of the Korean Physical Society</i> , 2018, 73, 1584-1588.	0.7	2
24	Development of Tissue Equivalent Materials for a Multi-modality (CT&MRI) Phantom in MRI-guided Radiation Treatment. <i>Journal of the Korean Physical Society</i> , 2018, 73, 1012-1018.	0.7	0
25	Comparison of Selection and Long-term Clinical Outcomes Between Chemotherapy and Radiotherapy as Primary Therapeutic Modality for Ocular Adnexal MALT Lymphoma. <i>EClinicalMedicine</i> , 2018, 4-5, 32-42.	7.1	11
26	Intracranial relapse as a solitary mass of ocular adnexal lymphoma of the mucosa-associated lymphoid tissue type. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 224-227.	1.7	2
27	Comparison of spinal Stereotactic Body Radiotherapy (SBRT) planning techniques: intensity-modulated radiation therapy, modulated arc therapy, and helical tomotherapy. <i>Medical Dosimetry</i> , 2017, 42, 210-215.	0.9	6
28	Radiotherapy as an alternative treatment option for primary central nervous system lymphoma patients who are noncandidates for chemotherapy. <i>Oncotarget</i> , 2017, 8, 106858-106865.	1.8	6
29	Defining Radiation-Induced Hepatic Toxicity in Hepatocellular Carcinoma Patients Treated with Stereotactic Body Radiotherapy. <i>Journal of Cancer</i> , 2017, 8, 4155-4161.	2.5	17
30	Treatment outcome and risk analysis for cataract after radiotherapy of localized ocular adnexal mucosa-associated lymphoid tissue (MALT) lymphoma. <i>Radiation Oncology Journal</i> , 2017, 35, 249-256.	1.5	9
31	Role of follow-up endoscopic examination in treatment response assessment for patients with gastric diffuse large B cell lymphoma. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1111-1117.	1.5	2
32	Analysis of treatment outcomes for primary tonsillar lymphoma. <i>Radiation Oncology Journal</i> , 2016, 34, 273-279.	1.5	8
33	Evaluation of the clinical usefulness of modulated arc treatment. <i>Journal of the Korean Physical Society</i> , 2015, 67, 232-236.	0.7	2
34	Long-term Outcome of Extranodal NK/T Cell Lymphoma Patients Treated With Postremission Therapy Using EBV LMP1 and LMP2a-specific CTLs. <i>Molecular Therapy</i> , 2015, 23, 1401-1409.	8.2	63
35	A multicenter study of anaplastic oligodendroglioma: the Korean Radiation Oncology Group Study 13. <i>Journal of Neuro-Oncology</i> , 2015, 125, 207-215.	2.9	2
36	Comparison of Failure Patterns Between Conventional and Intensity-modulated Radiotherapy for Stage III and IV Head and Neck Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2015, 35, 6833-40.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Tomotherapy planning and image registration for planning CT image slice thickness for stereotactic radiosurgery. Journal of the Korean Physical Society, 2012, 60, 137-141.	0.7	0
38	Dosimetric comparison of helical tomotherapy and linac-based IMRT in whole abdomen radiotherapy. Journal of the Korean Physical Society, 2012, 61, 1131-1136.	0.7	0
39	Dosimetric comparison of stereotactic body radiotherapy for spinal metastasis in cyberknife and helical tomotherapy. Journal of the Korean Physical Society, 2012, 61, 2049-2053.	0.7	0
40	Stereotactic body radiation therapy with or without transarterial chemoembolization for patients with primary hepatocellular carcinoma: preliminary analysis. BMC Cancer, 2008, 8, 351.	2.6	126
41	Fractionated Stereotactic Radiotherapy in Patients with Primary Hepatocellular Carcinoma. Japanese Journal of Clinical Oncology, 2006, 36, 154-158.	1.3	78
42	Effects of Cyclosporin A, FK506, and 3-Deazaadenosine on Acute Graft-versus-host Disease and Survival in Allogeneic Murine Hematopoietic Stem Cell Transplantation. Immune Network, 2003, 3, 150.	3.6	0