

Turgay Dalkara

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9069206/turgay-dalkara-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

8,028
citations

40
h-index

89
g-index

143
ext. papers

9,005
ext. citations

6.4
avg, IF

5.99
L-index

#	Paper	IF	Citations
138	Contractile apparatus in CNS capillary pericytes.. <i>Neurophotonics</i> , 2022 , 9, 021904	3.9	1
137	Overview of extracellular vesicle characterization techniques and introduction to combined reflectance and fluorescence confocal microscopy to distinguish extracellular vesicle subpopulations.. <i>Neurophotonics</i> , 2022 , 9, 021903	3.9	3
136	Parenchymal neuroinflammatory signaling and dural neurogenic inflammation in migraine. <i>Journal of Headache and Pain</i> , 2021 , 22, 138	8.8	3
135	Pericyte morphology and function. <i>Histology and Histopathology</i> , 2021 , 36, 633-643	1.4	7
134	Ion Channel Dysfunction and Neuroinflammation in Migraine and Depression. <i>Frontiers in Pharmacology</i> , 2021 , 12, 777607	5.6	1
133	Widespread brain parenchymal HMGB1 and NF- κ B neuroinflammatory responses upon cortical spreading depolarization in familial hemiplegic migraine type 1 mice. <i>Neurobiology of Disease</i> , 2021 , 156, 105424	7.5	2
132	Brain glycogen metabolism: A possible link between sleep disturbances, headache and depression. <i>Sleep Medicine Reviews</i> , 2021 , 59, 101449	10.2	3
131	Pericytes in Retinal Ischemia. <i>Pancreatic Islet Biology</i> , 2021 , 125-144	0.4	
130	F-actin polymerization contributes to pericyte contractility in retinal capillaries. <i>Experimental Neurology</i> , 2020 , 332, 113392	5.7	10
129	Combination of Paclitaxel and R-flurbiprofen loaded PLGA nanoparticles suppresses glioblastoma growth on systemic administration. <i>International Journal of Pharmaceutics</i> , 2020 , 578, 119076	6.5	15
128	KCl-induced cortical spreading depression waves more heterogeneously propagate than optogenetically-induced waves in lissencephalic brain: an analysis with optical flow tools. <i>Scientific Reports</i> , 2020 , 10, 12793	4.9	3
127	Retinal ischemia induces β 5MA-mediated capillary pericyte contraction coincident with perivascular glycogen depletion. <i>Acta Neuropathologica Communications</i> , 2019 , 7, 134	7.3	23
126	Small Vessels Are a Big Problem in Neurodegeneration and Neuroprotection. <i>Frontiers in Neurology</i> , 2019 , 10, 889	4.1	27
125	Pericytes: A Novel Target to Improve Success of Recanalization Therapies. <i>Stroke</i> , 2019 , 50, 2985-2991	6.7	12
124	Pericytes in Ischemic Stroke. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1147, 189-213	3.6	12
123	Improving Microcirculatory Reperfusion Reduces Parenchymal Oxygen Radical Formation and Provides Neuroprotection. <i>Stroke</i> , 2018 , 49, 1267-1275	6.7	18
122	Data of ascending cortical vein occlusion induced spreading depression. <i>Data in Brief</i> , 2018 , 18, 1462-1465		1

121	Metabolomic Estimation of the Diagnosis and Onset Time of Permanent and Transient Cerebral Ischemia. <i>Molecular Neurobiology</i> , 2018 , 55, 6193-6200	6.2	4
120	Murine Sialidase Neu3 facilitates GM2 degradation and bypass in mouse model of Tay-Sachs disease. <i>Experimental Neurology</i> , 2018 , 299, 26-41	5.7	28
119	Angiographic Microcirculatory Obstructions Distal to Occlusion Signify Poor Outcome after Endovascular Treatment for Acute Ischemic Stroke. <i>Translational Stroke Research</i> , 2018 , 9, 44-50	7.8	12
118	Brain Peptides for the Treatment of Neuropsychiatric Disorders. <i>Current Pharmaceutical Design</i> , 2018 , 24, 3905-3917	3.3	9
117	Author response: Capillary pericytes express β smooth muscle actin, which requires prevention of filamentous-actin depolymerization for detection 2018 ,		2
116	Preparation and Characterization of Biocompatible Chitosan Nanoparticles for Targeted Brain Delivery of Peptides. <i>Methods in Molecular Biology</i> , 2018 , 1727, 443-454	1.4	10
115	Inadequate brain glycogen or sleep increases spreading depression susceptibility. <i>Annals of Neurology</i> , 2018 , 83, 61-73	9.4	41
114	Microembolism of single cortical arterioles can induce spreading depression and ischemic injury; a potential trigger for migraine and related MRI lesions. <i>Brain Research</i> , 2018 , 1679, 84-90	3.7	15
113	Nuclear expansion and pore opening are instant signs of neuronal hypoxia and can identify poorly fixed brains. <i>Scientific Reports</i> , 2018 , 8, 14770	4.9	2
112	The effect of carotid artery stenting on capillary transit time heterogeneity in patients with carotid artery stenosis. <i>European Stroke Journal</i> , 2018 , 3, 263-271	5.6	7
111	Stress modulates cortical excitability via β adrenergic and glucocorticoid receptors: As assessed by spreading depression. <i>Experimental Neurology</i> , 2018 , 307, 45-51	5.7	14
110	Capillary pericytes express β smooth muscle actin, which requires prevention of filamentous-actin depolymerization for detection. <i>ELife</i> , 2018 , 7,	8.9	119
109	Genetics of Monogenic and Complex Migraine 2017 , 233-250		
108	Lessons from Familial Hemiplegic Migraine and Cortical Spreading Depression 2017 , 251-265		2
107	Mathematical Modeling of Human Cortical Spreading Depression 2017 , 285-305		
106	Tools for High-Resolution in vivo Imaging of Cellular and Molecular Mechanisms in Cortical Spreading Depression and Spreading Depolarization 2017 , 307-320		
105	Animal Models of Migraine Aura 2017 , 321-345		1
104	Physiology of the Meningeal Sensory Pathway 2017 , 31-47		

103 Visceral Pain **2017**, 91-106

102 Meningeal Neurogenic Inflammation and Dural Mast Cells in Migraine Pain **2017**, 107-123

101 Sensitization and Photophobia in Migraine **2017**, 125-138

100 Data of indirect immunofluorescence labeling of the mouse brain sections with sera from SLE and MS patients. *Data in Brief*, **2017**, 15, 170-173 1.2

99 Behçet Disease serum is immunoreactive to neurofilament medium which share common epitopes to bacterial HSP-65, a putative trigger. *Journal of Autoimmunity*, **2017**, 84, 87-96 15.5 25

98 Role of Pericytes in Neurovascular Unit and Stroke. *Springer Series in Translational Stroke Research*, **2016**, 25-43 0.1 6

97 Cerebral small vessel disease: Capillary pathways to stroke and cognitive decline. *Journal of Cerebral Blood Flow and Metabolism*, **2016**, 36, 302-25 7.3 164

96 Analyses of the Turkish National Intravenous Thrombolysis Registry. *Journal of Stroke and Cerebrovascular Diseases*, **2016**, 25, 1041-1047 2.8 3

95 What is a pericyte?. *Journal of Cerebral Blood Flow and Metabolism*, **2016**, 36, 451-5 7.3 321

94 Optical coherence tomography imaging of capillary reperfusion after ischemic stroke. *Applied Optics*, **2016**, 55, 9526-9531 0.2 14

93 Assessment of pain in mouse facial images **2016**, 2

92 Neurovascular coupling during cortical spreading depolarization and -depression. *Stroke*, **2015**, 46, 1392-401 30

91 Cerebral microvascular pericytes and neuroglial signaling in health and disease. *Brain Research*, **2015**, 1623, 3-17 3.7 91

90 Systemically administered brain-targeted nanoparticles transport peptides across the blood-brain barrier and provide neuroprotection. *Journal of Cerebral Blood Flow and Metabolism*, **2015**, 35, 469-75 7.3 76

89 Cerebral Microcirculation: An Introduction **2015**, 655-680 1

88 Poloxamer-188 and citicoline provide neuronal membrane integrity and protect membrane stability in cortical spreading depression. *International Journal of Neuroscience*, **2015**, 125, 941-6 2 10

87 Physiology and Pathophysiology of Cerebral Microcirculation **2014**, 1-31

86 Modelling headache and migraine and its pharmacological manipulation. *British Journal of Pharmacology*, **2014**, 171, 4575-94 8.6 26

85	Squalenoyl adenosine nanoparticles provide neuroprotection after stroke and spinal cord injury. <i>Nature Nanotechnology</i> , 2014 , 9, 1054-1062	28.7	163
84	Cell death and survival mechanisms are concomitantly active in the hippocampus of patients with mesial temporal sclerosis. <i>Neuroscience</i> , 2013 , 237, 56-65	3.9	18
83	How does fasting trigger migraine? A hypothesis. <i>Current Pain and Headache Reports</i> , 2013 , 17, 368	4.2	14
82	Spreading depression triggers headache by activating neuronal Panx1 channels. <i>Science</i> , 2013 , 339, 1092-5	35.3	318
81	Microvascular protection is essential for successful neuroprotection in stroke. <i>Journal of Neurochemistry</i> , 2012 , 123 Suppl 2, 2-11	6	75
80	Plasma 3-nitrotyrosine estimates the reperfusion-induced cerebrovascular stress, whereas matrix metalloproteinases mainly reflect plasma activity: a study in patients treated with thrombolysis or endovascular recanalization. <i>Journal of Neurochemistry</i> , 2012 , 123 Suppl 2, 138-47	6	15
79	Can restoring incomplete microcirculatory reperfusion improve stroke outcome after thrombolysis?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 2091-9	7.3	135
78	Transport of a caspase inhibitor across the blood-brain barrier by chitosan nanoparticles. <i>Methods in Enzymology</i> , 2012 , 508, 253-69	1.7	29
77	Preparation and characterization of biocompatible chitosan nanoparticles for targeted brain delivery of peptides. <i>Methods in Molecular Biology</i> , 2012 , 846, 321-32	1.4	12
76	Paradoxical air microembolism induces cerebral bioelectrical abnormalities and occasionally headache in patent foramen ovale patients with migraine. <i>Journal of the American Heart Association</i> , 2012 , 1, e001735	6	28
75	Ischemic Stroke: Basic Pathophysiology and Neuroprotective Strategies 2011 , 1-24		3
74	The influence of N-desmethylclozapine and clozapine on recognition memory and BDNF expression in hippocampus. <i>Brain Research Bulletin</i> , 2011 , 84, 144-50	3.9	11
73	Cyclosporine A-induced acute hepatotoxicity in guinea pigs is associated with endothelin-mediated decrease in local hepatic blood flow. <i>Life Sciences</i> , 2011 , 88, 753-60	6.8	6
72	Apoptosis and Related Mechanisms in Cerebral Ischemia 2011 , 107-121		
71	Alpha-synuclein aggregation induced by brief ischemia negatively impacts neuronal survival in vivo: a study in [A30P]alpha-synuclein transgenic mouse. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 913-23	7.3	30
70	Thrombotic distal middle cerebral artery occlusion produced by topical FeCl(3) application: a novel model suitable for intravital microscopy and thrombolysis studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 1452-60	7.3	44
69	Brain microvascular pericytes in health and disease. <i>Acta Neuropathologica</i> , 2011 , 122, 1-9	14.3	155
68	Reply to: Pericyte constriction after stroke: the jury is still out. <i>Nature Medicine</i> , 2010 , 16, 960-960	50.5	

67	Migraine aura pathophysiology: the role of blood vessels and microembolisation. <i>Lancet Neurology, The</i> , 2010 , 9, 309-17	24.1	126
66	Lysosomal rupture, necroapoptotic interactions and potential crosstalk between cysteine proteases in neurons shortly after focal ischemia. <i>Neurobiology of Disease</i> , 2010 , 40, 293-302	7.5	44
65	Changes in the expression of selenoproteins in mesial temporal lobe epilepsy patients. <i>Cellular and Molecular Neurobiology</i> , 2009 , 29, 1223-31	4.6	11
64	Pericyte contraction induced by oxidative-nitrative stress impairs capillary reflow despite successful opening of an occluded cerebral artery. <i>Nature Medicine</i> , 2009 , 15, 1031-7	50.5	471
63	Astrocytes are more resistant to focal cerebral ischemia than neurons and die by a delayed necrosis. <i>Brain Pathology</i> , 2009 , 19, 630-41	6	57
62	A nanomedicine transports a peptide caspase-3 inhibitor across the blood-brain barrier and provides neuroprotection. <i>Journal of Neuroscience</i> , 2009 , 29, 13761-9	6.6	139
61	A new model of transient focal cerebral ischemia for inducing selective neuronal necrosis. <i>Brain Research Bulletin</i> , 2009 , 78, 226-31	3.9	15
60	Right internal carotid artery occlusion during intravenous thrombolysis for left middle cerebral artery occlusion. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2009 , 18, 74-7	2.8	8
59	Protective role of 27bp repeat polymorphism in intron 4 of eNOS gene in lacunar infarction. <i>Free Radical Research</i> , 2009 , 43, 272-9	4	17
58	Acute plasmalemma permeability and protracted clearance of injured cells after controlled cortical impact in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 490-505	7.3	82
57	Statin potentiates human platelet eNOS activity without enhancing eNOS mRNA and protein levels. <i>Cerebrovascular Diseases</i> , 2008 , 26, 190-8	3.2	13
56	Rapid Response of Myasthenic Ocular Signs to Ivlg Treatment. <i>Neuro-Ophthalmology</i> , 2008 , 32, 249-252	0.9	0
55	Preparation and in vitro evaluation of bFGF-loaded chitosan nanoparticles. <i>Drug Delivery</i> , 2007 , 14, 525-9	7	37
54	Statin pre-treatment protects brain against focal cerebral ischemia in diabetic mice. <i>Journal of Surgical Research</i> , 2007 , 138, 254-8	2.5	25
53	Suppression of cortical spreading depression in migraine prophylaxis. <i>Annals of Neurology</i> , 2006 , 59, 652-61	61	440
52	Ischemic Stroke: Basic Pathophysiology and Neuroprotective Strategies 2006 , 1-26		
51	Treatment of malignant gliomas with mitoxantrone-loaded poly (lactide-co-glycolide) microspheres. <i>Neurosurgery</i> , 2006 , 59, 1296-302; discussion 1302-3	3.2	32
50	Advances in stroke neuroprotection: hyperoxia and beyond. <i>Neuroimaging Clinics of North America</i> , 2005 , 15, 697-720, xii-xiii	3	19

49	Development and brain delivery of chitosan-PEG nanoparticles functionalized with the monoclonal antibody OX26. <i>Bioconjugate Chemistry</i> , 2005 , 16, 1503-11	6.3	247
48	VEGF protects brain against focal ischemia without increasing blood-brain permeability when administered intracerebroventricularly. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 1111-8	7.3	136
47	Apoptotic and necrotic death mechanisms are concomitantly activated in the same cell after cerebral ischemia. <i>Stroke</i> , 2004 , 35, 2189-94	6.7	154
46	Validity and reliability of the Turkish Migraine Disability Assessment (MIDAS) questionnaire. <i>Headache</i> , 2004 , 44, 786-93	4.2	62
45	Loss of NeuN immunoreactivity after cerebral ischemia does not indicate neuronal cell loss: a cautionary note. <i>Brain Research</i> , 2004 , 1015, 169-74	3.7	196
44	Deciphering migraine mechanisms: clues from familial hemiplegic migraine genotypes. <i>Annals of Neurology</i> , 2004 , 55, 276-80	9.4	185
43	Mitochondrial complex I and IV activities in leukocytes from patients with parkin mutations. <i>Movement Disorders</i> , 2004 , 19, 544-8	7	156
42	Reperfusion-induced oxidative/nitrative injury to neurovascular unit after focal cerebral ischemia. <i>Stroke</i> , 2004 , 35, 1449-53	6.7	241
41	Apoptosis in Cerebral Ischemia 2004 , 855-866		2
40	Neuroscience data and tool sharing: a legal and policy framework for neuroinformatics. <i>Neuroinformatics</i> , 2003 , 1, 149-65	3.2	45
39	Is the cell death in mesial temporal sclerosis apoptotic?. <i>Epilepsia</i> , 2003 , 44, 778-84	6.4	31
38	Mechanisms, challenges and opportunities in stroke. <i>Nature Reviews Neuroscience</i> , 2003 , 4, 399-415	13.5	1363
37	Response: Does Apoptosis-necrosis Dichotomy Exist in the Human Brain or in our Minds?. <i>Epilepsia</i> , 2003 , 44, 1607-1608	6.4	1
36	Neuroinformatics: the integration of shared databases and tools towards integrative neuroscience. <i>Journal of Integrative Neuroscience</i> , 2002 , 1, 117-28	1.5	58
35	Transcorneal stimulation of trigeminal nerve afferents to increase cerebral blood flow in rats with cerebral vasospasm: a noninvasive method to activate the trigeminovascular reflex. <i>Journal of Neurosurgery</i> , 2002 , 97, 1179-83	3.2	24
34	Persistent defect in transmitter release and synapsin phosphorylation in cerebral cortex after transient moderate ischemic injury. <i>Stroke</i> , 2002 , 33, 1369-75	6.7	87
33	Synergistic protective effect of caspase inhibitors and bFGF against brain injury induced by transient focal ischaemia. <i>British Journal of Pharmacology</i> , 2001 , 133, 345-50	8.6	48
32	Chronic daily administration of selegiline and EGb 761 increases brain's resistance to ischemia in mice. <i>Brain Research</i> , 2001 , 917, 174-81	3.7	26

31	Association of nitric oxide production and apoptosis in a model of experimental nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 32-8	4.3	24
30	Role of endothelial nitric oxide generation and peroxynitrite formation in reperfusion injury after focal cerebral ischemia. <i>Stroke</i> , 2000 , 31, 1974-80; discussion 1981	6.7	159
29	Endothelial nitric oxide synthase-dependent cerebral blood flow augmentation by L-arginine after chronic statin treatment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 709-17	7.3	123
28	Altered mechanisms of motor-evoked potential generation after transient focal cerebral ischemia in the rat: implications for transcranial magnetic stimulation. <i>Brain Research</i> , 2000 , 873, 26-33	3.7	29
27	Use of Mutant Mice to Elucidate Neuroprotective and Neurotoxic Actions of Nitric Oxide in Cerebral Ischemia 2000 , 687-694		
26	Pinealectomy aggravates and melatonin administration attenuates brain damage in focal ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 511-6	7.3	136
25	Occlusion of the MCA by an intraluminal filament may cause disturbances in the hippocampal blood flow due to anomalies of circle of Willis and filament thickness. <i>Brain Research</i> , 1999 , 822, 260-4	3.7	49
24	Compartmental changes in expression of c-Fos and FosB proteins in intact and dopamine-depleted striatum after chronic apomorphine treatment. <i>Brain Research</i> , 1999 , 825, 104-14	3.7	30
23	Prolonged therapeutic window for ischemic brain damage caused by delayed caspase activation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 1071-6	7.3	187
22	Mechanisms of NO neurotoxicity. <i>Progress in Brain Research</i> , 1998 , 118, 231-9	2.9	32
21	Mechanisms of motor dysfunction after transient MCA occlusion: persistent transmission failure in cortical synapses is a major determinant. <i>Stroke</i> , 1998 , 29, 1988-93; discussion 1994	6.7	61
20	Opportunities for Collective Wisdom in Stroke Research. <i>Cerebrovascular Diseases</i> , 1997 , 7, 313-314	3.2	2
19	Monitoring cellular edema at single-neuron level by electrical resistance measurements. <i>Journal of Neuroscience Methods</i> , 1997 , 72, 175-81	3	12
18	Neurotoxic and neuroprotective roles of nitric oxide in cerebral ischaemia. <i>International Review of Neurobiology</i> , 1997 , 40, 319-36	4.4	22
17	Nitric Oxide and the Cerebral Circulation 1997 , 96-98		3
16	The Role of Nitric Oxide in Cerebral Ischemia 1997 , 207-208		3
15	Effects of cerebral ischemia on N-methyl-D-aspartate and dihydropyridine-sensitive calcium currents. An electrophysiological study in the rat hippocampus in situ. <i>Stroke</i> , 1996 , 27, 127-33	6.7	22
14	Nitric Oxide and Cerebrovascular Regulation 1995 , 189-194		1

13	The complex role of nitric oxide in the pathophysiology of focal cerebral ischemia. <i>Brain Pathology</i> , 1994 , 4, 49-57	6	140
12	Formulation and in vitro-in vivo evaluation of buccoadhesive morphine sulfate tablets. <i>Pharmaceutical Research</i> , 1994 , 11, 231-6	4-5	52
11	Height and nerve conduction. <i>Muscle and Nerve</i> , 1993 , 16, 562-3	3-4	
10	Glycine is required for NMDA receptor activation: electrophysiological evidence from intact rat hippocampus. <i>Brain Research</i> , 1992 , 576, 197-202	3-7	32
9	Intrathymic injection of D-penicillamine does not induce myasthenia-like disorder in the mouse and rat. <i>Muscle and Nerve</i> , 1992 , 15, 1299-300	3-4	
8	Formulation, bioavailability, and pharmacokinetics of sustained-release potassium chloride tablets. <i>Pharmaceutical Research</i> , 1991 , 8, 1313-7	4-5	4
7	High dose anticholinergic therapy (biperiden) in dystonia. <i>Clinical Neurology and Neurosurgery</i> , 1991 , 93, 35-7	2	7
6	Acute idiopathic demyelinating polyneuropathy: passive transfer to mice by immunoglobulin. <i>NeuroReport</i> , 1990 , 1, 145-8	1-7	3
5	Glutamate and glycine induce a negative wave on hippocampal field response through NMDA receptors. <i>Brain Research</i> , 1990 , 514, 293-9	3-7	6
4	Glutamate, without GABA antagonists, induces synchronized discharges in intact hippocampus via NMDA receptors. <i>Brain Research</i> , 1989 , 498, 123-30	3-7	2
3	Facilitatory effects of dexamethasone on neuromuscular transmission. <i>Experimental Neurology</i> , 1987 , 95, 116-25	5-7	18
2	Iontophoretic studies on rat hippocampus with some novel GABA antagonists. <i>Life Sciences</i> , 1986 , 39, 415-22	6-8	12
1	Nipecotinic acid, an uptake blocker, prevents fading of the gamma-aminobutyric acid effect. <i>Brain Research</i> , 1986 , 366, 314-9	3-7	19