Juha Taavela

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9071666/publications.pdf

Version: 2024-02-01

623734 552781 32 818 14 26 citations g-index h-index papers 34 34 34 726 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Validation of Morphometric Analyses of Small-Intestinal Biopsy Readouts in Celiac Disease. PLoS ONE, 2013, 8, e76163.	2.5	160
2	Epitope-specific immunotherapy targeting CD4-positive T cells in coeliac disease: two randomised, double-blind, placebo-controlled phase 1 studies. The Lancet Gastroenterology and Hepatology, 2017, 2, 479-493.	8.1	113
3	Outcome measures in coeliac disease trials: the Tampere recommendations. Gut, 2018, 67, 1410-1424.	12.1	89
4	Safety and efficacy of AMC 714 in adults with coeliac disease exposed to gluten challenge: a phase 2a, randomised, double-blind, placebo-controlled study. The Lancet Gastroenterology and Hepatology, 2019, 4, 948-959.	8.1	65
5	Degree of Damage to the Small Bowel and Serum Antibody Titers Correlate With Clinical Presentation of Patients With Celiac Disease. Clinical Gastroenterology and Hepatology, 2013, 11, 166-171.e1.	4.4	58
6	Baseline quantitative histology in therapeutics trials reveals villus atrophy in most patients with coeliac disease who appear well controlled on glutenâ€free diet. GastroHep, 2020, 2, 22-30.	0.6	43
7	A Prospective Study on the Usefulness of Duodenal Bulb Biopsies in Celiac Disease Diagnosis in Children: Urging Caution. American Journal of Gastroenterology, 2016, 111, 124-133.	0.4	38
8	CYP3A4-Catalyzed Simvastatin Metabolism as a Non-Invasive Marker of Small Intestinal Health in Celiac Disease. American Journal of Gastroenterology, 2013, 108, 1344-1351.	0.4	36
9	Factors associated with growth disturbance at celiac disease diagnosis in children: A retrospective cohort study. BMC Gastroenterology, 2015, 15, 125.	2.0	36
10	Genome-Wide Transcriptomic Analysis of Intestinal Mucosa in Celiac Disease Patients on a Gluten-Free Diet and Postgluten Challenge. Cellular and Molecular Gastroenterology and Hepatology, 2021, 11, 13-32.	4.5	33
11	Histological, immunohistochemical and mRNA gene expression responses in coeliac disease patients challenged with gluten using PAXgene fixed paraffin-embedded duodenal biopsies. BMC Gastroenterology, 2019, 19, 189.	2.0	27
12	Gluten Challenge Induces Skin and Small Bowel Relapse in Long-Term Gluten-Free Diet–Treated Dermatitis Herpetiformis. Journal of Investigative Dermatology, 2019, 139, 2108-2114.	0.7	23
13	Prevalence and diagnostic outcomes of children with duodenal lesions and negative celiac serology. Digestive and Liver Disease, 2020, 52, 289-295.	0.9	16
14	Novel diagnostic techniques for celiac disease. Expert Review of Gastroenterology and Hepatology, 2016, 10, 795-805.	3.0	14
15	Gluten Induces Subtle Histological Changes in Duodenal Mucosa of Patients with Non-Coeliac Gluten Sensitivity: A Multicentre Study. Nutrients, 2022, 14, 2487.	4.1	14
16	X-ray microtomography is a novel method for accurate evaluation of small-bowel mucosal morphology and surface area. Scientific Reports, 2020, 10, 13164.	3.3	13
17	Apolipoprotein A4 Defines the Villus-Crypt Border in Duodenal Specimens for Celiac Disease Morphometry. Frontiers in Immunology, 2021, 12, 713854.	4.8	8
18	Healthy and pro-inflammatory gut ecology plays a crucial role in the digestion and tolerance of a novel Gluten Friendlyâ,,¢ bread in celiac subjects: a randomized, double blind, placebo control <i>in vivo</i> study. Food and Function, 2022, 13, 1299-1315.	4.6	7

#	Article	IF	Citations
19	Iron Transporter Protein Expressions in Children with Celiac Disease. Nutrients, 2021, 13, 776.	4.1	6
20	Nonbiopsy Approach for Celiac Disease Is Accurate When Using Exact Duodenal Histomorphometry. Journal of Clinical Gastroenterology, 2021, 55, 227-232.	2.2	6
21	A New Intraepithelial Î ³ Î ⁷ T-Lymphocyte Marker for Celiac Disease Classification in Formalin-Fixed Paraffin-Embedded (FFPE) Duodenal Biopsies. Digestive Diseases and Sciences, 2020, 66, 3352-3358.	2.3	4
22	846 Efficacy, Safety, Tolerability, and Immunological Effects of Nexvax2®, a Peptide-Based Therapeutic Vaccine, Administered by Intra-Dermal (ID) Injection Twice-Weekly for 8-Weeks in HLA-DQ2.5+ Celiac Disease (CeD). Gastroenterology, 2016, 150, S180.	1.3	2
23	Is There a Role for Duodenal Bulb Biopsies in Celiac Disease Diagnostics?. Clinical Gastroenterology and Hepatology, 2016, 14, 1510-1511.	4.4	2
24	Sa1395 Nexvax2®, a Peptide-Based Antigen-Specific Immunotherapy, Administered Intra-Dermally Three-Times Over 15-Days attenuates Responsiveness to Immuno-Dominant Gluten Peptides in HLA-DQ2.5+ People With Celiac Disease (CeD). Gastroenterology, 2016, 150, S304.	1.3	2
25	Celiac disease antibody levels reflect duodenal mucosal damage but not clinical symptoms. Scandinavian Journal of Gastroenterology, 2021, 56, 514-519.	1.5	2
26	Sa1406 Small Intestine Digital Histomorphometry for Celiac Disease. Gastroenterology, 2016, 150, S307.	1.3	1
27	Sa1313 Simvastatin Metabolism by Small Intestinal CYP3A4 as a Non-Invasive Biomarker for the Diagnosis and Routine Monitoring of Celiac Disease. Gastroenterology, 2012, 142, S-270.	1.3	O
28	Sa1890 Crypt Hyperplastic Duodenal Enteropathy in Helicobacter pylori (HP) Infection. Gastroenterology, 2013, 144, S-328.	1.3	0
29	Su1834 Crypt Hyperplastic Enteropathy in Dq2/Dq7 Carriers H. pylori Infected Individuals. Gastroenterology, 2015, 148, S-529.	1.3	0
30	Response to Kurien et al American Journal of Gastroenterology, 2016, 111, 1206-1207.	0.4	0
31	Histomorphometrical Characteristics of Seronegative Celiac-Type Duodenal Enteropathy. Gastroenterology, 2017, 152, S263.	1.3	0
32	PWE-035â€Global translation of coeliac disease histology and other gluten related microenteropathy. , 2019, , .		0