

# Paolo Moghetti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9072648/publications.pdf>

Version: 2024-02-01

139  
papers

7,079  
citations

61857

43  
h-index

58464

82  
g-index

149  
all docs

149  
docs citations

149  
times ranked

6367  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The multifarious role of insulin in PCOS: From pathophysiology to therapeutic management. , 2022, , 39-54.  |     | 0         |
| 2  | Clinical Value of Serum Levels of 11-Oxygenated Metabolites of Testosterone in Women With Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2047-e2055.  | 1.8 | 9         |
| 3  | Insulin resistance and PCOS: chicken or egg?. Journal of Endocrinological Investigation, 2021, 44, 233-244.   | 1.8 | 99        |
| 4  | Walking for subjects with type 2 diabetes: a systematic review and joint AMD/SID/SISMES evidence-based practical guideline. Sport Sciences for Health, 2021, 17, 1-20.  | 0.4 | 1         |
| 5  | Insulin-Mediated Substrate Use in Women With Different Phenotypes of PCOS: the Role of Androgens. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3414-e3425.   | 1.8 | 12        |
| 6  | Circulating HMGB1 Levels Are Associated With Glucose Clamp-Derived Measures of Insulin Resistance in Women With PCOS. Journal of the Endocrine Society, 2021, 5, A738-A739.   | 0.1 | 0         |
| 7  | Onset of Addison Disease appeared during the first trimester of a twin pregnancy: A case report. Clinical Case Reports (discontinued), 2021, 9, e03784.   | 0.2 | 2         |
| 8  | Monitoring exercise intensity in diabetes: applicability of "heart rate-index" to estimate oxygen consumption during aerobic and resistance training. Journal of Endocrinological Investigation, 2020, 43, 623-630.   | 1.8 | 1         |
| 9  | Walking for subjects with type 2 diabetes: A systematic review and joint AMD/SID/SISMES evidence-based practical guideline. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1882-1898.   | 1.1 | 32        |
| 10 | Response to Comment on Oliosio D, et al. "Effect of Aerobic and Resistance Training on Circulating Micro-RNA Expression Profile in Subjects with Type 2 Diabetes", Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1930-e1931.                | 1.8 | 0         |
| 11 | Serum Androgens Are Independent Predictors of Insulin Clearance but Not of Insulin Secretion in Women With PCOS. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1981-e1989.  | 1.8 | 14        |
| 12 | Current treatment for polycystic ovary syndrome: focus on adolescence. Minerva Pediatrica, 2020, 72, 288-311.   | 2.6 | 7         |
| 13 | Diabetes Secondary to Endocrine Disorders and PCOS. Endocrinology, 2020, , 575-593.   | 0.1 | 0         |
| 14 | Metabolic effect of breaks in sedentary time in subjects with type 2 diabetes. Current Opinion in Endocrine and Metabolic Research, 2019, 9, 40-44.   | 0.6 | 1         |
| 15 | A Case Report of Insulinoma Relapse on Background Nesidioblastosis: A Rare Cause of Adult Hypoglycemia. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 773-778.   | 1.8 | 6         |
| 16 | Effects of Aerobic and Resistance Training on Circulating Micro-RNA Expression Profile in Subjects With Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1119-1130.  | 1.8 | 23        |
| 17 | Association of free-living physical activity measures with metabolic phenotypes in type 2 diabetes at the time of diagnosis. The Verona Newly Diagnosed Type 2 Diabetes Study (VNDS). Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 343-351. | 1.1 | 5         |
| 18 | The free androgen index is inaccurate in women when the SHBG concentration is low. Clinical Endocrinology, 2018, 88, 706-710.   | 1.2 | 22        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effects of aerobic or resistance exercise training on cardiovascular autonomic function of subjects with type 2 diabetes: A pilot study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 226-233.                 | 1.1 | 26        |
| 20 | Sex differences in the association of psychological status with measures of physical activity and sedentary behaviour in adults with type 2 diabetes. <i>Acta Diabetologica</i> , 2018, 55, 627-635.                                   | 1.2 | 7         |
| 21 | Diabetes Secondary to Endocrine Disorders and PCOS. <i>Endocrinology</i> , 2018, , 1-19.   | 0.1 | 0         |
| 22 | Role of Exercise in Vascular Function and Inflammatory Profile in Age-Related Obesity. <i>Journal of Immunology Research</i> , 2018, 2018, 1-9.  | 0.9 | 10        |
| 23 | Reassessing Free-Testosterone Calculation by Liquid Chromatography-Tandem Mass Spectrometry Direct Equilibrium Dialysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2167-2174.                               | 1.8 | 33        |
| 24 | Diabetes Secondary to Endocrine Disorders and PCOS. <i>Endocrinology</i> , 2018, , 575-593.  | 0.1 | 0         |
| 25 | Effects of Aerobic and Resistance Training on Circulating Micro-RNA Expression Profile in Subjects with Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1718-P.   | 0.3 | 0         |
| 26 | Is cardiorespiratory fitness impaired in PCOS women? A review of the literature. <i>Journal of Endocrinological Investigation</i> , 2017, 40, 463-469.   | 1.8 | 13        |
| 27 | Insulin resistance in a large cohort of women with polycystic ovary syndrome: a comparison between euglycaemic-hyperinsulinaemic clamp and surrogate indexes. <i>Human Reproduction</i> , 2017, 32, 2515-2521.                         | 0.4 | 90        |
| 28 | Comparison between dual-energy X-ray absorptiometry and skinfold thickness in assessing body fat in overweight/obese adult patients with type-2 diabetes. <i>Scientific Reports</i> , 2017, 7, 17424.                                  | 1.6 | 17        |
| 29 | Physical Activity Patterns in Normal-Weight and Overweight/Obese Pregnant Women. <i>PLoS ONE</i> , 2016, 11, e0166254.   | 1.1 | 31        |
| 30 | Metabolic Effects of Exercise. <i>Frontiers of Hormone Research</i> , 2016, 47, 44-57.   | 1.0 | 73        |
| 31 | Implications of Androgen Assay Accuracy in the Phenotyping of Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 610-618.  | 1.8 | 51        |
| 32 | Diabetic pregnancy outcomes in mothers treated with basal insulin lispro protamine suspension or NPH insulin: a multicenter retrospective Italian study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1061-1065. | 0.7 | 9         |
| 33 | VO2/PO Relationship In Type 2 Diabetic Subjects.. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 607.  | 0.2 | 3         |
| 34 | Insulin Resistance and Polycystic Ovary Syndrome. <i>Current Pharmaceutical Design</i> , 2016, 22, 5526-5534.  | 0.9 | 93        |
| 35 | PCOS and Muscle Strength. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 397.  | 0.2 | 0         |
| 36 | Serum testosterone predicts cardiorespiratory fitness impairment in normal-weight women with polycystic ovary syndrome. <i>Clinical Endocrinology</i> , 2015, 83, 895-901.   | 1.2 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Use of Insulin Lispro Protamine Suspension in Pregnancy. <i>Advances in Therapy</i> , 2015, 32, 888-905.   | 1.3 | 4         |
| 38 | Glycemic Response To Acute Exercise In Type II Diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 754.   | 0.2 | 0         |
| 39 | Total Body Fat and Central Fat Mass Independently Predict Insulin Resistance but Not Hyperandrogenemia In Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 661-669.            | 1.8 | 54        |
| 40 | How to manage the reproductive issues of PCOS: a 2015 integrated endocrinological and gynecological consensus statement of the Italian Society of Endocrinology. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 1025-1037. | 1.8 | 18        |
| 41 | Hemostatic and Fibrinolytic Abnormalities in Polycystic Ovary Syndrome. <i>Seminars in Thrombosis and Hemostasis</i> , 2014, 40, 600-618.  | 1.5 | 18        |
| 42 | Plasma levels of pentraxin-3, an inflammatory protein involved in fertility, are reduced in women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2014, 170, 401-409.   | 1.9 | 20        |
| 43 | Relationships between cardiorespiratory fitness, metabolic control, and fat distribution in type 2 diabetes subjects. <i>Acta Diabetologica</i> , 2014, 51, 369-375.   | 1.2 | 12        |
| 44 | Reply. <i>Hepatology</i> , 2014, 59, 352-352.  | 3.6 | 0         |
| 45 | Both resistance training and aerobic training reduce hepatic fat content in type 2 diabetic subjects with nonalcoholic fatty liver disease (the RAED2 randomized trial). <i>Hepatology</i> , 2013, 58, 1287-1295.                        | 3.6 | 275       |
| 46 | Polycystic ovary syndrome as a diabetes risk factor. <i>Expert Review of Endocrinology and Metabolism</i> , 2013, 8, 485-487.  | 1.2 | 1         |
| 47 | Epidemiology, diagnosis and management of hirsutism: a consensus statement by the Androgen Excess and Polycystic Ovary Syndrome Society. <i>Human Reproduction Update</i> , 2013, 19, 207-207.   | 5.2 | 6         |
| 48 | Divergences in Insulin Resistance Between the Different Phenotypes of the Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E628-E637.  | 1.8 | 186       |
| 49 | Metabolic Inflexibility Is a Feature of Women With Polycystic Ovary Syndrome and Is Associated With Both Insulin Resistance and Hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2581-2588.         | 1.8 | 36        |
| 50 | Exercise for Hepatic Fat Accumulation in Type 2 Diabetic Subjects. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-5.  | 0.6 | 6         |
| 51 | Ten-week Whole-body Vibration Training Improves Body Composition and Muscle Strength in Obese Women. <i>International Journal of Medical Sciences</i> , 2013, 10, 307-311.   | 1.1 | 51        |
| 52 | Managing Erectile Dysfunction in Heart Failure. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013, 13, 125-134.   | 0.6 | 21        |
| 53 | Low body weight and menstrual dysfunction are common findings in both elite and amateur ballet dancers. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 343-6.  | 1.8 | 8         |
| 54 | Hyperinsulinemia Amplifies GnRH Agonist Stimulated Ovarian Steroid Secretion in Women with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1712-1719.                                     | 1.8 | 67        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Metabolic Effects of Aerobic Training and Resistance Training in Type 2 Diabetic Subjects. <i>Diabetes Care</i> , 2012, 35, 676-682.   | 4.3 | 177       |
| 56 | Epidemiology, diagnosis and management of hirsutism: a consensus statement by the Androgen Excess and Polycystic Ovary Syndrome Society. <i>Human Reproduction Update</i> , 2012, 18, 146-170.   | 5.2 | 367       |
| 57 | Differences in the Acute Effects of Aerobic and Resistance Exercise in Subjects with Type 2 Diabetes: Results from the RAED2 Randomized Trial. <i>PLoS ONE</i> , 2012, 7, e49937.  | 1.1 | 39        |
| 58 | For what reasons should metformin be used in the management of polycystic ovary syndrome?. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 87-9.  | 1.8 | 2         |
| 59 | Insulin enhances ACTH-stimulated androgen and glucocorticoid metabolism in hyperandrogenic women. <i>European Journal of Endocrinology</i> , 2011, 164, 197-203.   | 1.9 | 44        |
| 60 | Disorders of Coagulation and Hemostasis in Abdominal Obesity: Emerging Role of Fatty Liver. <i>Seminars in Thrombosis and Hemostasis</i> , 2010, 36, 041-048.  | 1.5 | 46        |
| 61 | Supervised Walking Groups to Increase Physical Activity in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2010, 33, 2333-2335.   | 4.3 | 38        |
| 62 | Body fat and insulin resistance independently predict increased serum C-reactive protein in hyperandrogenic women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2009, 161, 737-745.   | 1.9 | 48        |
| 63 | Chromosome Translocation Frequency after Radioiodine Thyroid Remnant Ablation: A Comparison between Recombinant Human Thyrotropin Stimulation and Prolonged Levothyroxine Withdrawal. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3472-3476. | 1.8 | 40        |
| 64 | Abnormal serum alanine aminotransferase levels are associated with impaired insulin sensitivity in young women with polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , 2009, 32, 695-700.   | 1.8 | 32        |
| 65 | Association between serum TSH, free T4 and serum liver enzyme activities in a large cohort of unselected outpatients. <i>Clinical Endocrinology</i> , 2008, 68, 481-484.   | 1.2 | 60        |
| 66 | Circulating ghrelin levels in girls with central precocious puberty are reduced during treatment with LHRH analog. <i>European Journal of Endocrinology</i> , 2007, 156, 99-103.   | 1.9 | 14        |
| 67 | Treatment of polycystic ovary syndrome with spironolactone plus licorice. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 131, 61-67.   | 0.5 | 61        |
| 68 | Effect of moderate aerobic exercise on sympatho-vagal balance in Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2007, 24, 370-376.   | 1.2 | 50        |
| 69 | Treatment of hirsutism and acne in hyperandrogenism. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2006, 20, 221-234.   | 2.2 | 51        |
| 70 | Use of antiandrogens as therapy for women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2006, 86, S30-S31.  | 0.5 | 8         |
| 71 | Effects of moderate-intensity exercise training on plasma biomarkers of inflammation and endothelial dysfunction in older patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 543-549.                               | 1.1 | 130       |
| 72 | Sorting the wheat from the chaff in macroprolactinaemia assessment. <i>Annals of Clinical Biochemistry</i> , 2006, 43, 89-89.  | 0.8 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Clustering of Cardiovascular Risk Factors Associated With the Insulin Resistance Syndrome: Assessment by principal component analysis in young hyperandrogenic women. <i>Diabetes Care</i> , 2006, 29, 372-378.   | 4.3 | 23        |
| 74 | Ovarian Suppression and Treatment of Hirsutism. , 2006, , 377-387.  |     | 2         |
| 75 | A Study of the Hexose-6-Phosphate Dehydrogenase Gene R453Q and 11 $\beta$ -Hydroxysteroid Dehydrogenase Type 1 Gene 83557insA Polymorphisms in the Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 4157-4162.  | 1.8 | 63        |
| 76 | The M235T polymorphism of the angiotensinogen gene in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2005, 84, 1520-1521.   | 0.5 | 7         |
| 77 | Association between the D19S884 marker at the insulin receptor gene locus and polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2003, 79, 219-220.  | 0.5 | 49        |
| 78 | Terapia della sindrome dell'ovaio policistico. <i>L Endocrinologo</i> , 2003, 4, 131-142.   | 0.0 | 0         |
| 79 | Combination treatment with metformin and glibenclamide versus single-drug therapies in type 2 diabetes mellitus: a randomized, double-blind, comparative study. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 862-867.   | 1.5 | 46        |
| 80 | The Methionine 196 Arginine Polymorphism in Exon 6 of the TNF Receptor 2 Gene (TNFRSF1B) Is Associated with the Polycystic Ovary Syndrome and Hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3977-3983.  | 1.8 | 92        |
| 81 | Insulin Resistance and the Persistence of Obesity from Childhood into Adulthood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 71-76.   | 1.8 | 76        |
| 82 | Insulin resistance: what is its role in the polycystic ovary syndrome?. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2002, 9, 444-450.   | 0.6 | 8         |
| 83 | Advances in the treatment of polycystic ovary syndrome. <i>Expert Opinion on Investigational Drugs</i> , 2001, 10, 1631-1640.   | 1.9 | 4         |
| 84 | Nuove prospettive terapeutiche della sindrome dell'ovaio policistico. <i>L Endocrinologo</i> , 2001, 2, 8-17.   | 0.0 | 0         |
| 85 | Fasting plasma glucose variability predicts 10-year survival of type 2 diabetic patients: the Verona Diabetes Study. <i>Diabetes Care</i> , 2000, 23, 45-50.  | 4.3 | 235       |
| 86 | Power spectral analysis of heart rate in hypothyroidism. <i>European Journal of Endocrinology</i> , 2000, 143, 327-333.   | 1.9 | 39        |
| 87 | Metformin Effects on Clinical Features, Endocrine and Metabolic Profiles, and Insulin Sensitivity in Polycystic Ovary Syndrome: A Randomized, Double-Blind, Placebo-Controlled 6-Month Trial, followed by Open, Long-Term Clinical Evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 139-146. | 1.8 | 582       |
| 88 | Antiandrogen Drugs Lower Serum Prostate-Specific Antigen (PSA) Levels in Hirsute Subjects: Evidence That Serum PSA Is a Marker of Androgen Action in Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 81-84.  | 1.8 | 30        |
| 89 | Metformin Effects on Clinical Features, Endocrine and Metabolic Profiles, and Insulin Sensitivity in Polycystic Ovary Syndrome: A Randomized, Double-Blind, Placebo-Controlled 6-Month Trial, followed by Open, Long-Term Clinical Evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 139-146. | 1.8 | 437       |
| 90 | Comparison of Spironolactone, Flutamide, and Finasteride Efficacy in the Treatment of Hirsutism: A Randomized, Double Blind, Placebo-Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 89-94.   | 1.8 | 164       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Comparison of Spironolactone, Flutamide, and Finasteride Efficacy in the Treatment of Hirsutism: A Randomized, Double Blind, Placebo-Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 89-94.                                    | 1.8 | 153       |
| 92  | Spironolactone, But Not Flutamide, Administration Prevents Bone Loss in Hyperandrogenic Women Treated with Gonadotropin-Releasing Hormone Agonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1250-1254.                                    | 1.8 | 36        |
| 93  | Leptin concentration in newborns' cord blood: relationship to gender and growth-regulating hormones. <i>International Journal of Obesity</i> , 1999, 23, 943-947.  | 1.6 | 32        |
| 94  | Spironolactone, But Not Flutamide, Administration Prevents Bone Loss in Hyperandrogenic Women Treated with Gonadotropin-Releasing Hormone Agonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1250-1254.                                    | 1.8 | 20        |
| 95  | Authors' Response: Spironolactone But Not Flutamide Administration Prevents Bone Loss in Hyperandrogenic Women Treated with Gonadotropin-Releasing Hormone Agonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 4747b-4747.                  | 1.8 | 0         |
| 96  | New routes in the polycystic ovary syndrome labyrinth: A way out?. <i>Journal of Endocrinological Investigation</i> , 1998, 21, 648-655.   | 1.8 | 3         |
| 97  | Effect of hyperandrogenism and menstrual cycle abnormalities on bone mass and bone turnover in young women. <i>Clinical Endocrinology</i> , 1998, 48, 169-173.   | 1.2 | 74        |
| 98  | Anti-TPO and anti-thyroglobulin antibodies or anti-TPO antibodies alone?. <i>Clinical Endocrinology</i> , 1997, 46, 235-236.   | 1.2 | 2         |
| 99  | Outcome of Long-Term Treatment With the 5 alpha-Reductase Inhibitor Finasteride in Idiopathic Hirsutism. <i>Obstetrical and Gynecological Survey</i> , 1997, 52, 182-184.  | 0.2 | 0         |
| 100 | Fasting plasma glucose and diabetes diagnosis. <i>Clinica Chimica Acta</i> , 1996, 252, 209-213.   | 0.5 | 4         |
| 101 | Early changes in plasma glucagon and growth hormone response to oral glucose in experimental hyperthyroidism. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 1029-1033.  | 1.5 | 20        |
| 102 | Outcome of long-term treatment with the 5 $\alpha$ -reductase inhibitor finasteride in idiopathic hirsutism: clinical and hormonal effects during a 1-year course of therapy and 1-year follow-up. <i>Fertility and Sterility</i> , 1996, 66, 734-740.               | 0.5 | 77        |
| 103 | Acute Effect of Insulin on Autonomic Regulation of the Cardiovascular System: A Study by Heart Rate Spectral Analysis. <i>Diabetic Medicine</i> , 1996, 13, 709-714.   | 1.2 | 37        |
| 104 | The insulin resistance in women with hyperandrogenism is partially reversed by antiandrogen treatment: evidence that androgens impair insulin action in women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 952-960.                          | 1.8 | 191       |
| 105 | Insulin infusion amplifies 17 alpha-hydroxycorticosteroid intermediates response to adrenocorticotropin in hyperandrogenic women: apparent relative impairment of 17,20-lyase activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 881-886. | 1.8 | 154       |
| 106 | Insulin infusion amplifies 17 alpha-hydroxycorticosteroid intermediates response to adrenocorticotropin in hyperandrogenic women: apparent relative impairment of 17,20-lyase activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 881-886. | 1.8 | 134       |
| 107 | The insulin resistance in women with hyperandrogenism is partially reversed by antiandrogen treatment: evidence that androgens impair insulin action in women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 952-960.                          | 1.8 | 151       |
| 108 | Power spectral analysis of heart rate in hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 2828-2835.   | 1.8 | 41        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Flutamide in the treatment of hirsutism: long-term clinical effects, endocrine changes, and androgen receptor behavior. <i>Fertility and Sterility</i> , 1995, 64, 511-517.   | 0.5 | 72        |
| 110 | The Verona diabetes study: a population-based survey on known diabetes mellitus prevalence and 5-year all-cause mortality. <i>Diabetologia</i> , 1995, 38, 318-325.   | 2.9 | 139       |
| 111 | Long-term instability of fasting plasma glucose predicts mortality in elderly NIDDM patients: the Verona Diabetes Study. <i>Diabetologia</i> , 1995, 38, 672-679.   | 2.9 | 61        |
| 112 | Elevated levels of soluble E-selectin in patients with IDDM and NIDDM: relation to metabolic control. <i>Diabetologia</i> , 1995, 38, 1122-1124.  | 2.9 | 150       |
| 113 | Sustained therapy with 3-hydroxy-3-methylglutaryl-coenzyme-A reductase inhibitors does not impair steroidogenesis by adrenals and gonads.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1995, 80, 836-840.       | 1.8 | 41        |
| 114 | Long-term instability of fasting plasma glucose predicts mortality in elderly NIDDM patients: the Verona Diabetes Study. <i>Diabetologia</i> , 1995, 38, 672-679.   | 2.9 | 4         |
| 115 | Sustained therapy with 3-hydroxy-3-methylglutaryl-coenzyme-A reductase inhibitors does not impair steroidogenesis by adrenals and gonads. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1995, 80, 836-840.        | 1.8 | 38        |
| 116 | Clinical and Hormonal Effects of the 5 alpha-Reductase Inhibitor Finasteride in Idiopathic Hirsutism. <i>Obstetrical and Gynecological Survey</i> , 1995, 50, 290-293.  | 0.2 | 0         |
| 117 | Clinical and hormonal effects of the 5 alpha-reductase inhibitor finasteride in idiopathic hirsutism.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 79, 1115-1121.   | 1.8 | 56        |
| 118 | Glucose counterregulatory response to acute hypoglycemia in hyperthyroid human subjects.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 78, 169-173.  | 1.8 | 13        |
| 119 | Glucose counterregulatory response to acute hypoglycemia in hyperthyroid human subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 78, 169-173.   | 1.8 | 15        |
| 120 | Clinical and hormonal effects of the 5 alpha-reductase inhibitor finasteride in idiopathic hirsutism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 79, 1115-1121.  | 1.8 | 58        |
| 121 | Mononuclear Leukocytes from Obese Patients with Type II Diabetes have Reduced Activity of Hexokinase, 6-Phosphofructokinase and Glucose-6-Phosphate Dehydrogenase. <i>Hormone and Metabolic Research</i> , 1993, 25, 160-164. | 0.7 | 13        |
| 122 | Influence of Body Fat and its Regional Localization on Risk Factors for Atherosclerosis in Young Men. <i>American Journal of Epidemiology</i> , 1992, 135, 1271-1278.   | 1.6 | 33        |
| 123 | Studies on the mechanism of action of sulphonylureas in type II diabetic subjects: gliquidone. <i>Journal of Endocrinological Investigation</i> , 1992, 15, 1-11.   | 1.8 | 8         |
| 124 | Detection of mutations in insulin receptor gene by denaturing gradient gel electrophoresis. <i>Diabetes</i> , 1992, 41, 408-415.  | 0.3 | 11        |
| 125 | Plasma concentrations of glucagon during hyperglycemic clamp with or without somatostatin infusion in obese subjects. <i>Acta Diabetologica Latina</i> , 1990, 27, 309-314.   | 0.2 | 6         |
| 126 | Enzymatic Activities Related to Intermediary Metabolism of Glucose in Circulating Mononuclear Cells from Obese Humans: Relationship to Enzyme Activity in Adipose Tissue. <i>Enzyme</i> , 1990, 43, 26-32.                    | 0.7 | 5         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Normal Inhibition by Somatostatin of Glucose-Stimulated B Cell Secretion in Obese Subjects. <i>Hormone and Metabolic Research</i> , 1990, 22, 584-588.   | 0.7 | 4         |
| 128 | Plasma Concentrations of Growth Hormone during Hyperglycemic Clamp with or without Somatostatin Infusion in Obese Subjects*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990, 70, 1732-1734.                                      | 1.8 | 10        |
| 129 | Glucose and insulin suppression of plasma free fatty acids in obese subjects with normal glucose tolerance or mild, newly diagnosed Type 2 (non-insulin-dependent) diabetes. <i>Journal of Endocrinological Investigation</i> , 1990, 13, 55-59. | 1.8 | 7         |
| 130 | Plasma C-peptide response to oral glucose load in hyperthyroidism. <i>Journal of Endocrinological Investigation</i> , 1990, 13, 555-557.   | 1.8 | 5         |
| 131 | Estimates of <i>In Vivo</i> Insulin Action in Man: Comparison of Insulin Tolerance Tests with Euglycemic and Hyperglycemic Glucose Clamp Studies*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1989, 68, 374-378.                  | 1.8 | 508       |
| 132 | Differences in glucose metabolic enzyme activities in human adipose tissue from abdominal and gluteal regions. <i>Metabolism: Clinical and Experimental</i> , 1988, 37, 820-823.   | 1.5 | 4         |
| 133 | Insulin receptors on circulating blood cells from patients with pancreatogenic diabetes: a comparison with type I diabetes and normal subjects. <i>Journal of Endocrinological Investigation</i> , 1987, 10, 311-319.                            | 1.8 | 10        |
| 134 | Effect of aging on growth hormone, ACTH and cortisol response to insulin-induced hypoglycemia in type I diabetes. <i>Acta Diabetologica Latina</i> , 1985, 22, 159-168.  | 0.2 | 2         |
| 135 | Insulin Receptor on Monocytes from Patients with Acromegaly and Fasting Hyperglycemia*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1983, 56, 733-738.   | 1.8 | 23        |
| 136 | Insulin Sensitivity, Binding, and Kinetics in Pancreatogenic and Type I Diabetes. <i>Diabetes</i> , 1982, 31, 346-355.   | 0.3 | 81        |
| 137 | Insulin sensitivity, binding, and kinetics in pancreatogenic and type I diabetes. <i>Diabetes</i> , 1982, 31, 346-355.   | 0.3 | 20        |
| 138 | Middle-distance running and DNA damage in diabetics. <i>Journal of Laboratory and Precision Medicine</i> , 0, 3, 18-18.  | 1.1 | 2         |
| 139 | Comparison of plasma lipids changes after middle-distance running in euglycemic and diabetic subjects. <i>Journal of Public Health and Emergency</i> , 0, 3, 10-10.  | 4.4 | 3         |