## Ayaka Kotemori

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9074516/publications.pdf

Version: 2024-02-01

759055 677027 25 500 12 22 h-index citations g-index papers 25 25 25 744 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. JAMA Internal Medicine, 2019, 179, 1509.	2.6	120
2	Dietary acrylamide intake and risk of breast cancer: The Japan Public Health Centerâ€based Prospective Study. Cancer Science, 2018, 109, 843-853.	1.7	43
3	Validating the dietary inflammatory index using inflammatory biomarkers in a Japanese population: A cross-sectional study of the JPHC-FFQ validation study. Nutrition, 2020, 69, 110569.	1.1	35
4	Dietary Acrylamide Intake and Risk of Esophageal, Gastric, and Colorectal Cancer: The Japan Public Health Center–Based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1461-1468.	1.1	28
5	Validity of a Semi-Quantitative Food Frequency Questionnaire for Collegiate Athletes. Journal of Epidemiology, 2016, 26, 284-291.	1.1	26
6	Dietary acrylamide intake and the risk of endometrial or ovarian cancers in Japanese women. Cancer Science, 2018, 109, 3316-3325.	1.7	26
7	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in <scp>J</scp> apan. International Journal of Cancer, 2018, 143, 307-316.	2.3	23
8	Dietary Inflammatory Index Is Associated With Inflammation in Japanese Men. Frontiers in Nutrition, 2021, 8, 604296.	1.6	23
9	Validity of a Self-administered Food Frequency Questionnaire for the Estimation of Acrylamide Intake in the Japanese Population: The JPHC FFQ Validation Study. Journal of Epidemiology, 2018, 28, 482-487.	1.1	20
10	Dietary Acrylamide Intake and the Risk of Pancreatic Cancer: The Japan Public Health Center-Based Prospective Study. Nutrients, 2020, 12, 3584.	1.7	15
11	Variations in the estimated intake of acrylamide from food in the Japanese population. Nutrition Journal, 2020, 19, 17.	1.5	14
12	Dietary Acrylamide Intake and the Risk of Liver Cancer: The Japan Public Health Center-Based Prospective Study. Nutrients, 2020, 12, 2503.	1.7	13
13	Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. Nutrients, 2019, 11, 554.	1.7	12
14	Dietary Acrylamide Intake and Risk of Lung Cancer: The Japan Public Health Center Based Prospective Study. Nutrients, 2020, 12, 2417.	1.7	12
15	Association between Pet Ownership and Obesity: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 3498.	1.2	12
16	Dietary Acrylamide Intake and the Risk of Hematological Malignancies: The Japan Public Health Center-Based Prospective Study. Nutrients, 2021, 13, 590.	1.7	12
17	Association of Vegetable, Fruit, and Okinawan Vegetable Consumption With Incident Stroke and Coronary Heart Disease. Journal of Epidemiology, 2020, 30, 37-45.	1.1	11
18	Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. European Journal of Nutrition, 2021, 60, 217-227.	1.8	11

#	Article	IF	CITATIONS
19	Dietary Acrylamide Intake and the Risks of Renal Cell, Prostate, and Bladder Cancers: A Japan Public Health Center-Based Prospective Study. Nutrients, 2021, 13, 780.	1.7	10
20	Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. Journal of Nutrition, 2019, 149, 1967-1976.	1.3	8
21	Relationship between dietary non-enzymatic antioxidant capacity and type 2 diabetes risk in the Japan Public Health Center-based Prospective Study. Nutrition, 2019, 66, 62-69.	1.1	8
22	Validity of Estimated Acrylamide Intake by the Dietary Record Method and Food Frequency Questionnaire in Comparison with a Duplicate Method: A Pilot Study. Journal of Nutritional Science and Vitaminology, 2018, 64, 340-346.	0.2	6
23	Acrylamide–Hemoglobin Adduct Levels in a Japanese Population and Comparison with Acrylamide Exposure Assessed by the Duplicated Method or a Food Frequency Questionnaire. Nutrients, 2020, 12, 3863.	1.7	5
24	The Validity and Reproducibility of Dietary Non-enzymatic Antioxidant Capacity Estimated by Self-administered Food Frequency Questionnaires. Journal of Epidemiology, 2018, 28, 428-436.	1.1	4
25	Association Between Okinawan Vegetables Consumption and Risk of Type 2 Diabetes in Japanese Communities: The JPHC Study. Journal of Epidemiology, 2020, 30, 227-235.	1.1	3