

# Javier Raso

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9075969/publications.pdf>

Version: 2024-02-01

87  
papers

5,293  
citations

94433

37  
h-index

85541

71  
g-index

89  
all docs

89  
docs citations

89  
times ranked

3819  
citing authors

#	ARTICLE	IF	CITATIONS
1	Current applications and new opportunities for the use of pulsed electric fields in food science and industry. <i>Food Research International</i> , 2015, 77, 773-798.	6.2	538
2	Nonthermal Preservation of Foods Using Combined Processing Techniques. <i>Critical Reviews in Food Science and Nutrition</i> , 2003, 43, 265-285.	10.3	347
3	Critical factors determining inactivation kinetics by pulsed electric field food processing. <i>Trends in Food Science and Technology</i> , 2001, 12, 112-121.	15.1	279
4	Influence of different factors on the output power transferred into medium by ultrasound. <i>Ultrasonics Sonochemistry</i> , 1999, 5, 157-162.	8.2	278
5	Improving the pressing extraction of polyphenols of orange peel by pulsed electric fields. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 17, 79-84.	5.6	233
6	Pulsed-electric-field-assisted extraction of anthocyanins from purple-fleshed potato. <i>Food Chemistry</i> , 2013, 136, 1330-1336.	8.2	186
7	Inactivation of peroxidase, lipoxigenase, and polyphenol oxidase by manothermosonication. <i>Journal of Agricultural and Food Chemistry</i> , 1994, 42, 252-256.	5.2	168
8	Improving Mass Transfer to Soften Tissues by Pulsed Electric Fields: Fundamentals and Applications. <i>Annual Review of Food Science and Technology</i> , 2012, 3, 263-282.	9.9	167
9	Predicting inactivation of <i>Salmonella senftenberg</i> by pulsed electric fields. <i>Innovative Food Science and Emerging Technologies</i> , 2000, 1, 21-29.	5.6	159
10	Enhancement of the extraction of betanin from red beetroot by pulsed electric fields. <i>Journal of Food Engineering</i> , 2009, 90, 60-66.	5.2	157
11	Influence of different factors on the inactivation of <i>Salmonella senftenberg</i> by pulsed electric fields. <i>International Journal of Food Microbiology</i> , 2000, 55, 143-146.	4.7	122
12	C-phycoerythrin extraction assisted by pulsed electric field from <i>Arthrospira platensis</i> . <i>Food Research International</i> , 2017, 99, 1042-1047.	6.2	121
13	Effect of Pulsed Electric Field Treatments on Permeabilization and Extraction of Pigments from <i>Chlorella vulgaris</i> . <i>Journal of Membrane Biology</i> , 2014, 247, 1269-1277.	2.1	112
14	Improving the extraction of carotenoids from tomato waste by application of ultrasound under pressure. <i>Separation and Purification Technology</i> , 2014, 136, 130-136.	7.9	105
15	Pulsed electric field-assisted extraction of valuable compounds from microorganisms. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 530-552.	11.7	101
16	Influence of the treatment medium temperature on lutein extraction assisted by pulsed electric fields from <i>Chlorella vulgaris</i> . <i>Innovative Food Science and Emerging Technologies</i> , 2015, 29, 15-22.	5.6	98
17	Enhancement of the solid-liquid extraction of sucrose from sugar beet ( <i>Beta vulgaris</i> ) by pulsed electric fields. <i>LWT - Food Science and Technology</i> , 2009, 42, 1674-1680.	5.2	92
18	Inactivation of <i>Salmonella enterica</i> by UV-C Light Alone and in Combination with Mild Temperatures. <i>Applied and Environmental Microbiology</i> , 2012, 78, 8353-8361.	3.1	88

#	ARTICLE	IF	CITATIONS
19	Effect of a pulsed electric field treatment on the anthocyanins composition and other quality parameters of Cabernet Sauvignon freshly fermented model wines obtained after different maceration times. <i>LWT - Food Science and Technology</i> , 2009, 42, 1225-1231.	5.2	83
20	Improving Carotenoid Extraction from Tomato Waste by Pulsed Electric Fields. <i>Frontiers in Nutrition</i> , 2014, 1, 12.	3.7	82
21	Improvement of winemaking process using pulsed electric fields at pilot-plant scale. Evolution of chromatic parameters and phenolic content of Cabernet Sauvignon red wines. <i>Food Research International</i> , 2010, 43, 761-766.	6.2	80
22	Inactivation of <i>Salmonella Enteritidis</i> , <i>Salmonella Typhimurium</i> , and <i>Salmonella Senftenberg</i> by Ultrasonic Waves under Pressure. <i>Journal of Food Protection</i> , 2000, 63, 451-456.	1.7	75
23	A Comparative Study on the Effects of Millisecond- and Microsecond-Pulsed Electric Field Treatments on the Permeabilization and Extraction of Pigments from <i>Chlorella vulgaris</i> . <i>Journal of Membrane Biology</i> , 2015, 248, 883-891.	2.1	73
24	Pulsed electric fields as a green technology for the extraction of bioactive compounds from thinned peach by-products. <i>Innovative Food Science and Emerging Technologies</i> , 2018, 45, 335-343.	5.6	72
25	Improvements in the aqueous extraction of polyphenols from borage ( <i>Borago officinalis</i> L.) leaves by pulsed electric fields: Pulsed electric fields (PEF) applications. <i>Industrial Crops and Products</i> , 2015, 65, 390-396.	5.2	68
26	Inactivation of <i>Salmonella</i> spp. in liquid whole egg using pulsed electric fields, heat, and additives. <i>Food Microbiology</i> , 2012, 30, 393-399.	4.2	66
27	Improving Polyphenol Extraction from Lemon Residues by Pulsed Electric Fields. <i>Waste and Biomass Valorization</i> , 2019, 10, 889-897.	3.4	61
28	Pulsed electric field permeabilization and extraction of phycoerythrin from <i>Porphyridium cruentum</i> . <i>Algal Research</i> , 2019, 37, 51-56.	4.6	58
29	Experimental design approach for the evaluation of anthocyanin content of ros� wines obtained by pulsed electric fields. Influence of temperature and time of maceration. <i>Food Chemistry</i> , 2011, 126, 1482-1487.	8.2	53
30	Defining treatment conditions for pulsed electric field pasteurization of apple juice. <i>International Journal of Food Microbiology</i> , 2011, 151, 29-35.	4.7	52
31	Release of Mannoproteins during <i>Saccharomyces cerevisiae</i> Autolysis Induced by Pulsed Electric Field. <i>Frontiers in Microbiology</i> , 2016, 7, 1435.	3.5	52
32	Effect of temperature, pH and presence of nisin on inactivation of <i>Salmonella Typhimurium</i> and <i>Escherichia coli</i> O157:H7 by pulsed electric fields. <i>Food Research International</i> , 2012, 45, 1080-1086.	6.2	50
33	Pulsed electric field-assisted extraction of carotenoids from fresh biomass of <i>Rhodotorula glutinis</i> . <i>Innovative Food Science and Emerging Technologies</i> , 2018, 47, 421-427.	5.6	47
34	Inactivation of spoilage yeasts in apple juice by UV-C light and in combination with mild heat. <i>Innovative Food Science and Emerging Technologies</i> , 2015, 32, 146-155.	5.6	43
35	Predicting thermal inactivation in media of different pH of <i>Salmonella</i> grown at different temperatures. <i>International Journal of Food Microbiology</i> , 2003, 87, 45-53.	4.7	42
36	Assessing the efficacy of PEF treatments for improving polyphenol extraction during red wine vinifications. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 39, 179-187.	5.6	41

#	ARTICLE	IF	CITATIONS
37	Heat Resistance of <i>Alicyclobacillus acidocaldarius</i> in Water, Various Buffers, and Orange Juice. <i>Journal of Food Protection</i> , 2000, 63, 1377-1380.	1.7	40
38	Physicochemical and functional properties of liquid whole egg treated by the application of Pulsed Electric Fields followed by heat in the presence of triethyl citrate. <i>Food Research International</i> , 2012, 48, 484-490.	6.2	38
39	Sporulation Temperature and Heat Resistance of <i>Bacillus subtilis</i> at Different pH Values. <i>Journal of Food Protection</i> , 1995, 58, 239-243.	1.7	37
40	Effects of millisecond and microsecond pulsed electric fields on red beet cell disintegration and extraction of betanines. <i>Industrial Crops and Products</i> , 2016, 84, 28-33.	5.2	37
41	Organic-solvent-free extraction of carotenoids from yeast <i>Rhodotorula glutinis</i> by application of ultrasound under pressure. <i>Ultrasonics Sonochemistry</i> , 2020, 61, 104833.	8.2	36
42	Design and evaluation of a high hydrostatic pressure combined process for pasteurization of liquid whole egg. <i>Innovative Food Science and Emerging Technologies</i> , 2012, 14, 1-10.	5.6	35
43	Design of a combined process for the inactivation of <i>Salmonella Enteritidis</i> in liquid whole egg at 55Å°C. <i>International Journal of Food Microbiology</i> , 2011, 145, 476-482.	4.7	31
44	Winery Trial on Application of Pulsed Electric Fields for Improving Vinification of Garnacha Grapes. <i>Food and Bioprocess Technology</i> , 2014, 7, 1457-1464.	4.7	31
45	Factors influencing autolysis of <i>Saccharomyces cerevisiae</i> cells induced by pulsed electric fields. <i>Food Microbiology</i> , 2018, 73, 67-72.	4.2	31
46	Thermal and Non-Thermal Physical Methods for Improving Polyphenol Extraction in Red Winemaking. <i>Beverages</i> , 2019, 5, 47.	2.8	31
47	Acquisition of pulsed electric fields resistance in <i>Staphylococcus aureus</i> after exposure to heat and alkaline shocks. <i>Food Control</i> , 2012, 25, 407-414.	5.5	30
48	Inactivation of <i>Salmonella typhimurium</i> and <i>Lactobacillus plantarum</i> by UV-C light in flour powder. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 35, 1-8.	5.6	28
49	Pulsed electric fields accelerate release of mannoproteins from <i>Saccharomyces cerevisiae</i> during aging on the lees of Chardonnay wine. <i>Food Research International</i> , 2019, 116, 795-801.	6.2	27
50	Heat resistance of <i>Yersinia enterocolitica</i> grown at different temperatures and heated in different media. <i>International Journal of Food Microbiology</i> , 1999, 47, 59-66.	4.7	25
51	Influence of pulsed electric fields on aroma and polyphenolic compounds of Garnacha wine. <i>Food and Bioprocess Technology</i> , 2019, 116, 249-257.	3.6	23
52	Survival of heated <i>Bacillus coagulans</i> spores in a medium acidified with lactic or citric acid. <i>International Journal of Food Microbiology</i> , 1997, 38, 25-30.	4.7	22
53	Direct Contact Ultrasound in Food Processing: Impact on Food Quality. <i>Frontiers in Nutrition</i> , 2021, 8, 633070.	3.7	20
54	Heat Resistance of <i>Bacillus subtilis</i> and <i>Bacillus coagulans</i> : Effect of Sporulation Temperature in Foods With Various Acidulants. <i>Journal of Food Protection</i> , 1996, 59, 487-492.	1.7	19

#	ARTICLE	IF	CITATIONS
55	Modelling of polyphenoloxidase inactivation by pulsed electric fields considering coupled effects of temperature and electric field. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 20, 126-132.	5.6	19
56	Modelling microbial growth in modified-atmosphere-packed hake ( <i>Merluccius merluccius</i> ) fillets stored at different temperatures. <i>Food Research International</i> , 2019, 122, 506-516.	6.2	19
57	Combined Effect of Temperature, pH, and Presence of Nisin on Inactivation of <i>Staphylococcus aureus</i> and <i>Listeria monocytogenes</i> by Pulsed Electric Fields. <i>Foodborne Pathogens and Disease</i> , 2011, 8, 797-802.	1.8	17
58	Effect of ohmic heating processing conditions on color stability of fungal pigments. <i>Food Science and Technology International</i> , 2017, 23, 338-348.	2.2	16
59	Enzymatic Processes Triggered by PEF for Astaxanthin Extraction From <i>Xanthophyllomyces dendrorhous</i> . <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 857.	4.1	16
60	PEF-dependency on polyphenol extraction during maceration/fermentation of Grenache grapes. <i>Innovative Food Science and Emerging Technologies</i> , 2020, 60, 102303.	5.6	16
61	Changes in Phenolic Compounds of Aragón Red Wines During Alcoholic Fermentation. <i>Food Science and Technology International</i> , 2011, 17, 77-86.	2.2	15
62	Effect of pulsed electric fields on mannoproteins release from <i>Saccharomyces cerevisiae</i> during the aging on lees of Caladoc red wine. <i>LWT - Food Science and Technology</i> , 2020, 118, 108788.	5.2	15
63	Liquid Whole Egg Ultrapasteurization by Combination of PEF, Heat, and Additives. <i>Food and Bioprocess Technology</i> , 2013, 6, 2070-2080.	4.7	14
64	Evolution of Polyphenolic Compounds and Sensory Properties of Wines Obtained from Grenache Grapes Treated by Pulsed Electric Fields during Aging in Bottles and in Oak Barrels. <i>Foods</i> , 2020, 9, 542.	4.3	14
65	Application of High-Power Ultrasound in the Food Industry. , 0, , .		14
66	Heat resistance of <i>Listeria</i> species to liquid whole egg ultrapasteurization treatment. <i>Journal of Food Engineering</i> , 2012, 111, 478-481.	5.2	12
67	Pulsed Electric Fields to Improve the Use of Non- <i>Saccharomyces</i> Starters in Red Wines. <i>Foods</i> , 2021, 10, 1472.	4.3	12
68	PEF treatments of high specific energy permit the reduction of maceration time during vinification of Caladoc and Grenache grapes. <i>Innovative Food Science and Emerging Technologies</i> , 2020, 63, 102375.	5.6	12
69	Environmental Applications, <i>Food and Biomass Processing by Pulsed Electric Fields</i> . , 2017, , 389-476.		9
70	Effect of ozone processing conditions on stability of fungal pigments. <i>Innovative Food Science and Emerging Technologies</i> , 2018, 45, 255-263.	5.6	9
71	Modulating the bitterness of Empeltre olive oil by partitioning polyphenols between oil and water phases: Effect on quality and shelf life. <i>Food Science and Technology International</i> , 2019, 25, 47-55.	2.2	9
72	Pulsed Electric Field Treatment for Fruit and Vegetable Processing. , 2017, , 2495-2515.		9

#	ARTICLE	IF	CITATIONS
73	Influence of dimethyl dicarbonate on the resistance of Escherichia coli to a combined UV-Heat treatment in apple juice. <i>Frontiers in Microbiology</i> , 2015, 6, 501.	3.5	8
74	Grape Must Processed by Pulsed Electric Fields: Effect on the Inoculation and Development of Non-Saccharomyces Yeasts. <i>Food and Bioprocess Technology</i> , 2020, 13, 1087-1094.	4.7	8
75	Improving the microbial inactivation uniformity of pulsed electric field ohmic heating treatments of solid products. <i>LWT - Food Science and Technology</i> , 2022, 154, 112709.	5.2	7
76	Debitting olive oil by liquidâ€“liquid extraction: Kinetics and the effect on the quality of Arbequina olive oil. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 1243-1249.	1.5	5
77	Production of a Granulysin-Based, Tn-Targeted Cytolytic Immunotoxin Using Pulsed Electric Field Technology. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6165.	4.1	5
78	Two-Step PEF Processing for Enhancing the Polyphenol Concentration and Decontaminating a Red Grape Juice. <i>Foods</i> , 2022, 11, 621.	4.3	5
79	Manosonication-assisted extraction of trans-astaxanthin from <i>Xanthophyllomyces dendrorhous</i> : A green and organic solvent-free methodology. <i>Food and Bioproducts Processing</i> , 2021, 129, 65-74.	3.6	4
80	Pulsed Electric Field Treatment for Fruit and Vegetable Processing. , 2016, , 1-21.		4
81	Pulsed Electric Fields in Wineries: Potential Applications. , 2017, , 2825-2842.		3
82	Other Applications of Pulsed Electric Fields Technology for the Food Industry. <i>Food Engineering Series</i> , 2022, , 439-466.	0.7	2
83	Preclinical Studies of Granulysin-Based Anti-MUC1-Tn Immunotoxins as a New Antitumoral Treatment. <i>Biomedicines</i> , 2022, 10, 1223.	3.2	2
84	Dataset on the use of the Ratkowsky model for describing the influence of storage temperature on microbial growth in hake fillets ( <i>Merluccius merluccius</i> ) stored under MAP. <i>Data in Brief</i> , 2019, 27, 104743.	1.0	1
85	Microbial Decontamination by Pulsed Electric Fields (PEF) in Winemaking. , 0, , .		1
86	Applications of Pulsed Electric Fields in Winemaking. <i>Food Engineering Series</i> , 2022, , 337-356.	0.7	1
87	Pulsed Electric Fields in Wineries: Potential Applications. , 2016, , 1-18.		0