Michael A Gore

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/907689/michael-a-gore-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135	7,918 citations	32	88
papers		h-index	g-index
171 ext. papers	11,072 ext. citations	5.8 avg, IF	5.71 L-index

#	Paper	IF	Citations
135	Interactions between breeding system and ploidy affect niche breadth in Royal Society Open Science, 2022 , 9, 211862	3.3	1
134	Transcriptome-wide association and prediction for carotenoids and tocochromanols in fresh sweet corn kernels <i>Plant Genome</i> , 2022 , e20197	4.4	О
133	Generalizable approaches for genomic prediction of metabolites in plants <i>Plant Genome</i> , 2022 , e20205	4.4	О
132	Multi-omics prediction of oat agronomic and seed nutritional traits across environments and in distantly related populations. <i>Theoretical and Applied Genetics</i> , 2021 , 134, 4043-4054	6	4
131	Accelerating Crop Domestication in the Era of Gene Editing 2021 , 185-211		1
130	Sugarcane Mosaic Virus Resistance in the Wisconsin Sweet Corn Diversity Panel. <i>Journal of the American Society for Horticultural Science</i> , 2021 , 1-10	2.3	
129	Eleven biosynthetic genes explain the majority of natural variation in carotenoid levels in maize grain. <i>Plant Cell</i> , 2021 , 33, 882-900	11.6	3
128	High-resolution genome-wide association study pinpoints metal transporter and chelator genes involved in the genetic control of element levels in maize grain. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	3
127	Genome-wide association study suggests an independent genetic basis of zinc and cadmium concentrations in fresh sweet corn kernels. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	2
126	Effectiveness of genomic selection for improving provitamin A carotenoid content and associated traits in cassava. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	2
125	High-Quality Reference Genome Sequence for the Oomycete Vegetable Pathogen Phytophthora capsici Strain LT1534. <i>Microbiology Resource Announcements</i> , 2021 , 10, e0029521	1.3	1
124	A minimally disruptive method for measuring water potential in planta using hydrogel nanoreporters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	4
123	The Evolutionary History of Wild, Domesticated, and Feral Brassica oleracea (Brassicaceae). <i>Molecular Biology and Evolution</i> , 2021 , 38, 4419-4434	8.3	9
122	Machine learning-enabled phenotyping for GWAS and TWAS of WUE traits in 869 field-grown sorghum accessions. <i>Plant Physiology</i> , 2021 , 187, 1481-1500	6.6	3
121	Genome-Wide Association Study in New York Isolates Reveals Loci Involved in Mating Type and Mefenoxam Sensitivity. <i>Phytopathology</i> , 2021 , 111, 204-216	3.8	3
120	Making waves in Breedbase: An integrated spectral data storage and analysis pipeline for plant breeding programs. <i>The Plant Phenome Journal</i> , 2021 , 4, e20012	5	2
119	Prospector: A mobile application for portable, high-throughput near-infrared spectroscopy phenotyping. <i>The Plant Phenome Journal</i> , 2021 , 4, e20024	5	

(2020-2021)

-	118	The patterns of deleterious mutations during the domestication of soybean. <i>Nature Communications</i> , 2021 , 12, 97	17.4	9	
	117	Genome assembly and population genomic analysis provide insights into the evolution of modern sweet corn. <i>Nature Communications</i> , 2021 , 12, 1227	17.4	9	
-	116	Translating insights from the seed metabolome into improved prediction for lipid-composition traits in oat (Avena sativa L.). <i>Genetics</i> , 2021 , 217,	4	7	
	115	Improving Genomic Prediction for Seed Quality Traits in Oat (Avena sativa L.) Using Trait-Specific Relationship Matrices. <i>Frontiers in Genetics</i> , 2021 , 12, 643733	4.5	3	
-	114	Phenotyping stomatal closure by thermal imaging for GWAS and TWAS of water use efficiency-related genes. <i>Plant Physiology</i> , 2021 , 187, 2544-2562	6.6	3	
:	113	Acylsugars protect Nicotiana benthamiana against insect herbivory and desiccation. <i>Plant Molecular Biology</i> , 2021 , 1	4.6	O	
	112	A combined BSA-Seq and linkage mapping approach identifies genomic regions associated with Phytophthora root and crown rot resistance in squash. <i>Theoretical and Applied Genetics</i> , 2021 , 134, 1015	5 - 1031	5	
	111	The importance of dominance and genotype-by-environment interactions on grain yield variation in a large-scale public cooperative maize experiment. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	12	
-	110	Comparative evolutionary genetics of deleterious load in sorghum and maize. <i>Nature Plants</i> , 2021 , 7, 17-24	11.5	12	
	109	Selection for seed size has uneven effects on specialized metabolite abundance in oat (Avena sativa L). <i>G3: Genes, Genomes, Genetics</i> , 2021 ,	3.2	1	
-	108	Transcriptomic network analyses shed light on the regulation of cuticle development in maize leaves. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 1246	4 ⁻ 12 ⁵ 47	.18	
	107	Genome-Wide Association Study for Maize Leaf Cuticular Conductance Identifies Candidate Genes Involved in the Regulation of Cuticle Development. <i>G3: Genes, Genomes, Genetics</i> , 2020 , 10, 1671-1683	3.2	5	
-	106	Use of hydraulic traits for modeling genotype-specific acclimation in cotton under drought. <i>New Phytologist</i> , 2020 , 228, 898-909	9.8	3	
	105	Natural variation for carotenoids in fresh kernels is controlled by uncommon variants in sweet corn. <i>Plant Genome</i> , 2020 , 13, e20008	4.4	17	
-	104	Genomic characterization of Ugandan smallholder farmer-preferred cassava varieties. <i>Crop Science</i> , 2020 , 60, 1450-1461	2.4	6	
	103	ImageBreed: Open-access plant breeding weblatabase for image-basedlphenotyping. <i>The Plant Phenome Journal</i> , 2020 , 3, e20004	5	8	
-	102	Maize genomes to fields (G2F): 2014-2017 field seasons: genotype, phenotype, climatic, soil, and inbred ear image datasets. <i>BMC Research Notes</i> , 2020 , 13, 71	2.3	16	
	101	A sorghum practical haplotype graph facilitates genome-wide imputation and cost-effective genomic prediction. <i>Plant Genome</i> , 2020 , 13, e20009	4.4	24	

100	Genetic Analysis of the Transition from Wild to Domesticated Cotton (L.). <i>G3: Genes, Genomes, Genetics</i> , 2020 , 10, 731-754	3.2	7
99	Heritable temporal gene expression patterns correlate with metabolomic seed content in developing hexaploid oat seed. <i>Plant Biotechnology Journal</i> , 2020 , 18, 1211-1222	11.6	8
98	Genome-wide association study identifies acyl-lipid metabolism candidate genes involved in the genetic control of natural variation for seed fatty acid traits in Brassica napus L <i>Industrial Crops and Products</i> , 2020 , 145, 112080	5.9	4
97	Relative utility of agronomic, phenological, and morphological traits for assessing genotype-by-environment interaction in maize inbreds. <i>Crop Science</i> , 2020 , 60, 62-81	2.4	7
96	Divergence of defensive cucurbitacins in independent Cucurbita pepo domestication events leads to differences in specialist herbivore preference. <i>Plant, Cell and Environment</i> , 2020 , 43, 2812-2825	8.4	6
95	Aerial high-throughput phenotyping enables indirect selection for grain yield at the early generation, seed-limited stages in breeding programs. <i>Crop Science</i> , 2020 , 60, 3096-3114	2.4	14
94	A maize LIPID TRANSFER PROTEIN may bridge the gap between PHYTOCHROME-mediated light signaling and cuticle biosynthesis. <i>Plant Signaling and Behavior</i> , 2020 , 15, 1790824	2.5	3
93	Structure-function analysis of the maize bulliform cell cuticle and its potential role in dehydration and leaf rolling. <i>Plant Direct</i> , 2020 , 4, e00282	3.3	5
92	Novel Bayesian Networks for Genomic Prediction of Developmental Traits in Biomass Sorghum. <i>G3: Genes, Genomes, Genetics</i> , 2020 , 10, 769-781	3.2	10
91	Random forest regression for optimizing variable planting rates for corn and soybean using topographical and soil data. <i>Agronomy Journal</i> , 2020 , 112, 5045-5066	2.2	O
90	Temporal covariance structure of multi-spectral phenotypes and their predictive ability for end-of-season traits in maize. <i>Theoretical and Applied Genetics</i> , 2020 , 133, 2853-2868	6	6
89	Utility of Climatic Information via Combining Ability Models to Improve Genomic Prediction for Yield Within the Genomes to Fields Maize Project. <i>Frontiers in Genetics</i> , 2020 , 11, 592769	4.5	11
88	Quantitative Phenotyping of Northern Leaf Blight in UAV Images Using Deep Learning. <i>Remote Sensing</i> , 2019 , 11, 2209	5	34
87	Genomic characterization of the Native Seeds/SEARCH common bean (Phaseolus vulgaris L.) collection and its seed coat patterns. <i>Genetic Resources and Crop Evolution</i> , 2019 , 66, 1469-1482	2	3
86	Genotypic evaluation of twenty-eight high- and low-cyanide cassava in low-land tropics, southeast Nigeria. <i>Heliyon</i> , 2019 , 5, e01855	3.6	3
85	The Germ Fraction Inhibits Iron Bioavailability of Maize: Identification of an Approach to Enhance Maize Nutritional Quality via Processing and Breeding. <i>Nutrients</i> , 2019 , 11,	6.7	6
84	Genome-Wide Association Study and Pathway-Level Analysis of Kernel Color in Maize. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 1945-1955	3.2	10
83	Hyperspectral Reflectance-Derived Relationship Matrices for Genomic Prediction of Grain Yield in Wheat. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 1231-1247	3.2	44

82	Science-graphic art partnerships to increase research impact. Communications Biology, 2019, 2, 295	6.7	13	
81	Millimeter-Level Plant Disease Detection From Aerial Photographs Deep Learning and Crowdsourced Data. <i>Frontiers in Plant Science</i> , 2019 , 10, 1550	6.2	31	
80	Machine Learning Enables High-Throughput Phenotyping for Analyses of the Genetic Architecture of Bulliform Cell Patterning in Maize. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 4235-4243	3.2	6	
79	Stomatal conductance, xylem water transport, and root traits underpin improved performance under drought and well-watered conditions across a diverse panel of maize inbred lines. <i>Field Crops Research</i> , 2019 , 234, 119-128	5.5	12	
78	Transcriptome-Wide Association Supplements Genome-Wide Association in. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 3023-3033	3.2	28	
77	Multivariate Genome-Wide Association Analyses Reveal the Genetic Basis of Seed Fatty Acid Composition in Oat (L.). <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 2963-2975	3.2	20	
76	In-Field Whole-Plant Maize Architecture Characterized by Subcanopy Rovers and Latent Space Phenotyping. <i>The Plant Phenome Journal</i> , 2019 , 2, 1-11	5	11	
75	Autonomous Detection of Plant Disease Symptoms Directly from Aerial Imagery. <i>The Plant Phenome Journal</i> , 2019 , 2, 1-9	5	28	
74	Deleterious Mutation Burden and Its Association with Complex Traits in Sorghum (). <i>Genetics</i> , 2019 , 211, 1075-1087	4	27	
73	Genome-Wide Association and Genomic Prediction Models of Tocochromanols in Fresh Sweet Corn Kernels. <i>Plant Genome</i> , 2019 , 12, 180038	4.4	20	
72	Multivariate Analysis of the Cotton Seed Ionome Reveals a Shared Genetic Architecture. <i>G3: Genes, Genomes, Genetics</i> , 2018 , 8, 1147-1160	3.2	8	
71	Image set for deep learning: field images of maize annotated with disease symptoms. <i>BMC Research Notes</i> , 2018 , 11, 440	2.3	43	
70	Maize Genomes to Fields: 2014 and 2015 field season genotype, phenotype, environment, and inbred ear image datasets. <i>BMC Research Notes</i> , 2018 , 11, 452	2.3	16	
69	A Low-Cost Automated System for High-Throughput Phenotyping of Single Oat Seeds. <i>The Plant Phenome Journal</i> , 2018 , 1, 1-13	5	5	
68	Sustaining the Future of Plant Breeding: The Critical Role of the USDA-ARS National Plant Germplasm System. <i>Crop Science</i> , 2018 , 58, 451-468	2.4	55	
67	Influences of the combination of high temperature and water deficit on the heritabilities and correlations of agronomic and fiber quality traits in upland cotton. <i>Euphytica</i> , 2017 , 213, 1	2.1	6	
66	Chemical variation for fiber cuticular wax levels in upland cotton (Gossypium hirsutum L.) evaluated under contrasting irrigation regimes. <i>Industrial Crops and Products</i> , 2017 , 100, 153-162	5.9	11	
65	Nucleotide diversity in the two co-resident genomes of allopolyploid cotton. <i>Plant Systematics and Evolution</i> , 2017 , 303, 1021-1042	1.3	3	

64	A community resource for exploring and utilizing genetic diversity in the USDA pea single plant plus collection. <i>Horticulture Research</i> , 2017 , 4, 17017	7.7	23
63	NLR locus-mediated trade-off between abiotic and biotic stress adaptation in Arabidopsis. <i>Nature Plants</i> , 2017 , 3, 17072	11.5	30
62	Network-Guided GWAS Improves Identification of Genes Affecting Free Amino Acids. <i>Plant Physiology</i> , 2017 , 173, 872-886	6.6	36
61	A century of guayule: Comprehensive genetic characterization of the US national guayule (Parthenium argentatum A. Gray) germplasm collection. <i>Industrial Crops and Products</i> , 2017 , 109, 300-30) 5 ·9	20
60	Novel Loci Underlie Natural Variation in Vitamin E Levels in Maize Grain. <i>Plant Cell</i> , 2017 , 29, 2374-2392	11.6	57
59	Automated Identification of Northern Leaf Blight-Infected Maize Plants from Field Imagery Using Deep Learning. <i>Phytopathology</i> , 2017 , 107, 1426-1432	3.8	136
58	Population Structure and Phylogenetic Relationships in a Diverse Panel of L. <i>Frontiers in Plant Science</i> , 2017 , 8, 321	6.2	26
57	Investigation of the Influence of Leaf Thickness on Canopy Reflectance and Physiological Traits in Upland and Pima Cotton Populations. <i>Frontiers in Plant Science</i> , 2017 , 8, 1405	6.2	10
56	Temporal Genetic Dynamics of an Experimental, Biparental Field Population of. <i>Frontiers in Genetics</i> , 2017 , 8, 26	4.5	10
55	ZEAXANTHIN EPOXIDASE Activity Potentiates Carotenoid Degradation in Maturing Seed. <i>Plant Physiology</i> , 2016 , 171, 1837-51	6.6	31
54	Identification of haplotypes at the Rsv4 genomic region in soybean associated with durable resistance to soybean mosaic virus. <i>Theoretical and Applied Genetics</i> , 2016 , 129, 453-68	6	28
53	Chemical variation for leaf cuticular waxes and their levels revealed in a diverse panel of Brassica napus L <i>Industrial Crops and Products</i> , 2016 , 79, 77-83	5.9	19
52	Field-Based High-Throughput Plant Phenotyping Reveals the Temporal Patterns of Quantitative Trait Loci Associated with Stress-Responsive Traits in Cotton. <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 865	5 ³ 7 ³ 9	63
51	Genetic Diversity of the Two Commercial Tetraploid Cotton Species in the Gossypium Diversity Reference Set. <i>Journal of Heredity</i> , 2016 , 107, 274-86	2.4	30
50	Population Genomic Analysis Reveals Differential Evolutionary Histories and Patterns of Diversity across Subgenomes and Subpopulations of Brassica napus L. <i>Frontiers in Plant Science</i> , 2016 , 7, 525	6.2	20
49	The Quest for Understanding Phenotypic Variation via Integrated Approaches in the Field Environment. <i>Plant Physiology</i> , 2016 , 172, 622-634	6.6	75
48	Cotton phenotyping with lidar from a track-mounted platform 2016 ,		4
47	Development of a 63K SNP Array for Cotton and High-Density Mapping of Intraspecific and Interspecific Populations of Gossypium spp. <i>G3: Genes, Genomes, Genetics</i> , 2015 , 5, 1187-209	3.2	117

(2013-2015)

46	From association to prediction: statistical methods for the dissection and selection of complex traits in plants. <i>Current Opinion in Plant Biology</i> , 2015 , 24, 110-8	9.9	94
45	Proximal hyperspectral sensing and data analysis approaches for field-based plant phenomics. <i>Computers and Electronics in Agriculture</i> , 2015 , 118, 225-236	6.5	40
44	Genomic diversity and phylogenetic relationships in the genus Parthenium (Asteraceae). <i>Industrial Crops and Products</i> , 2015 , 76, 920-929	5.9	14
43	Molecular characterization of the Gossypium Diversity Reference Set of the US National Cotton Germplasm Collection. <i>Theoretical and Applied Genetics</i> , 2015 , 128, 313-27	6	27
42	Closing the Divide between Human Nutrition and Plant Breeding. <i>Crop Science</i> , 2015 , 55, 1437-1448	2.4	26
41	Re-evaluating the phylogeny of allopolyploid Gossypium L. <i>Molecular Phylogenetics and Evolution</i> , 2015 , 92, 45-52	4.1	63
40	Effects of temperature and salinity on germination of non-pelleted and pelleted guayule (Parthenium argentatum A. Gray) seeds. <i>Industrial Crops and Products</i> , 2014 , 55, 90-96	5.9	9
39	Genetic diversity and population structure in the US Upland cotton (Gossypium hirsutum L.). <i>Theoretical and Applied Genetics</i> , 2014 , 127, 283-95	6	107
38	Quantitative trait locus analysis of Verticillium wilt resistance in an introgressed recombinant inbred population of Upland cotton. <i>Molecular Breeding</i> , 2014 , 33, 709-720	3.4	30
37	A foundation for provitamin A biofortification of maize: genome-wide association and genomic prediction models of carotenoid levels. <i>Genetics</i> , 2014 , 198, 1699-716	4	129
36	Genome size variation in guayule and mariola: Fundamental descriptors for polyploid plant taxa. <i>Industrial Crops and Products</i> , 2014 , 54, 1-5	5.9	7
35	Linkage Map Construction and Quantitative Trait Locus Analysis of Agronomic and Fiber Quality Traits in Cotton. <i>Plant Genome</i> , 2014 , 7, plantgenome2013.07.0023	4.4	48
34	Genome-wide analysis of the omega-3 fatty acid desaturase gene family in Gossypium. <i>BMC Plant Biology</i> , 2014 , 14, 312	5.3	33
33	The genetic architecture of maize height. <i>Genetics</i> , 2014 , 196, 1337-56	4	211
32	Genome-wide analysis of branched-chain amino acid levels in Arabidopsis seeds. <i>Plant Cell</i> , 2013 , 25, 4827-43	11.6	93
31	Carotenoid cleavage dioxygenase4 is a negative regulator of Etarotene content in Arabidopsis seeds. <i>Plant Cell</i> , 2013 , 25, 4812-26	11.6	139
30	Development and evaluation of a field-based high-throughput phenotyping platform. <i>Functional Plant Biology</i> , 2013 , 41, 68-79	2.7	225
29	Genome-wide association study and pathway-level analysis of tocochromanol levels in maize grain. <i>G3: Genes, Genomes, Genetics</i> , 2013 , 3, 1287-99	3.2	111

28	Genetic Analysis of Visually Scored Orange Kernel Color in Maize. <i>Crop Science</i> , 2013 , 53, 189-200	2.4	49
27	Decreased CO2 availability and inactivation of Rubisco limit photosynthesis in cotton plants under heat and drought stress in the field. <i>Environmental and Experimental Botany</i> , 2012 , 83, 1-11	5.9	148
26	GAPIT: genome association and prediction integrated tool. <i>Bioinformatics</i> , 2012 , 28, 2397-9	7.2	1135
25	Maize HapMap2 identifies extant variation from a genome in flux. <i>Nature Genetics</i> , 2012 , 44, 803-7	36.3	470
24	Field-based phenomics for plant genetics research. Field Crops Research, 2012, 133, 101-112	5.5	404
23	Registration of the TM-1/NM24016 Cotton Recombinant Inbred Mapping Population. <i>Journal of Plant Registrations</i> , 2012 , 6, 124-127	0.7	19
22	Complex Ploidy Level Variation in Guayule Breeding Programs. <i>Crop Science</i> , 2011 , 51, 210-216	2.4	11
21	Mixed linear model approach adapted for genome-wide association studies. <i>Nature Genetics</i> , 2010 , 42, 355-60	36.3	1259
20	A first-generation haplotype map of maize. <i>Science</i> , 2009 , 326, 1115-7	33.3	613
19	Large-Scale Discovery of Gene-Enriched SNPs. <i>Plant Genome</i> , 2009 , 2,	4.4	48
18	Status and Prospects of Association Mapping in Plants. <i>Plant Genome</i> , 2008 , 1,	4.4	818
17	Evaluation of Target Preparation Methods for Single-Feature Polymorphism Detection in Large Complex Plant Genomes. <i>Crop Science</i> , 2007 , 47, S-135	2.4	32
16	Wild relatives of potato may bolster its adaptation to new niches under future climate scenarios. <i>Food and Energy Security</i> ,e360	4.1	1
15	Network analyses implicate a role for PHYTOCHROME-mediated light signaling in the regulation of cuticle development in plant leaves		1
15			26
	cuticle development in plant leaves		
14	rAmpSeq: Using repetitive sequences for robust genotyping Elemental Accumulation in Kernels of the Maize Nested Association Mapping Panel Reveals Signals	J	26

LIST OF PUBLICATIONS

10	Eleven biosynthetic genes explain the majority of natural variation for carotenoid levels in maize grain	2
9	Machine learning enabled phenotyping for GWAS and TWAS of WUE traits in 869 field-grown sorghum accessions	1
8	Leveraging mutational burden for complex trait prediction in sorghum	3
7	Transcriptome-wide association supplements genome-wide association in Zea mays	3
6	Hyperspectral Reflectance-Derived Relationship Matrices for Genomic Prediction of Grain Yield in Wheat	5
5	Multivariate Genome-wide Association Analyses Reveal the Genetic Basis of Seed Fatty Acid Composition in Oat (Avena sativaL.)	1
4	Genetic analysis of the transition from wild to domesticated cotton (G. hirsutum L.)	2
3	In-field whole plant maize architecture characterized by Latent Space Phenotyping	3
2	Comparative evolutionary analysis and prediction of deleterious mutation patterns between sorghum and maize	1
1	Temporal Genetic Dynamics of an Experimental, Biparental Field Population of Phytophthora capsici	1