

# Estela Cuevas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9077093/publications.pdf>

Version: 2024-02-01

54  
papers

935  
citations

623188

14  
h-index

476904

29  
g-index

56  
all docs

56  
docs citations

56  
times ranked

990  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Moderate and Transient Deficiency of Maternal Thyroid Function at the Beginning of Fetal Neocortico-genesis Alters Neuronal Migration. <i>Endocrinology</i> , 2004, 145, 4037-4047.	1.4	392
2	Transient maternal hypothyroxinemia at onset of corticogenesis alters tangential migration of medial ganglionic eminence-derived neurons. <i>European Journal of Neuroscience</i> , 2005, 22, 541-551.	1.2	100
3	Sugared water consumption by adult offspring of mothers fed a protein-restricted diet during pregnancy results in increased offspring adiposity: the second hit effect. <i>British Journal of Nutrition</i> , 2014, 111, 616-624.	1.2	24
4	Effect of multiparity on morphometry and oestrogen receptor expression of pelvic and perineal striated muscles in rabbits: is serum oestradiol relevant?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 169, 113-120.	0.5	20
5	Association between the serum concentration of triiodothyronine with components of metabolic syndrome, cardiovascular risk, and diet in euthyroid post-menopausal women without and with metabolic syndrome. <i>SpringerPlus</i> , 2014, 3, 266.	1.2	20
6	The Langerhans islet cells of female rabbits are differentially affected by hypothyroidism depending on the islet size. <i>Endocrine</i> , 2015, 48, 811-817.	1.1	20
7	Distribution of thyroid hormone and thyrotropin receptors in reproductive tissues of adult female rabbits. <i>Endocrine Research</i> , 2017, 42, 59-70.	0.6	18
8	Interactive effects of chronic stress and a high-sucrose diet on nonalcoholic fatty liver in young adult male rats. <i>Stress</i> , 2017, 20, 608-617.	0.8	18
9	Effect of Gonadal Hormones on the Cross-sectional Area of Pubococcygeus Muscle Fibers in Male Rat. <i>Anatomical Record</i> , 2008, 291, 586-592.	0.8	17
10	High Sucrose Intake Ameliorates the Accumulation of Hepatic Triacylglycerol Promoted by Restraint Stress in Young Rats. <i>Lipids</i> , 2015, 50, 1103-1113.	0.7	16
11	Participation of estradiol and progesterone in the retrograde labeling of pubococcygeus motoneurons of the female rat. <i>Neuroscience</i> , 2006, 140, 1435-1442.	1.1	15
12	Hypothyroidism Affects Differentially the Cell Size of Epithelial Cells Among Oviductal Regions of Rabbits. <i>Reproduction in Domestic Animals</i> , 2015, 50, 104-111.	0.6	15
13	Hypothyroidism Reduces the Size of Ovarian Follicles and Promotes Hypertrophy of Periovarian Fat with Infiltration of Macrophages in Adult Rabbits. <i>BioMed Research International</i> , 2017, 2017, 1-11.	0.9	15
14	Hypothyroidism Induces a Moderate Steatohepatitis Accompanied by Liver Regeneration, Mast Cells Infiltration, and Changes in the Expression of the Farnesoid X Receptor. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 183-190.	0.6	13
15	The Effects of Castration and Hormone Replacement on the Cross-sectional Area of Pubococcygeus Muscle Fibers in the Female Rat. <i>Anatomical Record</i> , 2011, 294, 1242-1248.	0.8	12
16	General tissue characteristics of the lower urethral and vaginal walls in the domestic rabbit. <i>International Urogynecology Journal</i> , 2009, 20, 53-60.	0.7	11
17	Morphometry of paravaginal ganglia from the pelvic plexus: impact of multiparity, primiparity, and pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 286-292.	0.5	10
18	Differential damage and repair responses of pubococcygeus and bulbospongiosus muscles in multiparous rabbits. <i>Neurology and Urodynamics</i> , 2016, 35, 180-185.	0.8	10

#	ARTICLE	IF	CITATIONS
19	Role of Estrogens in the Size of Neuronal Somata of Paravaginal Ganglia in Ovariectomized Rabbits. <i>BioMed Research International</i> , 2017, 2017, 1-12.	0.9	10
20	Tissue alterations in urethral and vaginal walls related to multiparity in rabbits. <i>Anatomical Record</i> , 2014, 297, 1963-1970.	0.8	9
21	Farnesoid X receptor immunolocalization in reproductive tissues of adult female rabbits. <i>Acta Histochemica</i> , 2014, 116, 1068-1074.	0.9	9
22	Consumption of sucrose from infancy increases the visceral fat accumulation, concentration of triglycerides, insulin and leptin, and generates abnormalities in the adrenal gland. <i>Anatomical Science International</i> , 2016, 91, 151-162.	0.5	9
23	Hypothyroidism induces uterine hyperplasia and inflammation related to sex hormone receptors expression in virgin rabbits. <i>Life Sciences</i> , 2019, 230, 111-120.	2.0	9
24	High Estradiol Differentially Affects the Expression of the Glucose Transporter Type 4 in Pelvic Floor Muscles of Rats. <i>International Neurourology Journal</i> , 2018, 22, 161-168.	0.5	9
25	Aromatase expression is linked to estrogenic sensitivity of periurethral muscles in female rabbits. <i>Cell Biochemistry and Function</i> , 2015, 33, 188-195.	1.4	7
26	Hypothyroidism affects lipid and glycogen content and peroxisome proliferator-activated receptor $\alpha$ expression in the ovary of the rabbit. <i>Reproduction, Fertility and Development</i> , 2018, 30, 1380.	0.1	7
27	Morphohistological characteristics of rabbit oviduct: A proposal for a single regionalization. <i>Animal Reproduction Science</i> , 2013, 143, 102-111.	0.5	6
28	Anatomic and functional properties of bulboglandularis striated muscle support its contribution as sphincter in female rabbit micturition. <i>Neurourology and Urodynamics</i> , 2016, 35, 689-695.	0.8	6
29	Hypothyroidism modifies morphometry and thyroid hormone receptor expression in periurethral muscles of female rabbits. <i>Neurourology and Urodynamics</i> , 2016, 35, 895-901.	0.8	6
30	Morphological characteristics of the cervix in domestic sows. <i>Anatomical Science International</i> , 2012, 87, 195-202.	0.5	5
31	The role of the pubococcygeus muscle in the urethro-genital reflex of male rats. <i>Neurourology and Urodynamics</i> , 2017, 36, 80-85.	0.8	5
32	Hitting a triple in the non-alcoholic fatty liver disease field: sucrose intake in adulthood increases fat content in the female but not in the male rat offspring of dams fed a gestational low-protein diet. <i>Journal of Developmental Origins of Health and Disease</i> , 2018, 9, 151-159.	0.7	5
33	Hypothyroidism impairs somatovisceral reflexes involved in micturition of female rabbits. <i>Neurourology and Urodynamics</i> , 2018, 37, 2406-2413.	0.8	5
34	Chronic stress and high sucrose intake cause distinctive morphometric effects in the adrenal glands of post-weaned rats. <i>Biotechnic and Histochemistry</i> , 2018, 93, 565-574.	0.7	5
35	Histomorphological testicular changes and decrease in the sperm count in pubertal rats induced by a high-sugar diet. <i>Annals of Anatomy</i> , 2021, 235, 151678.	1.0	5
36	Denervation and Castration Effects on the Cross-sectional Area of Pubococcygeus Muscle Fibers in Male Rats. <i>Anatomical Record</i> , 2013, 296, 1634-1639.	0.8	4

#	ARTICLE	IF	CITATIONS
37	Moderate to high normal levels of thyrotropin is a risk factor for urinary incontinence and an unsuitable quality of life in women over 65 years. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017, 44, 86-92.	0.9	4
38	Morphometric changes and AQP2 expression in kidneys of young male rats exposed to chronic stress and a high-sucrose diet. <i>Biomedicine and Pharmacotherapy</i> , 2018, 105, 1098-1105.	2.5	4
39	High sucrose diet potentiates hyperaldosteronism and renal injury induced by stress in young adult rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2020, 47, 1985-1994.	0.9	4
40	Sucrose exposure during gestation lactation and postweaning periods increases the pubococcygeus muscle reflex activity in adult male rats. <i>International Journal of Impotence Research</i> , 2022, 34, 564-572.	1.0	4
41	The Expression of Hormone Receptors as a Gateway toward Understanding Endocrine Actions in Female Pelvic Floor Muscles. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020, 20, 305-320.	0.6	4
42	Absence of the tail in female rats disrupts the copulatory pattern of experienced male partners. <i>Animal Behaviour</i> , 2008, 75, 1243-1251.	0.8	3
43	Hypothyroidism Affects Vascularization and Promotes Immune Cells Infiltration into Pancreatic Islets of Female Rabbits. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-8.	0.6	3
44	Hypothyroidism Alters the Uterine Lipid Levels in Pregnant Rabbits and Affects the Fetal Size. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2019, 19, 818-825.	0.6	3
45	Estrogens influence differentially on the pelvic floor muscles activation at somatovisceral reflexes involved in micturition of rabbits. <i>Menopause</i> , 2021, 28, 1287-1295.	0.8	3
46	Differential estrogen-related responses in myofiber cross-sectional area of pelvic floor muscles in female rats. <i>Gynecological Endocrinology</i> , 2021, 37, 528-533.	0.7	3
47	Effects of hypothyroidism on the female pancreas involve the regulation of estrogen receptors. <i>Steroids</i> , 2022, 181, 108996.	0.8	3
48	Antioxidant-mediated protective effect of hawthorn ( <i>Crataegus mexicana</i> ) peel extract in erythrocytes against oxidative damage. <i>African Journal of Food Science</i> , 2015, 9, 208-222.	0.4	2
49	Inferring lanosterol functions in the female rabbit reproductive tract based on the immunolocalization of lanosterol 14-demethylase and farnesoid beta-receptor. <i>Acta Histochemica</i> , 2020, 122, 151472.	0.9	2
50	SAT-561 Protective Effect of Moderated Dose of Iodine in Pancreatic Alterations during Hypothyroidism. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.1	2
51	Maternal and Offspring Sugar Consumption Increases Perigonadal Adipose Tissue Hypertrophy and Negatively Affects the Testis Histological Organization in Adult Rats. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 10, .	1.8	2
52	Hormonal Treatment Effects on the Cross-sectional Area of Pubococcygeus Muscle Fibers After Denervation and Castration in Male Rats. <i>Anatomical Record</i> , 2017, 300, 1327-1335.	0.8	1
53	Spinal cord neuronal components involved in the reflex activity of female rat pubococcygeus motoneurons. <i>Neuroscience Letters</i> , 2018, 670, 105-109.	1.0	1
54	Hypothyroidism modifies differentially the content of lipids and glycogen, lipid receptors, and intraepithelial lymphocytes among oviductal regions of rabbits. <i>Reproductive Biology</i> , 2020, 20, 247-253.	0.9	0