

# Juan P AbugattÃ;s De Torres

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9077337/publications.pdf>

Version: 2024-02-01

35  
papers

439  
citations

759055

12  
h-index

794469

19  
g-index

37  
all docs

37  
docs citations

37  
times ranked

802  
citing authors

#	ARTICLE	IF	CITATIONS
1	Second-generation cryoballoon ablation in the setting of left common pulmonary veins: Procedural findings and clinical outcome. <i>Heart Rhythm</i> , 2017, 14, 1311-1318.	0.3	44
2	Second-generation cryoballoon ablation without the use of real-time recordings: A novel strategy based on a temperature-guided approach to ablation. <i>Heart Rhythm</i> , 2017, 14, 322-328.	0.3	38
3	Efficacy and safety of the second generation cryoballoon ablation for the treatment of paroxysmal atrial fibrillation in patients over 75 years: a comparison with a younger cohort. <i>Europace</i> , 2017, 19, 1798-1803.	0.7	37
4	Late thrombosis of paclitaxel-eluting stents: Long-term incidence, clinical consequences, and risk factors in a cohort of 604 patients. <i>American Heart Journal</i> , 2008, 155, 648-653.	1.2	27
5	Long-term outcome after second-generation cryoballoon ablation for paroxysmal atrial fibrillation - a 3-years follow-up. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 93-100.	0.6	25
6	Role of Electrocardiographic Tpeak-Tend for the Prediction of Ventricular Arrhythmic Events in the Brugada Syndrome. <i>American Journal of Cardiology</i> , 2017, 120, 1332-1337.	0.7	20
7	Phrenic nerve injury during right inferior pulmonary vein ablation with the second-generation cryoballoon: clinical, procedural, and anatomical characteristics. <i>Europace</i> , 2018, 20, e156-e163.	0.7	19
8	Posterior box isolation as an adjunctive ablation strategy during repeat ablation with the second-generation cryoballoon for recurrence of persistent atrial fibrillation: 1-year follow-up. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 56, 1-7.	0.6	18
9	Hybrid thoracoscopic epicardial ablation of right ventricular outflow tract in patients with Brugada syndrome. <i>Heart Rhythm</i> , 2019, 16, 879-887.	0.3	17
10	Two-year follow-up of one-stage left unilateral thoracoscopic epicardial and transcatheter endocardial ablation for persistent and long-standing persistent atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 58, 333-343.	0.6	15
11	Acute and one year outcome of premature ventricular contraction ablation guided by contact force and automated pacemapping software. <i>Journal of Arrhythmia</i> , 2019, 35, 542-549.	0.5	13
12	Single freeze per vein strategy with the second-generation cryoballoon for atrial fibrillation: a propensity score-matched study between 180- and 240-s application time in a large cohort of patients. <i>Europace</i> , 2018, 20, f377-f383.	0.7	12
13	Repeat procedures using the second-generation cryoballoon for recurrence of atrial fibrillation after initial ablation with conventional radiofrequency. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 119-125.	0.6	11
14	Left atrium remodeling predicts late recurrence of paroxysmal atrial fibrillation after second generation cryoballoon ablation. <i>Cardiovascular Ultrasound</i> , 2018, 16, 19.	0.5	11
15	Over-the-needle trans-septal access using the cryoballoon delivery sheath and dilator in atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 868-873.	0.5	10
16	Single freeze strategy with the second-generation cryoballoon for atrial fibrillation: a multicenter international retrospective analysis in a large cohort of patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 173-180.	0.6	9
17	Role of the burden of premature atrial contractions during the blanking period following second-generation cryoballoon ablation in predicting late recurrences of atrial arrhythmias. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 329-335.	0.6	9
18	Second generation cryoballoon ablation for atrial fibrillation in young adults: midterm outcome in patients under 40 years of age. <i>Europace</i> , 2018, 20, 295-300.	0.7	9

#	ARTICLE	IF	CITATIONS
19	Long-term outcome of pulmonary vein isolation in patients with paroxysmal atrial fibrillation and Brugada syndrome. <i>Europace</i> , 2018, 20, 548-554.	0.7	8
20	Continuous monitoring after second-generation cryoballoon ablation for paroxysmal atrial fibrillation in patients with cardiac implantable electronic devices. <i>Heart Rhythm</i> , 2019, 16, 187-196.	0.3	8
21	Radiofrequency versus cryoballoon ablation for atrial fibrillation in the setting of left common pulmonary veins. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1456-1462.	0.5	8
22	Comparison of the Incidences of Complications After Second-Generation Cryoballoon Ablation of Atrial Fibrillation Using Vitamin K Antagonists Versus Novel Oral Anticoagulants. <i>American Journal of Cardiology</i> , 2017, 120, 223-229.	0.7	7
23	Anatomical and procedural predictors of pulmonary vein stenosis in the setting of second-generation cryoballoon ablation. <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 290-296.	0.6	7
24	Efficacy and safety of the second-generation cryoballoon ablation for the treatment of persistent atrial fibrillation in elderly patients. <i>Journal of Arrhythmia</i> , 2021, 37, 626-634.	0.5	7
25	Single 3-min freeze per vein ablation strategy with the second-generation cryoballoon for atrial fibrillation in a large cohort of patients: long term outcome after a single procedure. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 53, 81-89.	0.6	6
26	Real-Time Recordings in Cryoballoon Pulmonary Veins Isolation: Comparison Between the 25mm and the 20mm Achieve Catheters. <i>Journal of Atrial Fibrillation</i> , 2018, 10, 1855.	0.5	6
27	Clinical value of induction protocol after second generation cryoballoon ablation for paroxysmal atrial fibrillation. <i>Europace</i> , 2018, 20, 778-785.	0.7	5
28	Second-Generation Cryoballoon Ablation for Atrial Fibrillation – A Detailed Analysis of the Impact of Left Atrial Volume Index on Clinical Outcome. <i>Circulation Journal</i> , 2018, 83, 84-90.	0.7	4
29	Impact of an additional right pulmonary vein on second-generation cryoballoon ablation for atrial fibrillation: a propensity matched score study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 54, 1-8.	0.6	4
30	Influencia de la trombosis del stent en la relación riesgo-beneficio de los stents farmacoactivos y los stents convencionales. <i>Revista Espanola De Cardiología</i> , 2010, 63, 528-535.	0.6	3
31	Impact of cryoballoon-guided pulmonary vein isolation on non-invasive autonomic tests in patients with paroxysmal atrial fibrillation. <i>Indian Pacing and Electrophysiology Journal</i> , 2019, 19, 171-177.	0.3	3
32	Predictors of long-term outcome in patients undergoing a first repeat ablation consisting solely of re-isolation of reconnected pulmonary veins. <i>Journal of Atrial Fibrillation</i> , 2019, 11, 2114.	0.5	2
33	Una extraña etiología para el QT largo. <i>Revista Espanola De Cardiología</i> , 2012, 65, 486-488.	0.6	1
34	Lead extraction in non-cardiac surgery centers: Easier said than done. <i>International Journal of Cardiology</i> , 2020, 303, 62-63.	0.8	0
35	Electrophysiological findings in patients with isolated veins after cryoablation for paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 641-647.	0.6	0