

Juan P Abugattás De Torres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9077337/publications.pdf>

Version: 2024-02-01

35
papers

439
citations

759055

12
h-index

794469

19
g-index

37
all docs

37
docs citations

37
times ranked

802
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Efficacy and safety of the second-generation cryoballoon ablation for the treatment of persistent atrial fibrillation in elderly patients. <i>Journal of Arrhythmia</i> , 2021, 37, 626-634. | 0.5 | 7 |
| 2 | Two-year follow-up of one-stage left unilateral thoracoscopic epicardial and transcatheter endocardial ablation for persistent and long-standing persistent atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 58, 333-343. | 0.6 | 15 |
| 3 | Lead extraction in non-cardiac surgery centers: Easier said than done. <i>International Journal of Cardiology</i> , 2020, 303, 62-63. | 0.8 | 0 |
| 4 | Electrophysiological findings in patients with isolated veins after cryoablation for paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 641-647. | 0.6 | 0 |
| 5 | Continuous monitoring after second-generation cryoballoon ablation for paroxysmal atrial fibrillation in patients with cardiac implantable electronic devices. <i>Heart Rhythm</i> , 2019, 16, 187-196. | 0.3 | 8 |
| 6 | Acute and one year outcome of premature ventricular contraction ablation guided by contact force and automated pacemapping software. <i>Journal of Arrhythmia</i> , 2019, 35, 542-549. | 0.5 | 13 |
| 7 | Radiofrequency versus cryoballoon ablation for atrial fibrillation in the setting of left common pulmonary veins. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1456-1462. | 0.5 | 8 |
| 8 | Impact of cryoballoon-guided pulmonary vein isolation on non-invasive autonomic tests in patients with paroxysmal atrial fibrillation. <i>Indian Pacing and Electrophysiology Journal</i> , 2019, 19, 171-177. | 0.3 | 3 |
| 9 | Over-the-needle transseptal access using the cryoballoon delivery sheath and dilator in atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 868-873. | 0.5 | 10 |
| 10 | Posterior box isolation as an adjunctive ablation strategy during repeat ablation with the second-generation cryoballoon for recurrence of persistent atrial fibrillation: 1-year follow-up. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 56, 1-7. | 0.6 | 18 |
| 11 | Hybrid thoracoscopic epicardial ablation of right ventricular outflow tract in patients with Brugada syndrome. <i>Heart Rhythm</i> , 2019, 16, 879-887. | 0.3 | 17 |
| 12 | Impact of an additional right pulmonary vein on second-generation cryoballoon ablation for atrial fibrillation: a propensity matched score study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 54, 1-8. | 0.6 | 4 |
| 13 | Predictors of long-term outcome in patients undergoing a first repeat ablation consisting solely of re-isolation of reconnected pulmonary veins. <i>Journal of Atrial Fibrillation</i> , 2019, 11, 2114. | 0.5 | 2 |
| 14 | Single freeze per vein strategy with the second-generation cryoballoon for atrial fibrillation: a propensity score-matched study between 180- and 240-s application time in a large cohort of patients. <i>Europace</i> , 2018, 20, f377-f383. | 0.7 | 12 |
| 15 | Phrenic nerve injury during right inferior pulmonary vein ablation with the second-generation cryoballoon: clinical, procedural, and anatomical characteristics. <i>Europace</i> , 2018, 20, e156-e163. | 0.7 | 19 |
| 16 | Anatomical and procedural predictors of pulmonary vein stenosis in the setting of second-generation cryoballoon ablation. <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 290-296. | 0.6 | 7 |
| 17 | Long-term outcome of pulmonary vein isolation in patients with paroxysmal atrial fibrillation and Brugada syndrome. <i>Europace</i> , 2018, 20, 548-554. | 0.7 | 8 |
| 18 | Second generation cryoballoon ablation for atrial fibrillation in young adults: midterm outcome in patients under 40 years of age. <i>Europace</i> , 2018, 20, 295-300. | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Clinical value of induction protocol after second generation cryoballoon ablation for paroxysmal atrial fibrillation. <i>Europace</i> , 2018, 20, 778-785. | 0.7 | 5 |
| 20 | Second-Generation Cryoballoon Ablation for Atrial Fibrillation—A Detailed Analysis of the Impact of Left Atrial Volume Index on Clinical Outcome. <i>Circulation Journal</i> , 2018, 83, 84-90. | 0.7 | 4 |
| 21 | Left atrium remodeling predicts late recurrence of paroxysmal atrial fibrillation after second generation cryoballoon ablation. <i>Cardiovascular Ultrasound</i> , 2018, 16, 19. | 0.5 | 11 |
| 22 | Single 3-min freeze per vein ablation strategy with the second-generation cryoballoon for atrial fibrillation in a large cohort of patients: long term outcome after a single procedure. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 53, 81-89. | 0.6 | 6 |
| 23 | Real-Time Recordings in Cryoballoon Pulmonary Veins Isolation: Comparison Between the 25mm and the 20mm Achieve Catheters. <i>Journal of Atrial Fibrillation</i> , 2018, 10, 1855. | 0.5 | 6 |
| 24 | Long-term outcome after second-generation cryoballoon ablation for paroxysmal atrial fibrillation - a 3-years follow-up. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 93-100. | 0.6 | 25 |
| 25 | Efficacy and safety of the second generation cryoballoon ablation for the treatment of paroxysmal atrial fibrillation in patients over 75 years: a comparison with a younger cohort. <i>Europace</i> , 2017, 19, 1798-1803. | 0.7 | 37 |
| 26 | Second-generation cryoballoon ablation in the setting of left common pulmonary veins: Procedural findings and clinical outcome. <i>Heart Rhythm</i> , 2017, 14, 1311-1318. | 0.3 | 44 |
| 27 | Single freeze strategy with the second-generation cryoballoon for atrial fibrillation: a multicenter international retrospective analysis in a large cohort of patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 173-180. | 0.6 | 9 |
| 28 | Repeat procedures using the second-generation cryoballoon for recurrence of atrial fibrillation after initial ablation with conventional radiofrequency. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 119-125. | 0.6 | 11 |
| 29 | Comparison of the Incidences of Complications After Second-Generation Cryoballoon Ablation of Atrial Fibrillation Using Vitamin K Antagonists Versus Novel Oral Anticoagulants. <i>American Journal of Cardiology</i> , 2017, 120, 223-229. | 0.7 | 7 |
| 30 | Role of the burden of premature atrial contractions during the blanking period following second-generation cryoballoon ablation in predicting late recurrences of atrial arrhythmias. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 329-335. | 0.6 | 9 |
| 31 | Role of Electrocardiographic Tpeak-Tend for the Prediction of Ventricular Arrhythmic Events in the Brugada Syndrome. <i>American Journal of Cardiology</i> , 2017, 120, 1332-1337. | 0.7 | 20 |
| 32 | Second-generation cryoballoon ablation without the use of real-time recordings: A novel strategy based on a temperature-guided approach to ablation. <i>Heart Rhythm</i> , 2017, 14, 322-328. | 0.3 | 38 |
| 33 | Una extra etiología para el QT largo. <i>Revista Espanola De Cardiología</i> , 2012, 65, 486-488. | 0.6 | 1 |
| 34 | Influencia de la trombosis del stent en la relación riesgo-beneficio de los stents farmacoactivos y los stents convencionales. <i>Revista Espanola De Cardiología</i> , 2010, 63, 528-535. | 0.6 | 3 |
| 35 | Late thrombosis of paclitaxel-eluting stents: Long-term incidence, clinical consequences, and risk factors in a cohort of 604 patients. <i>American Heart Journal</i> , 2008, 155, 648-653. | 1.2 | 27 |