

Lillemor Berntson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9077946/publications.pdf>

Version: 2024-02-01

51
papers

1,335
citations

393982

19
h-index

360668

35
g-index

52
all docs

52
docs citations

52
times ranked

1268
citing authors

#	ARTICLE	IF	CITATIONS
1	M-ficolin: a valuable biomarker to identify leukaemia from juvenile idiopathic arthritis. Archives of Disease in Childhood, 2022, 107, 371-376.	1.0	1
2	Population-based study of multisystem inflammatory syndrome associated with COVID-19 found that 36% of children had persistent symptoms. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 354-362.	0.7	20
3	A Pilot Study Investigating Faecal Microbiota After Two Dietary Interventions in Children with Juvenile Idiopathic Arthritis. Current Microbiology, 2022, 79, .	1.0	1
4	Uveitis in Juvenile Idiopathic Arthritis. Ophthalmology, 2021, 128, 598-608.	2.5	37
5	Fatigue in young adults with juvenile idiopathic arthritis 18 years after disease onset: data from the prospective Nordic JIA cohort. Pediatric Rheumatology, 2021, 19, 33.	0.9	7
6	Fecal microbiota in children with juvenile idiopathic arthritis treated with methotrexate or etanercept. Pediatric Rheumatology, 2021, 19, 55.	0.9	5
7	A pilot study of possible anti-inflammatory effects of the specific carbohydrate diet in children with juvenile idiopathic arthritis. Pediatric Rheumatology, 2021, 19, 88.	0.9	4
8	A cross-sectional cohort study of the activity and turnover of neutrophil granulocytes in juvenile idiopathic arthritis. Pediatric Rheumatology, 2021, 19, 102.	0.9	3
9	Fecal Microbiota in Untreated Children With Juvenile Idiopathic Arthritis: A Comparison With Healthy Children and Healthy Siblings. Journal of Rheumatology, 2021, 48, 1589-1595.	1.0	6
10	Long-term Outcomes in Juvenile Idiopathic Arthritis: Eighteen Years of Follow-up in the Population-Based Nordic Juvenile Idiopathic Arthritis Cohort. Arthritis Care and Research, 2020, 72, 507-516.	1.5	108
11	Condylar alterations and facial growth in children with juvenile idiopathic arthritis. Journal of Orofacial Orthopedics, 2020, 81, 163-171.	0.5	9
12	Longterm Outcomes of Temporomandibular Joints in Juvenile Idiopathic Arthritis: 17 Years of Followup of a Nordic Juvenile Idiopathic Arthritis Cohort. Journal of Rheumatology, 2020, 47, 730-738.	1.0	34
13	Early Self-Reported Pain in Juvenile Idiopathic Arthritis as Related to Long-term Outcomes: Results From the Nordic Juvenile Idiopathic Arthritis Cohort Study. Arthritis Care and Research, 2019, 71, 961-969.	1.5	17
14	Participation in school and physical education in juvenile idiopathic arthritis in a Nordic long-term cohort study. Pediatric Rheumatology, 2019, 17, 44.	0.9	16
15	Complement lectin pathway protein levels reflect disease activity in juvenile idiopathic arthritis: a longitudinal study of the Nordic JIA cohort. Pediatric Rheumatology, 2019, 17, 63.	0.9	3
16	The European network for care of children with paediatric rheumatic diseases: care across borders. Rheumatology, 2019, 58, 1188-1195.	0.9	15
17	Phenotypic variability and disparities in treatment and outcomes of childhood arthritis throughout the world: an observational cohort study. The Lancet Child and Adolescent Health, 2019, 3, 255-263.	2.7	120
18	AB0132...A NOVEL TARGET FOR TREATMENT OF INFLAMMATORY JOINT DISEASES. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
19	AB0967â€¦.IS THERE A DIFFERENCE IN PRESENTATION OF FEMALE AND MALE PATIENTS WITH JUVENILE SYSTEMIC SCLERODERMA. AN UPDATE FROM THE JUVENILE SYSTEMIC SCLERODERMA INCEPTION COHORT. WWW.JUVENILE-SCLERODERMA.COM. , 2019, , .		0
20	SAT0479â€¦.UPDATE FROM THE JUVENILE SCLERODERMA INCEPTION COHORT. WWW.JUVENILE-SCLERODERMA.COM. , 2019, , .		0
21	SAT0478â€¦.AFTER 24 MONTHS OBSERVATION PERIOD THE PATIENTS RELATED OUTCOMES IMPROVE SIGNIFICANTLY IN THE JUVENILE SCLERODERMA INCEPTIONS COHORT. WWW.JUVENILE-SCLERODERMA.COM. , 2019, , .		0
22	OP0201â€¦.FATIGUE IN JUVENILE IDIOPATIC ARTHRITIS AFTER 18 YEARS OF FOLLOW-UP. , 2019, , .		0
23	AB0942â€¦.RADIOLOGICAL SACROILIITIS AFTER 18 YEARS OF FOLLOW-UP IN THE POPULATION-BASED NORDIC JUVENILE IDIOPATHIC ARTHRITIS (JIA) COHORT. , 2019, , .		0
24	Validation of prediction models of severe disease course and non-achievement of remission in juvenile idiopathic arthritis: part 1â€”results of the Canadian model in the Nordic cohort. Arthritis Research and Therapy, 2019, 21, 270.	1.6	10
25	Evaluation of screening for coeliac disease in children with juvenile idiopathic arthritis. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 688-693.	0.7	12
26	The Swedish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). Rheumatology International, 2018, 38, 371-377.	1.5	0
27	Predicting unfavorable long-term outcome in juvenile idiopathic arthritis: results from the Nordic cohort study. Arthritis Research and Therapy, 2018, 20, 91.	1.6	30
28	High-sensitive CRP as a predictive marker of long-term outcome in juvenile idiopathic arthritis. Rheumatology International, 2017, 37, 695-703.	1.5	6
29	Psoriasis and associated variables in classification and outcome of juvenile idiopathic arthritis - an eight-year follow-up study. Pediatric Rheumatology, 2017, 15, 13.	0.9	15
30	A survey of national and multi-national registries and cohort studies in juvenile idiopathic arthritis: challenges and opportunities. Pediatric Rheumatology, 2017, 15, 31.	0.9	27
31	Incidence and predictors of Uveitis in juvenile idiopathic arthritis in a Nordic long-term cohort study. Pediatric Rheumatology, 2017, 15, 66.	0.9	57
32	Changes in fecal microbiota and metabolomics in a child with juvenile idiopathic arthritis (JIA) responding to two treatment periods with exclusive enteral nutrition (EEN). Clinical Rheumatology, 2016, 35, 1501-1506.	1.0	22
33	Gut microbiota-host interactions and juvenile idiopathic arthritis. Pediatric Rheumatology, 2016, 14, 44.	0.9	38
34	Simultaneous detection of IgA and IgG antibodies against tissue transglutaminase: The preferred pre-biopsy test in childhood celiac disease. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, 208-216.	0.6	9
35	Anti-inflammatory effect of exclusive enteral nutrition in patients with juvenile idiopathic arthritis. Clinical and Experimental Rheumatology, 2016, 34, 941-945.	0.4	19
36	Ankle arthritis predicts polyarticular disease course and unfavourable outcome in children with juvenile idiopathic arthritis. Clinical and Experimental Rheumatology, 2015, 33, 751-7.	0.4	6

#	ARTICLE	IF	CITATIONS
37	Temporomandibular condylar alterations in juvenile idiopathic arthritis most common in longitudinally severe disease despite medical treatment. <i>Pediatric Rheumatology</i> , 2014, 12, 43.	0.9	14
38	Ankle arthritis predicts worse outcome in children with juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2014, 12, .	0.9	1
39	Children with juvenile idiopathic arthritis frequently experience interruptions to their medical therapy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 529-536.	0.7	2
40	Anti-type II collagen antibodies, anti-CCP, IgA RF and IgM RF are associated with joint damage, assessed eight years after onset of juvenile idiopathic arthritis (JIA). <i>Pediatric Rheumatology</i> , 2014, 12, 22.	0.9	23
41	Anti-inflammatory effect by exclusive enteral nutrition (EEN) in a patient with juvenile idiopathic arthritis (JIA): brief report. <i>Clinical Rheumatology</i> , 2014, 33, 1173-1175.	1.0	16
42	Temporomandibular signs, symptoms, joint alterations and disease activity in juvenile idiopathic arthritis – an observational study. <i>Pediatric Rheumatology</i> , 2013, 11, 37.	0.9	23
43	HLA-B27 Predicts a More Chronic Disease Course in an 8-year Followup Cohort of Patients with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 725-731.	1.0	55
44	Validity and predictive ability of the juvenile arthritis disease activity score based on CRP versus ESR in a Nordic population-based setting. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1122-1127.	0.5	59
45	Up Regulated Complement and Fc Receptors in Juvenile Idiopathic Arthritis and Correlation with Disease Phenotype. <i>Journal of Clinical Immunology</i> , 2012, 32, 540-550.	2.0	7
46	Ongoing disease activity and changing categories in a long-term nordic cohort study of juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2809-2818.	6.7	169
47	Biomarkers of Chronic Uveitis in Juvenile Idiopathic Arthritis: Predictive Value of Antihistone Antibodies and Antinuclear Antibodies. <i>Journal of Rheumatology</i> , 2009, 36, 1737-1743.	1.0	62
48	HLA-B27 predicts a more extended disease with increasing age at onset in boys with juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2008, 35, 2055-61.	1.0	28
49	Assessment of disease activity in juvenile idiopathic arthritis. The number and the size of joints matter. <i>Journal of Rheumatology</i> , 2007, 34, 2106-11.	1.0	7
50	Incidence of juvenile idiopathic arthritis in the Nordic countries. A population based study with special reference to the validity of the ILAR and EULAR criteria. <i>Journal of Rheumatology</i> , 2003, 30, 2275-82.	1.0	150
51	Construct validity of ILAR and EULAR criteria in juvenile idiopathic arthritis: a population based incidence study from the Nordic countries. <i>International League of Associations for Rheumatology. European League Against Rheumatism. Journal of Rheumatology</i> , 2001, 28, 2737-43.	1.0	62