

# Yingxiang Ye

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9078320/publications.pdf>

Version: 2024-02-01

59  
papers

4,098  
citations

126901

33  
h-index

133244

59  
g-index

59  
all docs

59  
docs citations

59  
times ranked

2928  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pore Space Partition within a Metal-Organic Framework for Highly Efficient C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> Separation. <i>Journal of the American Chemical Society</i> , 2019, 141, 4130-4136.	13.7	338
2	Straightforward Loading of Imidazole Molecules into Metal-Organic Framework for High Proton Conduction. <i>Journal of the American Chemical Society</i> , 2017, 139, 15604-15607.	13.7	290
3	Metal-Organic Frameworks as a Versatile Platform for Proton Conductors. <i>Advanced Materials</i> , 2020, 32, e1907090.	21.0	255
4	High Anhydrous Proton Conductivity of Imidazole-Loaded Mesoporous Polyimides over a Wide Range from Subzero to Moderate Temperature. <i>Journal of the American Chemical Society</i> , 2015, 137, 913-918.	13.7	238
5	Ethylene/ethane separation in a stable hydrogen-bonded organic framework through a gating mechanism. <i>Nature Chemistry</i> , 2021, 13, 933-939.	13.6	235
6	Loading Photochromic Molecules into a Luminescent Metal-Organic Framework for Information Anticounterfeiting. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18025-18031.	13.8	205
7	Metal-Organic Framework Based Hydrogen-Bonding Nanotrap for Efficient Acetylene Storage and Separation. <i>Journal of the American Chemical Society</i> , 2022, 144, 1681-1689.	13.7	172
8	Integrating the Pillared-Layer Strategy and Pore-Space Partition Method to Construct Multicomponent MOFs for C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> Separation. <i>Journal of the American Chemical Society</i> , 2020, 142, 9258-9266.	13.7	141
9	A Fluorescent Metal-Organic Framework for Food Real-Time Visual Monitoring. <i>Advanced Materials</i> , 2021, 33, e2008020.	21.0	139
10	A Robust Mixed-Lanthanide PolyMOF Membrane for Ratiometric Temperature Sensing. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 21752-21757.	13.8	115
11	Metal-organic frameworks with a large breathing effect to host hydroxyl compounds for high anhydrous proton conductivity over a wide temperature range from subzero to 125 Å°C. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4062-4070.	10.3	109
12	Metallo Hydrogen-Bonded Organic Frameworks (MHOFs) as New Class of Crystalline Materials for Protonic Conduction. <i>Chemistry - A European Journal</i> , 2019, 25, 1691-1695.	3.3	92
13	Simultaneous implementation of resistive switching and rectifying effects in a metal-organic framework with switched hydrogen bond pathway. <i>Science Advances</i> , 2019, 5, eaaw4515.	10.3	90
14	Robustness, Selective Gas Separation, and Nitrobenzene Sensing on Two Isomers of Cadmium Metal-Organic Frameworks Containing Various Metal-O Metal Chains. <i>Inorganic Chemistry</i> , 2018, 57, 12961-12968.	4.0	87
15	Microporous Metal-Organic Framework Stabilized by Balanced Multiple Host-Couteranion Hydrogen-Bonding Interactions for High-Density CO <sub>2</sub> Capture at Ambient Conditions. <i>Inorganic Chemistry</i> , 2016, 55, 292-299.	4.0	82
16	Mixed-Valence Cobalt(II/III) Metal-Organic Framework for Ammonia Sensing with Naked-Eye Color Switching. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 27465-27471.	8.0	75
17	Cobalt-citrate framework armored with graphene oxide exhibiting improved thermal stability and selectivity for biogas decarburization. <i>Journal of Materials Chemistry A</i> , 2015, 3, 593-599.	10.3	71
18	Rationally tuning host-guest interactions to free hydroxide ions within intertrimerically cuprophilic metal-organic frameworks for high OH <sup>-</sup> conductivity. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7816-7824.	10.3	71

#	ARTICLE	IF	CITATIONS
19	40-Fold Enhanced Intrinsic Proton Conductivity in Coordination Polymers with the Same Proton-Conducting Pathway by Tuning Metal Cation Nodes. <i>Inorganic Chemistry</i> , 2016, 55, 983-986.	4.0	68
20	Additive-Induced Supramolecular Isomerism and Enhancement of Robustness in Co(II)-Based MOFs for Efficiently Trapping Acetylene from Acetylene-Containing Mixtures. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 30912-30918.	8.0	67
21	Highly Selective Adsorption of Carbon Dioxide over Acetylene in an Ultramicroporous Metal-Organic Framework. <i>Advanced Materials</i> , 2021, 33, e2105880.	21.0	66
22	Enhancement of Intrinsic Proton Conductivity and Aniline Sensitivity by Introducing Dye Molecules into the MOF Channel. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 16490-16495.	8.0	65
23	Enhanced Intrinsic Proton Conductivity of Metal-Organic Frameworks by Tuning the Degree of Interpenetration. <i>Crystal Growth and Design</i> , 2018, 18, 3724-3728.	3.0	62
24	Loading Photochromic Molecules into a Luminescent Metal-Organic Framework for Information Anticounterfeiting. <i>Angewandte Chemie</i> , 2019, 131, 18193-18199.	2.0	62
25	Maximizing acetylene packing density for highly efficient C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> separation through immobilization of amine sites within a prototype MOF. <i>Chemical Engineering Journal</i> , 2022, 431, 134184.	12.7	49
26	Highly Selective Adsorption of C <sub>2</sub> /C <sub>1</sub> Mixtures and Solvent-Dependent Thermochromic Properties in Metal-Organic Frameworks Containing Infinite Copper-Halogen Chains. <i>Crystal Growth and Design</i> , 2017, 17, 2081-2089.	3.0	48
27	Second-Sphere Interaction Promoted Turn-On Fluorescence for Selective Sensing of Organic Amines in a Tb <sup>III</sup> -based Macrocyclic Framework. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 23705-23712.	13.8	48
28	Metal-Organic Framework with Rich Accessible Nitrogen Sites for Highly Efficient CO <sub>2</sub> Capture and Separation. <i>Inorganic Chemistry</i> , 2019, 58, 7754-7759.	4.0	47
29	MOF-derived binary mixed carbon/metal oxide porous materials for constructing simultaneous determination of hydroquinone and catechol sensor. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 81-89.	2.5	47
30	High proton conductivity in an unprecedented anionic metalloring organic framework (MROF) containing novel metalloring clusters with the largest diameter. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18742-18746.	10.3	44
31	A Microporous Hydrogen-Bonded Organic Framework for Efficient Xe/Kr Separation. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 19623-19628.	8.0	44
32	Photochromic naphthalene diimide Cd-MOFs based on different second dicarboxylic acid ligands. <i>CrystEngComm</i> , 2018, 20, 7567-7573.	2.6	43
33	Microporous Copper Isophthalate Framework of <i>mot</i> Topology for C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> Separation. <i>Crystal Growth and Design</i> , 2019, 19, 5829-5835.	3.0	40
34	Construction of a thiourea-based metal-organic framework with open Ag <sup>+</sup> sites for the separation of propene/propane mixtures. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25567-25572.	10.3	33
35	Isorecticular Microporous Metal-Organic Frameworks for Carbon Dioxide Capture. <i>Inorganic Chemistry</i> , 2020, 59, 17143-17148.	4.0	33
36	Loading Acid-Base Pairs into Periodic Mesoporous Organosilica for High Anhydrous Proton Conductivity over a Wide Operating Temperature Window. <i>ACS Applied Energy Materials</i> , 2018, 1, 5068-5074.	5.1	31

#	ARTICLE	IF	CITATIONS
37	A microporous metal-organic framework with naphthalene diimide groups for high methane storage. Dalton Transactions, 2020, 49, 3658-3661.	3.3	31
38	Microporous metal-organic frameworks with open metal sites and $\pi$ -Lewis acidic pore surfaces for recovering ethylene from polyethylene off-gas. Journal of Materials Chemistry A, 2018, 6, 20822-20828.	10.3	30
39	Solvent-Assisted Modification to Enhance Proton Conductivity and Water Stability in Metal Phosphonates. Inorganic Chemistry, 2020, 59, 3518-3522.	4.0	29
40	A microporous metal-organic framework of sql topology for C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> separation. Inorganica Chimica Acta, 2019, 495, 118938.	2.4	28
41	Isostructural MOFs with Higher Proton Conductivity for Improved Oxygen Evolution Reaction Performance. ACS Applied Materials & Interfaces, 2020, 12, 16367-16375.	8.0	28
42	Utilization of cationic microporous metal-organic framework for efficient Xe/Kr separation. Nano Research, 2022, 15, 7559-7564.	10.4	25
43	A Robust Mixed-Lanthanide PolyMOF Membrane for Ratiometric Temperature Sensing. Angewandte Chemie, 2020, 132, 21936-21941.	2.0	23
44	An antiferromagnetic metalloring pyrazolate (Pz) framework with [Cu <sub>12</sub> (1/4 <sub>2</sub> -OH) <sub>12</sub> (Pz) <sub>12</sub> ] nodes for separation of C <sub>2</sub> H <sub>2</sub> /CH <sub>4</sub> mixture. Journal of Materials Chemistry A, 2018, 6, 19681-19688.	10.3	21
45	A naphthalene diimide-based MOF with mog net featuring photochromic behaviors and high stability. Inorganic Chemistry Communication, 2018, 93, 105-109.	3.9	19
46	High proton conductivity in metalloring-cluster based metal-organic nanotubes. Nano Research, 2021, 14, 387-391.	10.4	19
47	Thermal Conversion of MOF@MOF: Synthesis of an N-Doped Carbon Material with Excellent ORR Performance. ChemPlusChem, 2018, 83, 1044-1051.	2.8	18
48	A Hierarchically Porous Metal-Organic Framework from Semirigid Ligand for Gas Adsorption. Chinese Journal of Chemistry, 2016, 34, 215-219.	4.9	17
49	Inserting V-Shaped Bidentate Partition Agent into MIL-88-Type Framework for Acetylene Separation from Acetylene-Containing Mixtures. Crystal Growth and Design, 2020, 20, 2099-2105.	3.0	17
50	A microporous metal-organic framework with basic sites for efficient C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> separation. Journal of Solid State Chemistry, 2020, 284, 121209.	2.9	13
51	An Ultramicroporous Metal-Organic Framework with Record High Selectivity for Inverse CO <sub>2</sub> /C <sub>2</sub> H <sub>2</sub> Separation. Bulletin of the Chemical Society of Japan, 2021, 94, 2698-2701.	3.2	13
52	A 3D-diamond-like metal-organic framework: Crystal structure, nonlinear optical effect and high thermal stability. Inorganic Chemistry Communication, 2015, 60, 19-22.	3.9	12
53	Sulfonated periodic-mesoporous-organosilicas column for selective separation of C <sub>2</sub> H <sub>2</sub> /CH <sub>4</sub> mixtures. Journal of Solid State Chemistry, 2018, 264, 113-118.	2.9	12
54	A Cd(II) metal-organic framework based on semi-rigid ligand 3,5-(4-carboxybenzyloxy) benzoic acid with high stability by intramolecular hydrogen-bonding. Inorganic Chemistry Communication, 2017, 80, 49-52.	3.9	11

#	ARTICLE	IF	CITATIONS
55	Second-sphere Interaction Promoted Turn-On Fluorescence for Selective Sensing of Organic Amines in a Tb <sup>III</sup> -based Macrocyclic Framework. <i>Angewandte Chemie</i> , 2021, 133, 23898-23905.	2.0	8
56	Facile synthesis of oxidized activated carbons for high-selectivity and low-enthalpy CO <sub>2</sub> capture from flue gas. <i>New Journal of Chemistry</i> , 2018, 42, 4495-4500.	2.8	7
57	Microporous polycarbazole frameworks with large conjugated $\pi$ systems for cyclohexane separation from cyclohexane-containing mixtures. <i>New Journal of Chemistry</i> , 2021, 45, 22437-22443.	2.8	6
58	Isorecticular Double Interpenetrating Copper-Pyrazolate-Carboxylate Frameworks for Efficient CO <sub>2</sub> Capture. <i>Crystal Growth and Design</i> , 2022, 22, 3853-3861.	3.0	5
59	A metal-organic framework with double interpenetrated frameworks for effective C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> separation. <i>Inorganic Chemistry Communication</i> , 2020, 112, 107721.	3.9	4