

Haining Tian

List of Publications by Citations

Source: <https://exaly.com/author-pdf/907930/haining-tian-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

5,594
citations

39
h-index

74
g-index

95
ext. papers

6,124
ext. citations

9.8
avg, IF

5.74
L-index

#	Paper	IF	Citations
84	Phenothiazine derivatives for efficient organic dye-sensitized solar cells. <i>Chemical Communications</i> , 2007 , 3741-3	5.8	408
83	Effect of Different Dye Baths and Dye-Structures on the Performance of Dye-Sensitized Solar Cells Based on Triphenylamine Dyes. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 11023-11033	3.8	404
82	Carbazole-based hole-transport materials for efficient solid-state dye-sensitized solar cells and perovskite solar cells. <i>Advanced Materials</i> , 2014 , 26, 6629-34	24	320
81	Effect of Tetrahydroquinoline Dyes Structure on the Performance of Organic Dye-Sensitized Solar Cells. <i>Chemistry of Materials</i> , 2007 , 19, 4007-4015	9.6	283
80	Highly efficient CdS quantum dot-sensitized solar cells based on a modified polysulfide electrolyte. <i>Journal of the American Chemical Society</i> , 2011 , 133, 8458-60	16.4	244
79	Organic redox couples and organic counter electrode for efficient organic dye-sensitized solar cells. <i>Journal of the American Chemical Society</i> , 2011 , 133, 9413-22	16.4	214
78	Tetrahydroquinoline dyes with different spacers for organic dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007 , 189, 295-300	4.7	162
77	Two novel carbazole dyes for dye-sensitized solar cells with open-circuit voltages up to 1 V based on Br(-)/Br(3)(-) electrolytes. <i>Organic Letters</i> , 2009 , 11, 5542-5	6.2	156
76	Solar cells sensitized with type-II ZnSe-CdS core/shell colloidal quantum dots. <i>Chemical Communications</i> , 2011 , 47, 1536-8	5.8	148
75	Tuning of phenoxazine chromophores for efficient organic dye-sensitized solar cells. <i>Chemical Communications</i> , 2009 , 6288-90	5.8	144
74	A metal-free Black dye for panchromatic dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2009 , 2, 674	35.4	142
73	Organic Polymer Dots as Photocatalysts for Visible Light-Driven Hydrogen Generation. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 12306-10	16.4	140
72	An experimental and theoretical study of an efficient polymer nano-photocatalyst for hydrogen evolution. <i>Energy and Environmental Science</i> , 2017 , 10, 1372-1376	35.4	138
71	Iodine-free redox couples for dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2011 , 21, 10592		129
70	Initial light soaking treatment enables hole transport material to outperform spiro-OMeTAD in solid-state dye-sensitized solar cells. <i>Journal of the American Chemical Society</i> , 2013 , 135, 7378-85	16.4	126
69	Influence of Triple Bonds as Spacer Units in Metal-Free Organic Dyes for Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 11305-11313	3.8	123
68	A Triphenylamine Dye Model for the Study of Intramolecular Energy Transfer and Charge Transfer in Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2008 , 18, 3461-3468	15.6	123

67	Effect of different electron donating groups on the performance of dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2010 , 84, 62-68	4.6	115
66	Efficient organic-dye-sensitized solar cells based on an iodine-free electrolyte. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 7328-31	16.4	110
65	Efficient near infrared D-pi-A sensitizers with lateral anchoring group for dye-sensitized solar cells. <i>Chemical Communications</i> , 2009 , 4031-3	5.8	103
64	Use of colloidal upconversion nanocrystals for energy relay solar cell light harvesting in the near-infrared region. <i>Journal of Materials Chemistry</i> , 2012 , 22, 16709		94
63	Convergent/Divergent Synthesis of a Linker-Variied Series of Dyes for Dye-Sensitized Solar Cells Based on the D35 Donor. <i>Advanced Energy Materials</i> , 2013 , 3, 1647-1656	21.8	88
62	High conductivity Ag-based metal organic complexes as dopant-free hole-transport materials for perovskite solar cells with high fill factors. <i>Chemical Science</i> , 2016 , 7, 2633-2638	9.4	78
61	Modifying organic phenoxazine dyes for efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12462		73
60	Photoinduced intramolecular charge-transfer state in thiophene- π -conjugated donor-acceptor molecules. <i>Journal of Molecular Structure</i> , 2008 , 876, 102-109	3.4	68
59	Solid-state perovskite-sensitized p-type mesoporous nickel oxide solar cells. <i>ChemSusChem</i> , 2014 , 7, 2150-3	8.3	66
58	Molecular Catalyst Immobilized Photocathodes for Water/Proton and Carbon Dioxide Reduction. <i>ChemSusChem</i> , 2015 , 8, 3746-59	8.3	63
57	Efficient solid state dye-sensitized solar cells based on an oligomer hole transport material and an organic dye. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14467	13	62
56	Dynamics and Photochemical H ₂ Evolution of Dye/NiO Photocathodes with a Biomimetic FeFe-Catalyst. <i>ACS Energy Letters</i> , 2016 , 1, 1106-1111	20.1	61
55	Insights into the Mechanism of a Covalently Linked Organic Dye-Cobaloxime Catalyst System for Dye-Sensitized Solar Fuel Devices. <i>ChemSusChem</i> , 2017 , 10, 2480-2495	8.3	57
54	Development of an organic redox couple and organic dyes for aqueous dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2012 , 5, 9752	35.4	55
53	Wave-Function Engineering of CdSe/CdS Core/Shell Quantum Dots for Enhanced Electron Transfer to a TiO ₂ Substrate. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 15184-15189	3.8	54
52	1,1,2,2-Tetrachloroethane (TeCA) as a Solvent Additive for Organic Hole Transport Materials and Its Application in Highly Efficient Solid-State Dye-Sensitized Solar Cells. <i>Advanced Energy Materials</i> , 2015 , 5, 1402340	21.8	53
51	A thiolate/disulfide ionic liquid electrolyte for organic dye-sensitized solar cells based on Pt-free counter electrodes. <i>Chemical Communications</i> , 2011 , 47, 10124-6	5.8	53
50	Integrated Design of Organic Hole Transport Materials for Efficient Solid-State Dye-Sensitized Solar Cells. <i>Advanced Energy Materials</i> , 2015 , 5, 1401185	21.8	51

49	Anthraquinone dyes as photosensitizers for dye-sensitized solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2007 , 91, 1863-1871	6.4	51
48	Enhancement of p-type dye-sensitized solar cell performance by supramolecular assembly of electron donor and acceptor. <i>Scientific Reports</i> , 2014 , 4, 4282	4.9	50
47	Chemical and Physical Reduction of High Valence Ni States in Mesoporous NiO Film for Solar Cell Application. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 33470-33477	9.5	49
46	Solid state p-type dye-sensitized solar cells: concept, experiment and mechanism. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 5080-5	3.6	39
45	Type-II colloidal quantum dot sensitized solar cells with a thiourea based organic redox couple. <i>Journal of Materials Chemistry</i> , 2012 , 22, 6032		39
44	Organic Polymer Dots as Photocatalysts for Visible Light-Driven Hydrogen Generation. <i>Angewandte Chemie</i> , 2016 , 128, 12494-12498	3.6	39
43	Hollow polymer dots: nature-mimicking architecture for efficient photocatalytic hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 4797-4803	13	38
42	A double-band tandem organic dye-sensitized solar cell with an efficiency of 11.5%. <i>ChemSusChem</i> , 2011 , 4, 609-12	8.3	33
41	Panchromatic Ternary Polymer Dots Involving Sub-Picosecond Energy and Charge Transfer for Efficient and Stable Photocatalytic Hydrogen Evolution. <i>Journal of the American Chemical Society</i> , 2021 , 143, 2875-2885	16.4	31
40	Revisiting the Limiting Factors for Overall Water-Splitting on Organic Photocatalysts. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 16278-16293	16.4	30
39	Immobilization of a cobalt catalyst on fullerene in molecular devices for water reduction. <i>Chemical Communications</i> , 2015 , 51, 11508-11	5.8	25
38	Efficient Organic-Dye-Sensitized Solar Cells Based on an Iodine-Free Electrolyte. <i>Angewandte Chemie</i> , 2010 , 122, 7486-7489	3.6	25
37	Solution-processed nanoporous NiO-dye-ZnO photocathodes: Toward efficient and stable solid-state p-type dye-sensitized solar cells and dye-sensitized photoelectrosynthesis cells. <i>Nano Energy</i> , 2019 , 55, 59-64	17.1	25
36	Adsorption geometry, molecular interaction, and charge transfer of triphenylamine-based dye on rutile TiO ₂ (110). <i>Journal of Chemical Physics</i> , 2010 , 133, 224704	3.9	24
35	Nanotechnology for catalysis and solar energy conversion. <i>Nanotechnology</i> , 2021 , 32, 042003	3.4	24
34	Dipicolinic acid: a strong anchoring group with tunable redox and spectral behavior for stable dye-sensitized solar cells. <i>Chemical Communications</i> , 2015 , 51, 3858-61	5.8	23
33	Tetrathiafulvalene as a one-electron iodine-free organic redox mediator in electrolytes for dye-sensitized solar cells. <i>RSC Advances</i> , 2012 , 2, 1083-1087	3.7	22
32	Solid state p-type dye sensitized NiO-dye-TiO core-shell solar cells. <i>Chemical Communications</i> , 2018 , 54, 3739-3742	5.8	20

31	Carbon Dots and [FeFe] Hydrogenase Biohybrid Assemblies for Efficient Light-Driven Hydrogen Evolution. <i>ACS Catalysis</i> , 2020 , 10, 9943-9952	13.1	19
30	A study of oligothiophene-acceptor dyes in p-type dye-sensitized solar cells. <i>RSC Advances</i> , 2016 , 6, 18165-18179	3.7	19
29	Covalently linking CuInS quantum dots with a Re catalyst by click reaction for photocatalytic CO reduction. <i>Dalton Transactions</i> , 2018 , 47, 10775-10783	4.3	19
28	Direct evidence of catalyst reduction on dye and catalyst co-sensitized NiO photocathodes by mid-infrared transient absorption spectroscopy. <i>Chemical Science</i> , 2018 , 9, 4983-4991	9.4	19
27	Aggregation and Electrolyte Composition Effects on the Efficiency of Dye-Sensitized Solar Cells. A Case of a Near-Infrared Absorbing Dye for Tandem Cells. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 194-205	3.8	19
26	Unravelling in-situ formation of highly active mixed metal oxide CuInO ₂ nanoparticles during CO ₂ electroreduction. <i>Nano Energy</i> , 2018 , 49, 40-50	17.1	16
25	Pure organic redox couple for quantum-dot-sensitized solar cells. <i>Chemistry - A European Journal</i> , 2011 , 17, 6330-3	4.8	16
24	Towards sustainable and efficient p-type metal oxide semiconductor materials in dye-sensitized photocathodes for solar energy conversion. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 13850-13861	3.6	15
23	Triphenylamine groups improve blocking behavior of phenoxazine dyes in cobalt-electrolyte-based dye-sensitized solar cells. <i>ChemPhysChem</i> , 2014 , 15, 3476-83	3.2	15
22	Ultrafast dye regeneration in a core-shell NiO-dye-TiO mesoporous film. <i>Physical Chemistry Chemical Physics</i> , 2017 , 20, 36-40	3.6	15
21	Solid-state p-type dye-sensitized solar cells: progress, potential applications and challenges. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 888-898	5.8	13
20	A heavy metal-free CuInS quantum dot sensitized NiO photocathode with a Re molecular catalyst for photoelectrochemical CO reduction. <i>Chemical Communications</i> , 2019 , 55, 7918-7921	5.8	12
19	Facile electrochemical synthesis of anatase nano-architected titanium dioxide films with reversible superhydrophilic behavior. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 46, 203-211	6.3	11
18	Understanding the Role of Surface States on Mesoporous NiO Films. <i>Journal of the American Chemical Society</i> , 2020 , 142, 18668-18678	16.4	11
17	From NiMoO to ENiOOH: Detecting the Active Catalyst Phase by Time Resolved and Raman Spectroscopy. <i>ACS Nano</i> , 2021 ,	16.7	10
16	Using Surface Amide Couplings to Assemble Photocathodes for Solar Fuel Production Applications. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 4501-4509	9.5	9
15	An Indacenodithieno[3,2-b]thiophene-Based Organic Dye for Solid-State p-Type Dye-Sensitized Solar Cells. <i>ChemSusChem</i> , 2019 , 12, 3243-3248	8.3	8
14	Hydrogen evolution by a photoelectrochemical cell based on a Cu ₂ O-ZnO-[FeFe] hydrogenase electrode. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018 , 366, 27-33	4.7	8

13	Quantum rod-sensitized solar cells. <i>ChemSusChem</i> , 2011 , 4, 1741-4	8.3	8
12	Catalytic systems mimicking the [FeFe]-hydrogenase active site for visible-light-driven hydrogen production. <i>Coordination Chemistry Reviews</i> , 2021 , 448, 214172	23.2	8
11	Understanding the Performance of NiO Photocathodes with Alkyl-Derivatized Cobalt Catalysts and a Push-Pull Dye. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 31372-31381	9.5	7
10	Liquid Dye-Sensitized Solar Cells. <i>Green Chemistry and Sustainable Technology</i> , 2018 , 109-149	1.1	5
9	EFFECT OF THE CHROMOPHORES STRUCTURES ON THE PERFORMANCE OF SOLID-STATE DYE SENSITIZED SOLAR CELLS. <i>Nano</i> , 2014 , 09, 1440005	1.1	5
8	Small Organic Molecule Based on Benzothiadiazole for Electrocatalytic Hydrogen Production. <i>Journal of the American Chemical Society</i> , 2021 ,	16.4	5
7	Mechanistic Insights into Solid-State p-Type Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 26151-26160	3.8	1
6	Organic Photovoltaics and Dye-Sensitized Solar Cells 2013 , 567-605		1
5	In Situ Preparation and Immobilization of Semiconducting Polymer Dots on Microbeads for Efficient and Stable Photocatalytic Hydrogen Evolution. <i>ACS Applied Energy Materials</i> , 2021 , 4, 4308-4312	6.1	1
4	Ultrafast Dynamics in Cu-Deficient CuInS ₂ Quantum Dots: Sub-Bandgap Transitions and Self-Assembled Molecular Catalysts. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 14751-14764	3.8	1
3	Hydroxyl-Decorated Diiron Complex as a [FeFe]-Hydrogenase Active Site Model Complex: Light-Driven Photocatalytic Activity and Heterogenization on Ethylene-Bridged Periodic Mesoporous Organosilica. <i>Catalysts</i> , 2022 , 12, 254	4	0
2	Revisiting the Limiting Factors for Overall Water-Splitting on Organic Photocatalysts. <i>Angewandte Chemie</i> , 2020 , 132, 16418	3.6	
1	In-situ evaluation of dye adsorption on TiO ₂ using QCM. <i>EPJ Photovoltaics</i> , 2017 , 8, 80401	0.7	