

Yonggang Lv

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9080243/publications.pdf>

Version: 2024-02-01

74
papers

2,582
citations

218592

26
h-index

206029

48
g-index

75
all docs

75
docs citations

75
times ranked

4101
citing authors

#	ARTICLE	IF	CITATIONS
1	Suspension state and shear stress enhance breast tumor cells EMT through YAP by microRNA-29b. <i>Cell Biology and Toxicology</i> , 2023, 39, 1037-1052.	2.4	6
2	Stem Cell-based Therapy Strategy for Hepatic Fibrosis by Targeting Intrahepatic Cells. <i>Stem Cell Reviews and Reports</i> , 2022, 18, 77-93.	1.7	7
3	Shear stress regulates the migration of suspended breast cancer cells by nuclear lamina protein A/C and large tumor suppressor through yes-associated protein. <i>Human Cell</i> , 2022, 35, 583-598.	1.2	6
4	Magnetic liquid metal scaffold with dynamically tunable stiffness for bone tissue engineering. , 2022, 139, 212975.		7
5	Stem cell recruitment based on scaffold features for bone tissue engineering. <i>Biomaterials Science</i> , 2021, 9, 1189-1203.	2.6	32
6	Demineralized bone matrix scaffold modified with mRNA derived from osteogenically pre-differentiated MSCs improves bone repair. <i>Materials Science and Engineering C</i> , 2021, 119, 111601.	3.8	10
7	Suspension state regulates epithelial-to-mesenchymal transition and stemness of breast tumor cells. <i>Biotechnology Letters</i> , 2021, 43, 561-578.	1.1	6
8	Demineralized and decellularized bone extracellular matrix-incorporated electrospun nanofibrous scaffold for bone regeneration. <i>Journal of Materials Chemistry B</i> , 2021, 9, 6881-6894.	2.9	25
9	Role of endothelial cells in the regulation of mechanical microenvironment on tumor progression. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2021, 37, 218-228.	1.5	3
10	Three-dimensional decellularized tumor extracellular matrices with different stiffness as bioengineered tumor scaffolds. <i>Bioactive Materials</i> , 2021, 6, 2767-2782.	8.6	35
11	Matrix stiffness regulates bone repair by modulating 12-lipoxygenase-mediated early inflammation. <i>Materials Science and Engineering C</i> , 2021, 128, 112359.	3.8	12
12	Exosome derived from mesenchymal stem cells mediates hypoxia-specific BMP2 gene delivery and enhances bone regeneration. <i>Chemical Engineering Journal</i> , 2021, 422, 130084.	6.6	20
13	4-Octyl itaconate modified demineralized bone matrix scaffold improves bone repair by regulating early inflammation. <i>Chemical Engineering Journal</i> , 2021, 425, 131490.	6.6	10
14	The Role of <i>N⁶-Methyladenosine</i> Modified Circular RNA in Pathophysiological Processes. <i>International Journal of Biological Sciences</i> , 2021, 17, 2262-2277.	2.6	16
15	Micromechanical Compatibility between Cells and Scaffolds Directs the Phenotypic Transition of Stem Cells. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 58152-58161.	4.0	6
16	Suspension State Promotes Drug Resistance of Breast Tumor Cells by Inducing ABCC3 Overexpression. <i>Applied Biochemistry and Biotechnology</i> , 2020, 190, 410-422.	1.4	5
17	Scaffold strategies for modulating immune microenvironment during bone regeneration. <i>Materials Science and Engineering C</i> , 2020, 108, 110411.	3.8	67
18	Graphene-based conductive fibrous scaffold boosts sciatic nerve regeneration and functional recovery upon electrical stimulation. <i>Applied Materials Today</i> , 2020, 21, 100870.	2.3	27

#	ARTICLE	IF	CITATIONS
19	Mesenchymal stem cell-derived microvesicles mediate BMP2 gene delivery and enhance bone regeneration. <i>Journal of Materials Chemistry B</i> , 2020, 8, 6378-6389.	2.9	36
20	Preparation and Application of Magnetic Responsive Materials in Bone Tissue Engineering. <i>Current Stem Cell Research and Therapy</i> , 2020, 15, 428-440.	0.6	23
21	RNA-based scaffolds for bone regeneration: application and mechanisms of mRNA, miRNA and siRNA. <i>Theranostics</i> , 2020, 10, 3190-3205.	4.6	83
22	Application of Physical Stimulation in Stem Cell-based Tissue Engineering. <i>Current Stem Cell Research and Therapy</i> , 2020, 15, 389-390.	0.6	3
23	Matrix Mechanics as Regulatory Factors and Therapeutic Targets in Hepatic Fibrosis. <i>International Journal of Biological Sciences</i> , 2019, 15, 2509-2521.	2.6	29
24	Effects of hypoxia on the biological behavior of MSCs seeded in demineralized bone scaffolds with different stiffness. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2019, 35, 309-320.	1.5	7
25	Low-intensity pulsed ultrasound combination with induced pluripotent stem cells-derived neural crest stem cells and growth differentiation factor 5 promotes sciatic nerve regeneration and functional recovery. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019, 13, 625-636.	1.3	33
26	MGF E peptide improves anterior cruciate ligament repair by inhibiting hypoxia-induced cell apoptosis and accelerating angiogenesis. <i>Journal of Cellular Physiology</i> , 2019, 234, 8846-8861.	2.0	15
27	ERK1/2 and Akt phosphorylation were essential for MGF E peptide regulating cell morphology and mobility but not proangiogenic capacity of BMSCs under severe hypoxia. <i>Cell Biochemistry and Function</i> , 2018, 36, 155-165.	1.4	5
28	Effect of substrate stiffness on hepatocyte migration and cellular Young's modulus. <i>Journal of Cellular Physiology</i> , 2018, 233, 6996-7006.	2.0	35
29	Gene expression profiling of human hepatocytes grown on differing substrate stiffness. <i>Biotechnology Letters</i> , 2018, 40, 809-818.	1.1	15
30	The use of mechano growth factor to prevent cartilage degeneration in knee osteoarthritis. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, 738-749.	1.3	10
31	Mechano growth factor E peptide inhibits invasion of melanoma cells and up-regulates CHOP expression via endoplasmic reticulum stress. <i>Biotechnology Letters</i> , 2018, 40, 205-213.	1.1	2
32	Dual-delivery of VEGF and NGF by emulsion electrospun nanofibrous scaffold for peripheral nerve regeneration. <i>Materials Science and Engineering C</i> , 2018, 82, 253-264.	3.8	102
33	Reconstructing Bone with Natural Bone Graft: A Review of In Vivo Studies in Bone Defect Animal Model. <i>Nanomaterials</i> , 2018, 8, 999.	1.9	43
34	Demineralized Bone Scaffolds with Tunable Matrix Stiffness for Efficient Bone Integration. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 27669-27680.	4.0	53
35	Suspension state promotes metastasis of breast cancer cells by up-regulating cyclooxygenase-2. <i>Theranostics</i> , 2018, 8, 3722-3736.	4.6	31
36	Gene expression profiling analysis of the effects of low-intensity pulsed ultrasound on induced pluripotent stem cell-derived neural crest stem cells. <i>Biotechnology and Applied Biochemistry</i> , 2017, 64, 927-937.	1.4	17

#	ARTICLE	IF	CITATIONS
37	Matrix elasticity-modified scaffold loaded with SDF-1 β improves the in situ regeneration of segmental bone defect in rabbit radius. <i>Scientific Reports</i> , 2017, 7, 1672.	1.6	23
38	MGF E peptide pretreatment improves collagen synthesis and cell proliferation of injured human ACL fibroblasts via MEK-ERK1/2 signaling pathway. <i>Growth Factors</i> , 2017, 35, 29-38.	0.5	13
39	Regulation of matrix stiffness on the epithelial-mesenchymal transition of breast cancer cells under hypoxia environment. <i>Die Naturwissenschaften</i> , 2017, 104, 38.	0.6	8
40	Responses of MSCs to 3D Scaffold Matrix Mechanical Properties under Oscillatory Perfusion Culture. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 1207-1218.	4.0	33
41	Suspension state increases reattachment of breast cancer cells by up-regulating lamin A/C. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 2272-2282.	1.9	17
42	MGF E peptide pretreatment improves the proliferation and osteogenic differentiation of BMSCs via MEK-ERK1/2 and PI3K-Akt pathway under severe hypoxia. <i>Life Sciences</i> , 2017, 189, 52-62.	2.0	26
43	Decellularized Bone Matrix Scaffold for Bone Regeneration. <i>Methods in Molecular Biology</i> , 2017, 1577, 239-254.	0.4	43
44	Application of Collagen Scaffold in Tissue Engineering: Recent Advances and New Perspectives. <i>Polymers</i> , 2016, 8, 42.	2.0	513
45	Cell-free scaffolds with different stiffness but same microstructure promote bone regeneration in rabbit large bone defect model. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 833-841.	2.1	30
46	Mechano growth factor-C24E, a potential promoting biochemical factor for ligament tissue engineering. <i>Biochemical Engineering Journal</i> , 2016, 105, 249-263.	1.8	5
47	High mobility group box 1-immobilized nanofibrous scaffold enhances vascularization, osteogenesis and stem cell recruitment. <i>Journal of Materials Chemistry B</i> , 2016, 4, 5002-5014.	2.9	8
48	Editorial (Thematic Issue: Nanofiber-based Drug Design, Delivery and Application). <i>Current Pharmaceutical Design</i> , 2015, 21, 1918-1919.	0.9	1
49	The effect of hyaluronan on the motility of skin dermal fibroblasts in nanofibrous scaffolds. <i>International Journal of Biological Macromolecules</i> , 2015, 79, 133-143.	3.6	29
50	3D Scaffolds with Different Stiffness but the Same Microstructure for Bone Tissue Engineering. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 15790-15802.	4.0	156
51	The effect of silk gland sericin protein incorporation into electrospun polycaprolactone nanofibers on in vitro and in vivo characteristics. <i>Journal of Materials Chemistry B</i> , 2015, 3, 859-870.	2.9	15
52	Mechano growth factor (MGF) and transforming growth factor (TGF)- β 3 functionalized silk scaffolds enhance articular hyaline cartilage regeneration in rabbit model. <i>Biomaterials</i> , 2015, 52, 463-475.	5.7	111
53	Mechano growth factor-E regulates apoptosis and inflammatory responses in fibroblast-like synoviocytes of knee osteoarthritis. <i>International Orthopaedics</i> , 2015, 39, 2503-2509.	0.9	14
54	In vivo repair of rat transected sciatic nerve by low-intensity pulsed ultrasound and induced pluripotent stem cells-derived neural crest stem cells. <i>Biotechnology Letters</i> , 2015, 37, 2497-2506.	1.1	46

#	ARTICLE	IF	CITATIONS
55	Mechano-growth factor enhances differentiation of bone marrow-derived mesenchymal stem cells. <i>Biotechnology Letters</i> , 2015, 37, 2341-2348.	1.1	11
56	Immobilization and Application of Electrospun Nanofiber Scaffold-based Growth Factor in Bone Tissue Engineering. <i>Current Pharmaceutical Design</i> , 2015, 21, 1967-1978.	0.9	36
57	Effect of Internal Structure of Collagen/Hydroxyapatite Scaffold on the Osteogenic Differentiation of Mesenchymal Stem Cells. <i>Current Stem Cell Research and Therapy</i> , 2015, 10, 99-108.	0.6	22
58	Pretreatment with mechano-growth factor E peptide protects bone marrow mesenchymal cells against damage by fluid shear stress. <i>Biotechnology Letters</i> , 2014, 36, 2559-2569.	1.1	12
59	Integration of QSAR modelling and QM/MM analysis to investigate functional food peptides with antihypertensive activity. <i>Molecular Simulation</i> , 2013, 39, 1000-1006.	0.9	5
60	Effects of low-intensity pulsed ultrasound on cell viability, proliferation and neural differentiation of induced pluripotent stem cells-derived neural crest stem cells. <i>Biotechnology Letters</i> , 2013, 35, 2201-2212.	1.1	56
61	Human iPSC-Derived Neural Crest Stem Cells Promote Tendon Repair in a Rat Patellar Tendon Window Defect Model. <i>Tissue Engineering - Part A</i> , 2013, 19, 2439-2451.	1.6	85
62	Matrix Mechanics and Fluid Shear Stress Control Stem Cells Fate in Three Dimensional Microenvironment. <i>Current Stem Cell Research and Therapy</i> , 2013, 8, 313-323.	0.6	39
63	Theoretical model for thermal protection by microencapsulated phase change micro/nanoparticles during hyperthermia. <i>Heat and Mass Transfer</i> , 2012, 48, 573-584.	1.2	5
64	Uncertainty and sensitivity analysis of properties of phase change micro/nanoparticles for thermal protection during cryosurgery. <i>Forschung Im Ingenieurwesen/Engineering Research</i> , 2012, 76, 41-50.	1.0	7
65	The use of hyaluronan to regulate protein adsorption and cell infiltration in nanofibrous scaffolds. <i>Biomaterials</i> , 2012, 33, 3428-3445.	5.7	114
66	Differential response to CoCl ₂ -stimulated hypoxia on HIF-1 α , VEGF, and MMP-2 expression in ligament cells. <i>Molecular and Cellular Biochemistry</i> , 2012, 360, 235-242.	1.4	26
67	A novel mechanical loading model for studying the distributions of strain and mechano-growth factor expression. <i>Archives of Biochemistry and Biophysics</i> , 2011, 511, 8-13.	1.4	13
68	Electrospun poly (ϵ -caprolactone)/silk fibroin core-sheath nanofibers and their potential applications in tissue engineering and drug release. <i>International Journal of Biological Macromolecules</i> , 2011, 49, 223-232.	3.6	134
69	Combined effects of TNF α , IL β , and HIF α on MMP α production in ACL fibroblasts under mechanical stretch: An in vitro study. <i>Journal of Orthopaedic Research</i> , 2011, 29, 1008-1014.	1.2	33
70	Feasibility study for thermal protection by microencapsulated phase change micro/nanoparticles during cryosurgery. <i>Chemical Engineering Science</i> , 2011, 66, 3941-3953.	1.9	39
71	A Pharmacokinetic Model for Radioimmunotherapy Delivered Through Cerebrospinal Fluid for the Treatment of Leptomeningeal Metastases. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1324-1331.	2.8	11
72	Feasibility study on strengthening heating effect of high power short pulse laser on biological tissue by micro/nano metal particles. <i>Heat and Mass Transfer</i> , 2008, 44, 1455-1464.	1.2	1

#	ARTICLE	IF	CITATIONS
73	A noninvasive method for measuring solute permeability of rat pial microvessels. FASEB Journal, 2007, 21, A491.	0.2	0
74	Adhesion of wild type and integrin signaling defective mammary tumor cells to microvascular endothelium in vivo. FASEB Journal, 2007, 21, A487.	0.2	0