Jean Guard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9080993/publications.pdf

Version: 2024-02-01

623734 526287 41 794 14 27 citations g-index h-index papers 45 45 45 979 docs citations times ranked citing authors all docs

#	Article	lF	Citations
1	Through the Looking Glass: Genome, Phenome, and Interactome of Salmonella enterica. Pathogens, 2022, 11, 581.	2.8	2
2	High-Resolution Comparative Genomics of Salmonella Kentucky Aids Source Tracing and Detection of ST198 and ST152 Lineage-Specific Mutations. Frontiers in Sustainable Food Systems, 2021, 5, .	3.9	7
3	Horizontal Gene Transfer Is the Main Driver of Antimicrobial Resistance in Broiler Chicks Infected with Salmonella enterica Serovar Heidelberg. MSystems, 2021, 6, e0072921.	3.8	8
4	Egg carton and eggshell: is there a possibility of Salmonella cross-contamination?. Journal of Applied Poultry Research, 2021, 30, 100185.	1.2	3
5	AT Homopolymer Strings in Salmonella enterica Subspecies I Contribute to Speciation and Serovar Diversity. Microorganisms, 2021, 9, 2075.	3.6	1
6	Genome sequence analysis of 91 Salmonella Enteritidis isolates from mice caught on poultry farms in the mid 1990s. Genomics, 2020, 112, 528-544.	2.9	11
7	The occurrence of <i>Salmonella</i> , extendedâ€spectrum βâ€lactamase producing <i>Escherichia coli</i> and carbapenem resistant nonâ€fermenting Gramâ€negative bacteria in a backyard poultry flock environment. Zoonoses and Public Health, 2020, 67, 742-753.	2.2	11
8	Low Dose Infection of Hens in Lay with Salmonella enterica Serovar Enteritidis from Different Genomic Clades. Avian Diseases, 2019, 64, 7.	1.0	0
9	Multiplication in Egg Yolk and Survival in Egg Albumen of Genetically and Phenotypically Characterized Salmonella Enteritidis Strains. Journal of Food Protection, 2018, 81, 876-880.	1.7	9
10	Genomic organization and role of SPI-13 in nutritional fitness of Salmonella. International Journal of Medical Microbiology, 2018, 308, 1043-1052.	3.6	9
11	Complete Genome Sequence of a Ciprofloxacin-Resistant Salmonella enterica subsp. enterica Serovar Kentucky Sequence Type 198 Strain, PU131, Isolated from a Human Patient in Washington State. Genome Announcements, 2018, 6, .	0.8	9
12	Serotyping of <i>Salmonella Enterica</i> Isolated from Mice Caught on US Poultry Farms 1995 through 1998. Food Safety (Tokyo, Japan), 2018, 6, 44-50.	1.8	5
13	Frequency and Duration of Fecal Shedding of <i> Salmonella </i> > Serovars Heidelberg and Typhimurium by Experimentally Infected Laying Hens Housed in Enriched Colony Cages at Different Stocking Densities. Avian Diseases, 2017, 61, 366-371.	1.0	8
14	Colonization of internal organs by Salmonella serovars Heidelberg and Typhimurium in experimentally infected laying hens housed in enriched colony cages at different stocking densities. Poultry Science, 2017, 96, 1402-1409.	3.4	9
15	Population dynamics and antimicrobial resistance of the most prevalent poultry-associated Salmonella serotypes. Poultry Science, 2017, 96, 687-702.	3.4	122
16	Draft Genome Sequences of 64 Salmonella enterica Serotype Enteritidis Isolates Obtained from Wild Mice. Genome Announcements, 2017, 5, .	0.8	4
17	Simultaneous Detection of Multiple Salmonella Serovars from Milk and Chicken Meat by Real-Time PCR Using Unique Genomic Target Regions. Journal of Food Protection, 2017, 80, 1944-1957.	1.7	9
18	Subtyping of <i>Salmonella enterica </i> Subspecies I Using Single-Nucleotide Polymorphisms in Adenylate Cyclase. Foodborne Pathogens and Disease, 2016, 13, 350-362.	1.8	7

#	Article	IF	CITATIONS
19	Metabolic parameters linked by phenotype microarray to acid resistance profiles of poultry-associated Salmonella enterica. Research in Microbiology, 2016, 167, 745-756.	2.1	5
20	Genome Sequences of Two Salmonella enterica Serovar Kentucky Isolates Recovered from Poultry Carcasses in the United States. Genome Announcements, 2016, 4, .	0.8	1
21	The Salmonella pathogenicity island 13 contributes to pathogenesis in streptomycin pre-treated mice but not in day-old chickens. Gut Pathogens, 2016, 8, 16.	3.4	29
22	The characterization of Salmonella enterica serotypes isolated from the scalder tank water of a commercial poultry processing plant: Recovery of a multidrug-resistant Heidelberg strain. Poultry Science, 2015, 94, 467-472.	3.4	18
23	Reduction of <i>Salmonella </i> Enteritidis in the Spleens of Hens by Bacterins That Vary in Fimbrial Protein SefD. Foodborne Pathogens and Disease, 2015, 12, 836-843.	1.8	6
24	Recovery of Salmonella enterica serovar Enteritidis from hens initially infected with serovar Kentucky. Food Chemistry, 2015, 189, 86-92.	8.2	3
25	Presence of <i>Salmonella</i> Enteritidis and <i>Salmonella</i> Gallinarum in Commercial Laying Hens Diagnosed with Fowl Typhoid Disease in Colombia. Avian Diseases, 2014, 58, 165-170.	1.0	19
26	Serotype and Antimicrobial Resistance Patterns of Salmonellal solates from Commercial Birds and Poultry Environment in Mississippi. Avian Diseases, 2014, 58, 64-70.	1.0	5
27	Integrative Analysis of Salmonellosis in Israel Reveals Association of Salmonella enterica Serovar 9,12:l,v:â^' with Extraintestinal Infections, Dissemination of Endemic S. enterica Serovar Typhimurium DT104 Biotypes, and Severe Underreporting of Outbreaks. Journal of Clinical Microbiology, 2014, 52, 2078-2088.	3.9	14
28	Assignment of serotype to <i> <scp>S</scp> almonella enterica </i> isolates obtained from poultry and their environment in southern <scp>B</scp> razil. Letters in Applied Microbiology, 2013, 57, 288-294.	2.2	26
29	Salmonella Enteritidis Deposition in Eggs after Experimental Infection of Laying Hens with Different Oral Doses. Journal of Food Protection, 2013, 76, 108-113.	1.7	35
30	Dimethyl Adenosine Transferase (KsgA) Deficiency in Salmonella enterica Serovar Enteritidis Confers Susceptibility to High Osmolarity and Virulence Attenuation in Chickens. Applied and Environmental Microbiology, 2013, 79, 7857-7866.	3.1	15
31	Virulence and Metabolic Characteristics of Salmonella enterica Serovar Enteritidis Strains with Different <i>sefD</i> Variants in Hens. Applied and Environmental Microbiology, 2012, 78, 6405-6412.	3.1	9
32	<i>Salmonella</i> Enteritidis Strains from Poultry Exhibit Differential Responses to Acid Stress, Oxidative Stress, and Survival in the Egg Albumen. Foodborne Pathogens and Disease, 2012, 9, 258-264.	1.8	59
33	Transposon Mutagenesis of Salmonella enterica Serovar Enteritidis Identifies Genes That Contribute to Invasiveness in Human and Chicken Cells and Survival in Egg Albumen. Infection and Immunity, 2012, 80, 4203-4215.	2.2	56
34	Comparison of <i> dkgB </i> -linked intergenic sequence ribotyping to DNA microarray hybridization for assigning serotype to <i> Salmonella enterica </i> - FEMS Microbiology Letters, 2012, 337, 61-72.	1.8	30
35	The Relationship Between the Numbers of Salmonella Enteritidis, Salmonella Heidelberg, or Salmonella Hadar Colonizing Reproductive Tissues of Experimentally Infected Laying Hens and Deposition Inside Eggs. Avian Diseases, 2011, 55, 243-247.	1.0	42
36	Single nucleotide polymorphisms that differentiate two subpopulations of Salmonella enteritidis within phage type. BMC Research Notes, 2011, 4, 369.	1.4	44

#	Article	IF	CITATIONS
37	Temperature Affects Sole Carbon Utilization Patterns of Campylobacter coli 49941. Current Microbiology, 2011, 62, 821-825.	2.2	7
38	Cell invasion of poultry-associated Salmonella enterica serovar Enteritidis isolates is associated with pathogenicity, motility and proteins secreted by the type III secretion system. Microbiology (United Kingdom), 2011, 157, 1428-1445.	1.8	77
39	Frequency and Magnitude of Internal Organ Colonization Following Exposure of Laying Hens to Different Oral Doses of Salmonella enteritidis. International Journal of Poultry Science, 2011, 10, 325-331.	0.1	10
40	Multiplication of Salmonella Enteritidis in Egg Yolks after Inoculation outside, on, and inside Vitelline Membranes and Storage at Different Temperatures. Journal of Food Protection, 2010, 73, 1902-1906.	1.7	16
41	Colonization of Avian Reproductive-Tract Tissues by Variant Subpopulations of Salmonella Enteritidis. Avian Diseases, 2010, 54, 857-861.	1.0	29