
Aaron Turner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/908189/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Depressive Symptoms and Suicidal Ideation in Progressive Multiple Sclerosis Compared With Relapsing-Remitting Multiple Sclerosis: Results From a Cross-sectional Survey. Archives of Physical Medicine and Rehabilitation, 2021, 102, 694-701.	0.9	2
2	Behavioral activation and behavioral inhibition: An examination of function in chronic pain Rehabilitation Psychology, 2021, 66, 57-64.	1.3	6
3	Change in Learning and Memory Partially Mediates Effects of Compensatory Cognitive Training on Self-Reported Cognitive Symptoms. Journal of Head Trauma Rehabilitation, 2021, 36, 429-436.	1.7	2
4	Change in Brain Oscillations as a Mechanism of Mindfulness-Meditation, Cognitive Therapy, and Mindfulness-Based Cognitive Therapy for Chronic Low Back Pain. Pain Medicine, 2021, 22, 1804-1813.	1.9	3
5	Self-Management to Improve Function After Amputation: A Randomized Controlled Trial of the VETPALS Intervention. Archives of Physical Medicine and Rehabilitation, 2021, 102, 1274-1282.	0.9	13
6	Differences in correlates of fatigue between relapsing and progressive forms of multiple sclerosis. Multiple Sclerosis and Related Disorders, 2021, 54, 103109.	2.0	11
7	Pain Intensity and Pain Interference in People With Progressive Multiple Sclerosis Compared With People With Relapsing-Remitting Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2021, 102, 1959-1964.	0.9	3
8	Mobile health (mHealth) usage, barriers, and technological considerations in persons with multiple sclerosis: a literature review. JAMIA Open, 2021, 4, ooaa067.	2.0	15
9	Predictors of Intervention Adherence in Compensatory Cognitive Training for Veterans With a History of Mild Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2021, 36, 20-24.	1.7	0
10	Risk Factors for Suboptimal Medication Adherence inÂPersons With Multiple Sclerosis: Development of an Electronic Health Record-Based Explanatory Model for Disease-Modifying Therapy Use. Archives of Physical Medicine and Rehabilitation, 2020, 101, 807-814.	0.9	14
11	Who is not coming to clinic? A predictive model of excessive missed appointments in persons with multiple sclerosis. Multiple Sclerosis and Related Disorders, 2020, 38, 101513.	2.0	19
12	Early Treatment Improvements in Depression Are Associated With Overall Improvements in Fatigue Impact and Pain Interference in Adults With Multiple Sclerosis. Annals of Behavioral Medicine, 2020, 55, 833-843.	2.9	8
13	Military Sexual Trauma and Chronic Pain in Veterans. American Journal of Physical Medicine and Rehabilitation, 2020, 99, 1020-1025.	1.4	9
14	The Role of Interprofessional Teams in the Biopsychosocial Management of Limb Loss. Current Physical Medicine and Rehabilitation Reports, 2020, 8, 396-404.	0.8	3
15	Risk Factors for Suicide in a National Sample of Veterans With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2020, 101, 1138-1143.	0.9	1
16	Physical activity and depression in MS: The mediating role of behavioral activation. Disability and Health Journal, 2019, 12, 635-640.	2.8	18
17	A Prospective Longitudinal Study of Trajectories of Depressive Symptoms After Dysvascular Amputation. Archives of Physical Medicine and Rehabilitation, 2019, 100, 1426-1433.e1.	0.9	9
18	A multicenter randomized controlled trial of two group education programs for fatigue in multiple sclerosis: Short- and medium-term benefits. Multiple Sclerosis Journal, 2019, 25, 275-285.	3.0	16

#	Article	IF	CITATIONS
19	Moderators of Treatment Outcomes After Telehealth Self-Management and Education in Adults With Multiple Sclerosis: A Secondary Analysis of a Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2018, 99, 1265-1272.	0.9	15
20	Anxiety is more important than depression in MS – No. Multiple Sclerosis Journal, 2018, 24, 442-444.	3.0	6
21	Association Between Sleep Problems and Perceived Cognitive Dysfunction Over 12 Months in Individuals with Multiple Sclerosis. Behavioral Sleep Medicine, 2018, 16, 79-91.	2.1	14
22	Quality of Relationships With Caregivers, Depression, and Life Satisfaction After Dysvascular Lower Extremity Amputation. Archives of Physical Medicine and Rehabilitation, 2018, 99, 452-458.	0.9	17
23	Cognitive and affective mechanisms of pain and fatigue in multiple sclerosis Health Psychology, 2018, 37, 544-552.	1.6	20
24	Positive factors, pain, and function in adults with multiple sclerosis Rehabilitation Psychology, 2018, 63, 612-620.	1.3	11
25	Compensatory Cognitive Training for Operation Enduring Freedom/Operation Iraqi Freedom/Operation New Dawn Veterans With Mild Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2017, 32, 16-24.	1.7	65
26	Sleep and its associations with perceived and objective cognitive impairment in individuals with multiple sclerosis. Journal of Sleep Research, 2017, 26, 428-435.	3.2	23
27	Mental Health Does Not Moderate Compensatory Cognitive Training Efficacy for Veterans With a History of Mild Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1893-1896.e2.	0.9	4
28	A Longitudinal Study of Social Participation After Dysvascular Lower Extremity Amputation. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 741-747.	1.4	12
29	The development and validation of the AMPREDICT model for predicting mobility outcome after dysvascular lower extremity amputation. Journal of Vascular Surgery, 2017, 65, 162-171.e3.	1.1	32
30	Prevalence of Alcohol Misuse and Follow-Up Care in a National Sample of OEF/OIF VA Patients With and Without TBI. Psychiatric Services, 2017, 68, 48-55.	2.0	35
31	Perceived social support moderates the relationship between activities of daily living and depression after lower limb loss Rehabilitation Psychology, 2017, 62, 214-220.	1.3	19
32	An Empirical Investigation of a Biopsychosocial Model of Pain in Multiple Sclerosis. Clinical Journal of Pain, 2016, 32, 155-163.	1.9	28
33	The development and validation of a novel outcome measure to quantify mobility in the dysvascular lower extremity amputee: the amputee single item mobility measure. Clinical Rehabilitation, 2016, 30, 878-889.	2.2	10
34	Mental Health Comorbidity in MS: Depression, Anxiety, and Bipolar Disorder. Current Neurology and Neuroscience Reports, 2016, 16, 106.	4.2	32
35	Improving fatigue and depression in individuals with multiple sclerosis using telephone-administered physical activity counseling Journal of Consulting and Clinical Psychology, 2016, 84, 297-309.	2.0	58
36	Predicting medication adherence in multiple sclerosis using telephone-based home monitoring. Disability and Health Journal, 2016, 9, 83-89.	2.8	8

#	Article	IF	CITATIONS
37	Sexual activity after dysvascular lower extremity amputation Rehabilitation Psychology, 2016, 61, 260-268.	1.3	4
38	Guidelines for competency development and measurement in rehabilitation psychology postdoctoral training Rehabilitation Psychology, 2015, 60, 111-122.	1.3	20
39	Coping among individuals with multiple sclerosis: Evaluating a goodness-of-fit model Rehabilitation Psychology, 2015, 60, 162-168.	1.3	34
40	Relationship Between Cognition and Functional Outcomes After Dysvascular Lower Extremity Amputation. American Journal of Physical Medicine and Rehabilitation, 2015, 94, 707-717.	1.4	21
41	Smoking and Physical Activity: Examining Health Behaviors and 15-Year Mortality Among Individuals With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2015, 96, 402-409.	0.9	22
42	Cognitive Impairment and Community Integration Outcomes in Individuals Living With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1973-1979.	0.9	17
43	Predictors of anxiety in multiple sclerosis Rehabilitation Psychology, 2015, 60, 91-98.	1.3	34
44	Self-Efficacy as a Longitudinal Predictor of Perceived Cognitive Impairment in Individuals With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2015, 96, 913-919.	0.9	27
45	Suicidal Ideation Among Individuals With Dysvascular Lower Extremity Amputation. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1404-1410.	0.9	23
46	The role of expectations in pain after dysvascular lower extremity amputation Rehabilitation Psychology, 2014, 59, 459-463.	1.3	4
47	Telephone counseling and home telehealth monitoring to improve medication adherence: Results of a pilot trial among individuals with multiple sclerosis Rehabilitation Psychology, 2014, 59, 136-146.	1.3	46
48	Social support and depressive symptoms among caregivers of veterans with multiple sclerosis Rehabilitation Psychology, 2014, 59, 230-235.	1.3	16
49	Prevalence and 1-Year Course of Alcohol Misuse and Smoking in Persons with Lower Extremity Amputation as a Result of Peripheral Arterial Disease. American Journal of Physical Medicine and Rehabilitation, 2014, 93, 493-502.	1.4	6
50	Changes in Cognitive Function From Presurgery to 4 Months Postsurgery in Individuals Undergoing Dysvascular Amputation. Archives of Physical Medicine and Rehabilitation, 2014, 95, 663-669.	0.9	11
51	Access to Multiple Sclerosis Specialty Care. PM and R, 2013, 5, 1044-1050.	1.6	17
52	Body mass index patterns following dysvascular lower extremity amputation. Disability and Rehabilitation, 2013, 35, 1269-1275.	1.8	34
53	Clinical Management of Multiple Sclerosis Through Home Telehealth Monitoring. International Journal of MS Care, 2013, 15, 8-14.	1.0	19
54	Prosthetic fitting, use, and satisfaction following lower-limb amputation: A prospective study. Journal of Rehabilitation Research and Development, 2012, 49, 1493.	1.6	111

#	Article	IF	CITATIONS
55	A Scoping Study of One-to-One Peer Mentorship Interventions and Recommendations for Application With Veterans With Postdeployment Syndrome. Journal of Head Trauma Rehabilitation, 2012, 27, 261-273.	1.7	14
56	Ginkgo biloba does not improve cognitive function in MS. Neurology, 2012, 79, 1278-1284.	1.1	46
57	Guidelines for postdoctoral training in rehabilitation psychology Rehabilitation Psychology, 2012, 57, 267-279.	1.3	8
58	The Effect of Rehabilitation in a Comprehensive Inpatient Rehabilitation Unit on Mobility Outcome After Dysvascular Lower Extremity Amputation. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1384-1391.	0.9	38
59	Mobility Changes in Individuals With Dysvascular Amputation From the Presurgical Period to 12 Months Postamputation. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1766-1773.	0.9	43
60	Modifiable Comorbidities and Disability in Multiple Sclerosis. Current Neurology and Neuroscience Reports, 2012, 12, 610-617.	4.2	26
61	Perceived social support and depression among Veterans with multiple sclerosis. Disability and Rehabilitation, 2011, 33, 1-8.	1.8	32
62	Defining successful mobility after lower extremity amputation for complications of peripheral vascular disease and diabetes. Journal of Vascular Surgery, 2011, 54, 412-419.	1.1	81
63	Self-management in neurological disorders: Systematic review of the literature and potential interventions in multiple sclerosis care. Journal of Rehabilitation Research and Development, 2011, 48, 1087.	1.6	58
64	To lump or to split? Comparing individuals with traumatic and nontraumatic limb loss in the first year after amputation Rehabilitation Psychology, 2010, 55, 126-138.	1.3	27
65	Behavioral Activation for Treatment of PTSD and Depression in an Iraqi Combat Veteran with Multiple Physical Injuries. Behavioural and Cognitive Psychotherapy, 2010, 38, 355-361.	1.2	16
66	Exercise and Quality of Life Among People With Multiple Sclerosis: Looking Beyond Physical Functioning to Mental Health and Participation in Life. Archives of Physical Medicine and Rehabilitation, 2009, 90, 420-428.	0.9	69
67	Prevalence and Impact of Pain in Multiple Sclerosis: Physical and Psychologic Contributors. Archives of Physical Medicine and Rehabilitation, 2009, 90, 646-651.	0.9	63
68	Alcohol Misuse and Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2009, 90, 842-848.	0.9	25
69	The Prevalence of Overweight and Obesity in Veterans with Multiple Sclerosis. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 83-91.	1.4	67
70	Injection anxiety remains a long-term barrier to medication adherence in multiple sclerosis Rehabilitation Psychology, 2009, 54, 116-121.	1.3	74
71	The importance of cognitive processing to adjustment in the 1st year following amputation Rehabilitation Psychology, 2008, 53, 28-38.	1.3	78
72	Adherence to disease-modifying therapies in multiple sclerosis: Does caregiver social support matter?. Rehabilitation Psychology, 2008, 53, 73-79.	1.3	22

#	Article	IF	CITATIONS
73	Predicting ongoing adherence to disease modifying therapies in multiple sclerosis: utility of the health beliefs model. Multiple Sclerosis Journal, 2007, 13, 1146-1152.	3.0	68
74	Smoking Among Veterans With Multiple Sclerosis: Prevalence Correlates, Quit Attempts, and Unmet Need for Services. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1394-1399.	0.9	23
75	Does Having a Computerized Prosthetic Knee Influence Cognitive Performance During Amputee Walking?. Archives of Physical Medicine and Rehabilitation, 2006, 87, 989-994.	0.9	59
76	Suicidal Ideation in Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1073-1078.	0.9	79
77	Does preinjury alcohol use or blood alcohol level influence cognitive functioning after traumatic brain injury?. Rehabilitation Psychology, 2006, 51, 78-86.	1.3	9
78	Correlates of pain interference in multiple sclerosis Rehabilitation Psychology, 2006, 51, 166-174.	1.3	20
79	Complementary and alternative medicine use in veterans with multiple sclerosis: Prevalence and demographic associations. Journal of Rehabilitation Research and Development, 2006, 43, 99.	1.6	29
80	Depression and multiple sclerosis: Review of a lethal combination. Journal of Rehabilitation Research and Development, 2006, 43, 45.	1.6	82
81	Exploring educational needs of multiple sclerosis care providers: Results of a care-provider survey. Journal of Rehabilitation Research and Development, 2006, 43, 25.	1.6	7
82	Prevalence and correlates of depression among veterans with multiple sclerosis. Neurology, 2005, 64, 75-80.	1.1	62
83	Predictors of Prescriptions for Management of Fatigue Among Veterans With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2005, 86, 1376-1380.	0.9	6
84	Identifying a negative mood subtype in incarcerated adolescents: Relationship to substance use. Addictive Behaviors, 2005, 30, 1442-1448.	3.0	20
85	Transition planning and recidivism among mentally ill juvenile offenders. Behavioral Sciences and the Law, 2004, 22, 599-610.	0.8	35
86	Anger expression, coping, and substance use in adolescent offenders. Addictive Behaviors, 2004, 29, 1001-1008.	3.0	86
87	Predicting Drinking Behavior and Alcohol-Related Problems Among Fraternity and Sorority Members: Examining the Role of Descriptive and Injunctive Norms Psychology of Addictive Behaviors, 2004, 18, 203-212.	2.1	330
88	Social support among veterans with multiple sclerosis Rehabilitation Psychology, 2004, 49, 106-113.	1.3	22
89	A typology of alcohol use patterns among persons with recent traumatic brain injury or spinal cord injury: Implications for treatment matching. Archives of Physical Medicine and Rehabilitation, 2003, 84, 358-364.	0.9	22
90	Evaluating a brief alcohol intervention with fraternities Journal of Studies on Alcohol and Drugs, 2001, 62, 370-380.	2.3	319

#	Article	IF	CITATIONS
91	Exploring the Link Between Parental Acceptance and Young Adult Adjustment. Cognitive Therapy and Research, 2001, 25, 185-199.	1.9	19
92	Family risk factors for alcohol-related consequences and poor adjustment in fraternity and sorority members: exploring the role of parent-child conflict Journal of Studies on Alcohol and Drugs, 2000, 61, 818-826.	2.3	61
93	Title is missing!. Sex Roles, 1999, 40, 295-308.	2.4	168