

Shih-Sung Chuang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9082494/publications.pdf>

Version: 2024-02-01

124
papers

3,312
citations

270111

25
h-index

198040

52
g-index

125
all docs

125
docs citations

125
times ranked

2545
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic clues for differentiating Merkel cell carcinoma from lymphoma in fine-needle aspiration cytology. <i>Diagnostic Cytopathology</i> , 2022, 50, E23-E27.	0.5	3
2	Primary cutaneous gamma/delta T-cell lymphoma in Taiwan: A series of six cases with frequent solitary presentation and relatively indolent behavior. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 350-357.	0.7	2
3	CD5-negative mantle cell lymphoma: clinicopathologic features of an indolent variant that confers a survival advantage. <i>Leukemia and Lymphoma</i> , 2022, 63, 911-917.	0.6	2
4	Distinctive patterns of marrow involvement by classic Hodgkin lymphoma are clues for diagnosis and subtyping. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, , 1.	1.4	2
5	Primary Effusion Lymphoma: A Timely Review on the Association with HIV, HHV8, and EBV. <i>Diagnostics</i> , 2022, 12, 713.	1.3	15
6	Targeted Next-generation Sequencing Reveals a Wide Morphologic and Immunophenotypic Spectrum of Monomorphic Epitheliotropic Intestinal T-Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2022, 46, 1207-1218.	2.1	7
7	Plasmablastic myeloma in Taiwan frequently presents with extramedullary and extranodal mass mimicking plasmablastic lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 283-293.	1.4	3
8	The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. <i>Leukemia</i> , 2022, 36, 1720-1748.	3.3	1,023
9	Aberrant TTF-1 Expression in Peripheral T-Cell Lymphomas: A Diagnostic Pitfall. <i>International Journal of Surgical Pathology</i> , 2021, 29, 165-168.	0.4	3
10	The cytopathological spectrum of lymphomas in effusions in a tertiary center in Taiwan. <i>Diagnostic Cytopathology</i> , 2021, 49, 232-240.	0.5	3
11	Lymphomatous effusion of monomorphic epitheliotropic intestinal T-cell lymphoma is characterized by azurophilic granules and is a dismal sign: Report of two new cases with literature review. <i>Diagnostic Cytopathology</i> , 2021, 49, E247-E252.	0.5	3
12	T-Cell Lymphoma Clonality by Copy Number Variation Analysis of T-Cell Receptor Genes. <i>Cancers</i> , 2021, 13, 340.	1.7	3
13	Primary IgG4-producing extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma) in the cavernous sinus: A mimicker of IgG4-related disease/hypertrophic pachymeningitis. <i>Pathology International</i> , 2021, 71, 278-280.	0.6	4
14	Machine Learning Based on Morphological Features Enables Classification of Primary Intestinal T-Cell Lymphomas. <i>Cancers</i> , 2021, 13, 5463.	1.7	7
15	A Simple and Practical Guide for Triaging Lymphocyte-rich Effusions for Ancillary Studies. <i>Advances in Anatomic Pathology</i> , 2021, 28, 94-104.	2.4	3
16	Lymphoid Neoplasms With Plasmablastic Differentiation: A Comprehensive Review and Diagnostic Approaches. <i>Advances in Anatomic Pathology</i> , 2020, 27, 61-74.	2.4	25
17	Dasatinib-related effusion lymphoma in a patient treated for chronic myeloid leukaemia. <i>Cytopathology</i> , 2020, 31, 602-606.	0.4	8
18	A multicenter prospective study of first-line antibiotic therapy for early-stage gastric mucosa-associated lymphoid tissue lymphoma and diffuse large B-cell lymphoma with histological evidence of mucosa-associated lymphoid tissue. <i>Haematologica</i> , 2020, 105, e349-e354.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Granuloma With an Underlying Lymphoma: A Diagnostic Challenge and a Wider Histologic Spectrum Including Adult T-Cell Leukemia/Lymphoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020, 28, 316-324.	0.6	19
20	Lymphomatous adult T cell leukaemia/lymphoma with anaplastic morphology in a country non-endemic for HTLV: a mimicker of anaplastic large cell lymphoma. <i>Histopathology</i> , 2020, 77, 678-680.	1.6	0
21	Density and size of lymphoid follicles are useful clues in differentiating primary intestinal follicular lymphoma from intestinal reactive lymphoid hyperplasia. <i>Diagnostic Pathology</i> , 2020, 15, 82.	0.9	3
22	Malignant effusions from extranodal NK/T-cell lymphomas are frequently of anaplastic morphology with azurophilic granules and of T-cell lineage. <i>Diagnostic Cytopathology</i> , 2020, 48, 453-463.	0.5	3
23	Double-hit plasmablastic lymphoma with malignant pleural effusion and leukaemic presentation. <i>Pathology</i> , 2020, 52, 488-491.	0.3	2
24	MYD88 L265P mutation analysis is a useful diagnostic adjunct for lymphoplasmacytic lymphoma with pleural effusion. <i>Pathology International</i> , 2019, 69, 601-607.	0.6	5
25	EBV positive mucocutaneous ulcer with plasmacytic/plasmablastic differentiation and MYC rearrangement: a diagnostic challenge and a mimic of plasmablastic lymphoma. <i>Pathology</i> , 2019, 51, 648-650.	0.3	8
26	Distinctive incidence patterns of follicular lymphoma in Taiwan: Implications of ethnic differences. <i>Cancer Medicine</i> , 2019, 8, 1899-1907.	1.3	6
27	ALK+ Anaplastic Large Cell Lymphoma of Null Cell Phenotype With Leukemic Transformation and Leukemoid Reaction. <i>Turkish Journal of Haematology</i> , 2019, 36, 289-290.	0.2	0
28	Effusion-based lymphoma with morphological regression but with clonal genetic features after aspiration. <i>Diagnostic Cytopathology</i> , 2018, 46, 685-689.	0.5	2
29	Primary effusion lymphoma in Taiwan shows two distinctive clinicopathological subtypes with rare human immunodeficiency virus association. <i>Histopathology</i> , 2018, 72, 930-944.	1.6	27
30	Epstein-Barr virus-associated primary nodal T/NK-cell lymphoma shows a distinct molecular signature and copy number changes. <i>Haematologica</i> , 2018, 103, 278-287.	1.7	82
31	Recurrent monomorphic epitheliotropic intestinal T-cell lymphoma with aberrant CD20 expression: An implication for anti-CD20 (rituximab) antibody therapy?. <i>Pathology International</i> , 2018, 68, 712-714.	0.6	0
32	Primary cutaneous peripheral T-cell lymphoma with a late relapse solely in the ileum mimicking monomorphic epitheliotropic intestinal T-cell lymphoma. <i>Pathology Research and Practice</i> , 2018, 214, 2106-2109.	1.0	7
33	Mycosis fungoides in Taiwan shows a relatively high frequency of large cell transformation and CD56 expression. <i>Pathology</i> , 2018, 50, 718-724.	0.3	11
34	Primary mediastinal histiocytic sarcoma presenting as pleural effusion. <i>Diagnostic Cytopathology</i> , 2018, 46, 790-793.	0.5	1
35	Expression of T-cell receptor signalling pathway components in extranodal <sc>NK</sc>/T-cell lymphoma. <i>Histopathology</i> , 2018, 73, 1030-1038.	1.6	11
36	Colonic CD30 positive plasmablastic plasmacytoma masquerading as anaplastic large cell lymphoma. <i>Pathology</i> , 2018, 50, 668-670.	0.3	5

#	ARTICLE	IF	CITATIONS
37	Epstein-Barr virus-positive mucocutaneous ulcer. Kaohsiung Journal of Medical Sciences, 2017, 33, 50-51.	0.8	9
38	Infrequent expression of CD15 by classical Hodgkin's lymphomas in Taiwan. Journal of Clinical Pathology, 2017, 70, 183-184.	1.0	2
39	Lymphoma in Taiwan: Review of 1347 neoplasms from a single institution according to the 2016 Revision of the World Health Organization Classification. Journal of the Formosan Medical Association, 2017, 116, 620-625.	0.8	25
40	Primary splenic low-grade follicular lymphoma presenting with leukaemia and large cell transformation in the marrow. Pathology, 2017, 49, 649-652.	0.3	2
41	Primary gastrointestinal anaplastic large cell lymphoma. Pathology, 2017, 49, 479-485.	0.3	9
42	EBV-associated but HHV8-unrelated double-hit effusion-based lymphoma. Diagnostic Cytopathology, 2017, 45, 257-261.	0.5	9
43	Primary Intestinal Diffuse Large B-cell Lymphoma in Taiwan Showed a Relative Higher Rate of Perforation and EBV Association. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 541-549.	0.6	7
44	Frequent MYD88 L265P and CD79B Mutations in Primary Breast Diffuse Large B-Cell Lymphoma. American Journal of Surgical Pathology, 2016, 40, 324-334.	2.1	57
45	Epstein-Barr virus-positive diffuse large B cell lymphoma arising from a chronic lymphocytic leukemia: Overlapping features with classical Hodgkin lymphoma. Pathology International, 2016, 66, 393-397.	0.6	6
46	Multiple abdominal papules and plaques and mild lymphocytosis. International Journal of Dermatology, 2016, 55, 845-848.	0.5	0
47	Similar epidemiological trends of pre-neoplastic precursors and their respective lymphoid malignancies in Taiwan. Annals of Hematology, 2016, 95, 1727-1729.	0.8	3
48	Immunophenotypic and genetic characteristics of diffuse large B-cell lymphoma in Taiwan. Journal of the Formosan Medical Association, 2016, 115, 961-967.	0.8	8
49	Primary mediastinal CD30 negative classical Hodgkin lymphoma: a phantom or reality?. Pathology, 2016, 48, 84-86.	0.3	0
50	Primary Cutaneous Extranodal Natural Killer/T-Cell Lymphoma Misdiagnosed as Peripheral T-Cell Lymphoma. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 105-111.	0.6	7
51	EBV-associated Burkitt lymphoma in Taiwan is not age-related. Leukemia and Lymphoma, 2016, 57, 644-653.	0.6	10
52	Acute transformation of chronic-type adult T-cell leukemia/lymphoma presenting with seizures. Kaohsiung Journal of Medical Sciences, 2015, 31, 603-604.	0.8	0
53	Aggressive natural killer-cell neoplasm presenting in the marrow: a report of two cases including one with gains of chromosomes 4q and 9p. Diagnostic Pathology, 2015, 10, 88.	0.9	2
54	Primary gastric extranodal natural killer/T-cell lymphoma, nasal type, with acquisition of CD20 expression in the subcutaneous relapse: report of a case with literature review. Journal of Clinical Pathology, 2015, 68, 943-945.	1.0	15

#	ARTICLE	IF	CITATIONS
55	Extranodal natural killer/T-cell lymphoma, nasal type in Taiwan: a relatively higher frequency of T-cell lineage and poor survival for extranasal tumors. <i>Human Pathology</i> , 2015, 46, 313-321.	1.1	49
56	Primary Cutaneous NK/T-cell Lymphoma, Nasal Type and CD56-positive Peripheral T-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1-12.	2.1	73
57	In situ hybridisation for Epstein-Barr virus as a differential diagnostic tool for T- and natural killer/T-cell lymphomas in non-immunocompromised patients. <i>Pathology</i> , 2014, 46, 581-591.	0.3	11
58	Follicular Dendritic Cell Sarcoma of the Inflammatory Pseudotumor-like Variant Presenting as a Colonic Polyp. <i>Korean Journal of Pathology</i> , 2014, 48, 140.	1.2	31
59	Cutaneous nonmycotic T- and natural killer/T-cell lymphomas: Diagnostic challenges and dilemmas. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 724-735.	0.6	12
60	Epstein-Barr virus is rarely associated with diffuse large B cell lymphoma in Taiwan and carries a trend for a shorter median survival time. <i>Journal of Clinical Pathology</i> , 2014, 67, 326-332.	1.0	27
61	Nasopharyngeal alveolar rhabdomyosarcoma expressing CD56: a mimicker of extranodal natural killer/T-cell lymphoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 451-5.	0.5	3
62	Spectrum of Epstein-Barr virus-associated T-cell lymphoproliferative disorder in adolescents and young adults in Taiwan. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 2430-7.	0.5	18
63	Primary cutaneous diffuse large B-cell lymphoma, leg type mimicking cellulitis. <i>Dermatologica Sinica</i> , 2013, 31, 104-106.	0.2	1
64	Extranodal natural killer/T-cell lymphoma involving the gastrointestinal tract: analysis of clinical features and outcomes from the Asia Lymphoma study group. <i>Journal of Hematology and Oncology</i> , 2013, 6, 86.	6.9	67
65	Bcl-6 expression and lactate dehydrogenase level predict prognosis of primary gastric diffuse large B-cell lymphoma. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 382-389.	0.8	15
66	<sc>CD</sc>4 and <sc>CD</sc>8 double-negative adult <sc>T</sc>-cell leukemia/lymphoma with monomorphic cells expressing <sc>CD</sc>99: A diagnostic challenge in a country non-endemic for human <sc>T</sc>-cell leukemia virus. <i>Pathology International</i> , 2013, 63, 132-137.	0.6	7
67	Clonal lymphoproliferation of T cell large granular lymphocytes with pleomorphic nuclei following mantle cell lymphoma. <i>International Journal of Hematology</i> , 2013, 97, 294-296.	0.7	2
68	Composite lymphoma after chemotherapy with regressed diffuse large B-cell lymphoma and transformed cytotoxic T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2013, 54, 1101-1104.	0.6	1
69	Primary Cutaneous $\hat{\beta}$ T-Cell Lymphoma Should Be Limited to Cases With TCR $\hat{\beta}$ Expression. <i>American Journal of Clinical Pathology</i> , 2013, 140, 135-135.	0.4	5
70	Cutaneous <sc>EBV</sc>-positive $\hat{\beta}$ T-cell lymphoma vs. extranodal <sc>NK</sc>/T-cell lymphoma: a case report and literature review. <i>Journal of Cutaneous Pathology</i> , 2013, 40, 310-316.	0.7	23
71	Follicular lymphoma in Taiwan: a low frequency of t(14;18), with grade 3A tumours more closely related to grade 3B than to low-grade tumours. <i>Histopathology</i> , 2013, 63, 1-12.	1.6	7
72	The presence of clusters of plasmacytoid dendritic cells is a helpful feature for differentiating lupus panniculitis from subcutaneous panniculitis-like <sc>T</sc>-cell lymphoma. <i>Histopathology</i> , 2013, 62, 1057-1066.	1.6	57

#	ARTICLE	IF	CITATIONS
73	Rapidly fatal leukemia comprising pleomorphic large granular lymphocytes: a report of 2 cases. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2013, 35, 232-6.	0.2	1
74	Diagnosis of type II enteropathy-associated T-cell lymphoma should be limited to EBER ⁺ cases. <i>American Journal of Hematology</i> , 2012, 87, E129-E130.	2.0	11
75	SOX11 is useful in differentiating cyclin D1 ⁺ diffuse large B ⁺ cell lymphoma from mantle cell lymphoma. <i>Histopathology</i> , 2012, 61, 685-693.	1.6	41
76	Nasopharyngeal carcinoma with pericardial metastasis. <i>Kaohsiung Journal of Medical Sciences</i> , 2011, 27, 289-291.	0.8	3
77	Nonhepatosplenic \hat{I} T-cell Lymphomas Represent a Spectrum of Aggressive Cytotoxic T-cell Lymphomas With a Mainly Extranodal Presentation. <i>American Journal of Surgical Pathology</i> , 2011, 35, 1214-1225.	2.1	120
78	Cutaneous Peripheral T-Cell Lymphoma of Cytotoxic Phenotype Mimicking Extranodal NK/T-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2011, 33, e17-e20.	0.3	12
79	Composite primary cutaneous peripheral T-cell lymphoma and Epstein ⁺ Barr virus-positive large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2011, 52, 2027-2030.	0.6	9
80	A parallel comparison of T-cell clonality assessment between an in-house PCR assay and the BIOMED-2 assay leading to an efficient and cost-effective strategy. <i>Journal of Clinical Pathology</i> , 2011, 64, 536-542.	1.0	18
81	Pediatric Follicular Lymphoma: A Report of the First 3 Cases From Taiwan and Literature Review. <i>Pediatric Hematology and Oncology</i> , 2011, 28, 661-668.	0.3	2
82	Cutaneous Non-MF T-Cell and NK-Cell Lymphoproliferative Disorders. , 2011, , 233-245.		2
83	Hairy cell leukemia and variant in Taiwan: report of a variant case and literature review. <i>International Journal of Clinical and Experimental Pathology</i> , 2011, 4, 183-9.	0.5	3
84	Primary cutaneous diffuse large B cell lymphoma relapsed solely as a huge lung tumor mimicking a primary pulmonary lymphoma. <i>International Journal of Hematology</i> , 2010, 91, 112-116.	0.7	3
85	Multicentric primary intestinal EBV-positive diffuse large B cell lymphoma of the elderly presenting with perforation. <i>International Journal of Hematology</i> , 2010, 91, 534-538.	0.7	11
86	Differential diagnosis of angioimmunoblastic T-cell lymphoma with seropositivity for anti-HTLV antibody from adult T-cell leukemia/lymphoma. <i>International Journal of Hematology</i> , 2010, 91, 687-691.	0.7	5
87	Chronic lymphocytic leukemia with paraimmunoblastic transformation ⁺ with comparative genomic hybridization and review of the literature. <i>Pathology Research and Practice</i> , 2010, 206, 276-281.	1.0	3
88	NK-cell lymphoma with nodal presentation and expression of cutaneous lymphocyte-associated antigen. <i>Pathology Research and Practice</i> , 2010, 206, 463-466.	1.0	12
89	Hepatitis C virus infection is significantly associated with malignant lymphoma in Taiwan, particularly with nodal and splenic marginal zone lymphomas. <i>Journal of Clinical Pathology</i> , 2010, 63, 595-598.	1.0	29
90	Upper aerodigestive tract lymphoma in Taiwan. <i>Journal of Clinical Pathology</i> , 2010, 63, 888-893.	1.0	15

#	ARTICLE	IF	CITATIONS
91	T-cell large granular lymphocytic leukemia with pleomorphic nuclei and colonic infiltration with chronic diarrhea. <i>Leukemia and Lymphoma</i> , 2010, 51, 2132-2134.	0.6	4
92	Clinicopathologic Analysis of Cutaneous Lymphoma in Taiwan: A High Frequency of Extranodal Natural Killer/T-Cell Lymphoma, Nasal Type, With an Extremely Poor Prognosis. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 996-1002.	1.2	33
93	SOX11 expression is highly specific for mantle cell lymphoma and identifies the cyclin D1-negative subtype. <i>Haematologica</i> , 2009, 94, 1555-1562.	1.7	345
94	EBV-associated diffuse large B-cell lymphoma in a psoriatic treated with methotrexate. <i>Pathology Research and Practice</i> , 2009, 205, 43-49.	1.0	28
95	Lymphohistiocytic anaplastic large cell lymphoma involving skin: A diagnostic challenge. <i>Pathology Research and Practice</i> , 2009, 205, 283-287.	1.0	7
96	Primary intestinal diffuse large B-cell lymphoma presenting as multiple lymphomatous polyposis. <i>Leukemia and Lymphoma</i> , 2009, 50, 1219-1222.	0.6	3
97	Adult T-cell leukemia/lymphoma comprising non-floral leukemic cells in Taiwan, a country non-endemic for human T-cell leukemia virus type I. <i>Leukemia and Lymphoma</i> , 2009, 50, 1540-1542.	0.6	5
98	Aberrant Expression of CD19 and CD43 in a Patient With Therapy-Related Acute Myeloid Leukemia and a History of Mantle Cell Lymphoma. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 389-394.	0.8	3
99	Primary Cerebral Diffuse Large B-cell Lymphoma Relapsed Solely in the Skin With the Same Clonal Origin. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2009, 17, 77-81.	0.6	7
100	NK-cell Lineage Predicts Poor Survival in Primary Intestinal NK-cell and T-cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1230-1240.	2.1	64
101	Floral leukemic cells transformed from marginal zone lymphoma. <i>Pathology Research and Practice</i> , 2008, 204, 23-26.	1.0	7
102	Cytologic Diagnosis of Primary Effusion Lymphoma in an HIV-negative Patient. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 548-552.	0.8	5
103	Primary Gastrointestinal Follicular Lymphoma: A Clinicopathologic Study of 13 Cases From Taiwan. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 997-1002.	1.1	32
104	Massive expansion of EBV+ monoclonal T cells with CD5 down regulation in EBV-associated haemophagocytic lymphohistiocytosis. <i>Journal of Clinical Pathology</i> , 2007, 60, 101-103.	1.0	40
105	Variant hairy cell leukemia without distinct nucleoli. <i>Leukemia and Lymphoma</i> , 2007, 48, 1050-1052.	0.6	2
106	Plasmablastic Cytomorphologic Features in Plasma Cell Neoplasms in Immunocompetent Patients Are Significantly Associated With EBV. <i>American Journal of Clinical Pathology</i> , 2007, 128, 339-344.	0.4	56
107	Histopathology and Immunohistochemistry in Distinguishing Burkitt Lymphoma From Diffuse Large B-Cell Lymphoma With Very High Proliferation Index and With or Without a Starry-Sky Pattern. <i>American Journal of Clinical Pathology</i> , 2007, 128, 558-564.	0.4	94
108	CD52 expression in non-mycotic T- and NK/T-cell lymphomas. <i>Leukemia and Lymphoma</i> , 2007, 48, 117-121.	0.6	27

#	ARTICLE	IF	CITATIONS
109	Intramucosal follicular lymphoma in the terminal ileum with nodal involvement. <i>Pathology Research and Practice</i> , 2007, 203, 691-694.	1.0	6
110	Polyostotic primary bone lymphoma with progression limited in the skeleton: Identical clonal origin of the initial and progressed tumors and a late relapse by VDJ rearrangement analysis. <i>Leukemia and Lymphoma</i> , 2006, 47, 1144-1148.	0.6	5
111	A Clinicopathologic and Molecular Study of Follicular Lymphoma in Taiwan. <i>Clinical Lymphoma and Myeloma</i> , 2006, 6, 314-318.	1.4	8
112	Mantle cell lymphoma in Taiwan: Clinicopathological and molecular study of 21 cases including one cyclin D1-negative tumor expressing cyclin D2. <i>Pathology International</i> , 2006, 56, 440-448.	0.6	20
113	Follicular lymphoma with many circulating buttock cells: A leukemic presentation mimicking mantle cell leukemia. <i>American Journal of Hematology</i> , 2006, 81, 294-295.	2.0	8
114	Comparison of the expression and prognostic significance of differentiation markers between diffuse large B-cell lymphoma of central nervous system origin and peripheral nodal origin.. <i>Clinical Cancer Research</i> , 2006, 12, 1152-1156.	3.2	118
115	Primary non-Hodgkin's lymphoma of bone: A rare disorder with high frequency of T-cell phenotype in southern Taiwan. <i>Leukemia and Lymphoma</i> , 2006, 47, 65-70.	0.6	22
116	Acute myelomonocytic leukemia with abnormal eosinophils: a case report with multi-modality diagnostic work-up. <i>Chang Gung Medical Journal</i> , 2006, 29, 532-7.	0.7	1
117	T-Cell and NK/T-Cell Lymphomas in Southern Taiwan: A Study of 72 Cases in a Single Institute. <i>Leukemia and Lymphoma</i> , 2004, 45, 923-928.	0.6	26
118	Natural killer cell lymphoma of small intestine with features of enteropathy but lack of association with celiac disease. <i>Human Pathology</i> , 2004, 35, 639-642.	1.1	15
119	High frequency of t(11;18) in gastric mucosa-associated lymphoid tissue lymphomas in Taiwan, including one patient with high-grade transformation. <i>British Journal of Haematology</i> , 2003, 120, 97-100.	1.2	45
120	Anaplastic Large Cell Lymphoma--A Rare Disorder in Southern Taiwan. <i>Leukemia and Lymphoma</i> , 2003, 44, 1727-1731.	0.6	7
121	Detecting Clonal Rearrangement in Non-Hodgkin's Lymphomas in Taiwan by Polymerase Chain Reaction. <i>Leukemia and Lymphoma</i> , 2003, 44, 117-121.	0.6	18
122	Primary Bony Peripheral T-cell Lymphoma Mimicking Nasal Type NK/T-cell Lymphoma: A Case Report. <i>Pathology Research and Practice</i> , 2002, 198, 369-373.	1.0	2
123	Malignant lymphoma in southern Taiwan according to the revised European-American classification of lymphoid neoplasms. <i>Cancer</i> , 2000, 89, 1586-1592.	2.0	55
124	Malignant lymphoma in southern Taiwan according to the revised European-American classification of lymphoid neoplasms. <i>Cancer</i> , 2000, 89, 1586-1592.	2.0	1