M Thomas Record

List of Publications by Citations

Source: https://exaly.com/author-pdf/9083578/m-thomas-record-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78 8,642 43 83 g-index

83 9,204 5.3 5.86 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
78	Thermodynamic analysis of ion effects on the binding and conformational equilibria of proteins and nucleic acids: the roles of ion association or release, screening, and ion effects on water activity. Quarterly Reviews of Biophysics, 1978, 11, 103-78	7	1435
77	Ion effects on ligand-nucleic acid interactions. <i>Journal of Molecular Biology</i> , 1976 , 107, 145-58	6.5	965
76	Hofmeister salt effects on surface tension arise from partitioning of anions and cations between bulk water and the air-water interface. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 5411-7	3.4	348
75	Contribution to the thermodynamics of protein folding from the reduction in water-accessible nonpolar surface area. <i>Biochemistry</i> , 1991 , 30, 4237-44	3.2	343
74	Novel computer program for fast exact calculation of accessible and molecular surface areas and average surface curvature. <i>Journal of Computational Chemistry</i> , 2002 , 23, 600-9	3.5	338
73	Analysis of effects of salts and uncharged solutes on protein and nucleic acid equilibria and processes: a practical guide to recognizing and interpreting polyelectrolyte effects, Hofmeister effects, and osmotic effects of salts. <i>Advances in Protein Chemistry</i> , 1998 , 51, 281-353		329
72	Replacement of potassium chloride by potassium glutamate dramatically enhances protein-DNA interactions in vitro. <i>Biochemistry</i> , 1987 , 26, 2095-101	3.2	257
71	Nonspecific interaction of lac repressor with DNA: an association reaction driven by counterion release. <i>Biochemistry</i> , 1977 , 16, 4783-90	3.2	257
70	RNA polymerase-promoter interactions: the comings and goings of RNA polymerase. <i>Journal of Bacteriology</i> , 1998 , 180, 3019-25	3.5	238
69	Mechanism of bacterial transcription initiation: RNA polymerase - promoter binding, isomerization to initiation-competent open complexes, and initiation of RNA synthesis. <i>Journal of Molecular Biology</i> , 2011 , 412, 754-71	6.5	232
68	Thermodynamic origin of hofmeister ion effects. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 9428-36	3.4	222
67	Enthalpy and heat capacity changes for formation of an oligomeric DNA duplex: interpretation in terms of coupled processes of formation and association of single-stranded helices. <i>Biochemistry</i> , 1999 , 38, 8409-22	3.2	204
66	Pentalysine-deoxyribonucleic acid interactions: a model for the general effects of ion concentrations on the interactions of proteins with nucleic acids. <i>Biochemistry</i> , 1980 , 19, 3522-30	3.2	191
65	Quantifying why urea is a protein denaturant, whereas glycine betaine is a protein stabilizer. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 16932-7	11.5	179
64	Partitioning of atmospherically relevant ions between bulk water and the water/vapor interface. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 14278-81	11.5	149
63	Nonspecific interactions of Escherichia coli RNA polymerase with native and denatured DNA: differences in the binding behavior of core and holoenzyme. <i>Biochemistry</i> , 1978 , 17, 1612-22	3.2	145
62	Roles of cytoplasmic osmolytes, water, and crowding in the response of Escherichia coli to osmotic stress: biophysical basis of osmoprotection by glycine betaine. <i>Biochemistry</i> , 2003 , 42, 12596-609	3.2	139

61	Separation of preferential interaction and excluded volume effects on DNA duplex and hairpin stability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 12	69 9 -70	4 ¹³⁰
60	Why Hofmeister effects of many salts favor protein folding but not DNA helix formation. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 7716-21	11.5	129
59	Thermodynamics of interactions of urea and guanidinium salts with protein surface: relationship between solute effects on protein processes and changes in water-accessible surface area. <i>Protein Science</i> , 2001 , 10, 2485-97	6.3	120
58	Initial events in bacterial transcription initiation. <i>Biomolecules</i> , 2015 , 5, 1035-62	5.9	102
57	The exclusion of glycine betaine from anionic biopolymer surface: why glycine betaine is an effective osmoprotectant but also a compatible solute. <i>Biochemistry</i> , 2004 , 43, 14732-43	3.2	102
56	Preferential interactions of glycine betaine and of urea with DNA: implications for DNA hydration and for effects of these solutes on DNA stability. <i>Biochemistry</i> , 2004 , 43, 14744-58	3.2	102
55	Kinetic studies and structural models of the association of E. coli sigma(70) RNA polymerase with the lambdaP(R) promoter: large scale conformational changes in forming the kinetically significant intermediates. <i>Journal of Molecular Biology</i> , 2002 , 319, 649-71	6.5	102
54	HO. and DNase I probing of E sigma 70 RNA polymeraselambda PR promoter open complexes: Mg2+ binding and its structural consequences at the transcription start site. <i>Biochemistry</i> , 1995 , 34, 15	624 - 32	95
53	A semiempirical extension of polyelectrolyte theory to the treatment of oligoelectrolytes: Application to oligonucleotide helix-coil transitions. <i>Biopolymers</i> , 1978 , 17, 159-166	2.2	93
52	Introductory lecture: interpreting and predicting Hofmeister salt ion and solute effects on biopolymer and model processes using the solute partitioning model. <i>Faraday Discussions</i> , 2013 , 160, 9-44; discussion 103-20	3.6	86
51	Interactions of the osmolyte glycine betaine with molecular surfaces in water: thermodynamics, structural interpretation, and prediction of m-values. <i>Biochemistry</i> , 2009 , 48, 10372-9	3.2	85
50	Thermodynamic characterization of interactions of native bovine serum albumin with highly excluded (glycine betaine) and moderately accumulated (urea) solutes by a novel application of vapor pressure osmometry. <i>Biochemistry</i> , 1996 , 35, 10506-16	3.2	83
49	Importance of oligoelectrolyte end effects for the thermodynamics of conformational transitions of nucleic acid oligomers: a grand canonical Monte Carlo analysis. <i>Biopolymers</i> , 1991 , 31, 1593-604	2.2	80
48	Regulation of the kinetics of the interaction of Escherichia coli RNA polymerase with the lambda PR promoter by salt concentration. <i>Biochemistry</i> , 1985 , 24, 4721-6	3.2	80
47	Application of the local-bulk partitioning and competitive binding models to interpret preferential interactions of glycine betaine and urea with protein surface. <i>Biochemistry</i> , 2004 , 43, 9276-88	3.2	72
46	Real-time footprinting of DNA in the first kinetically significant intermediate in open complex formation by Escherichia coli RNA polymerase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7833-8	11.5	70
45	Chemical Interactions of Polyethylene Glycols (PEGs) and Glycerol with Protein Functional Groups: Applications to Effects of PEG and Glycerol on Protein Processes. <i>Biochemistry</i> , 2015 , 54, 3528-42	3.2	68
44	Thermal and urea-induced unfolding of the marginally stable lac repressor DNA-binding domain: a model system for analysis of solute effects on protein processes. <i>Biochemistry</i> , 2003 , 42, 2202-17	3.2	66

43	Protein surface salt bridges and paths for DNA wrapping. <i>Current Opinion in Structural Biology</i> , 2002 , 12, 311-9	8.1	64
42	The importance of coulombic end effects: experimental characterization of the effects of oligonucleotide flanking charges on the strength and salt dependence of oligocation (L8+) binding to single-stranded DNA oligomers. <i>Biophysical Journal</i> , 1999 , 76, 1008-17	2.9	59
41	Solute probes of conformational changes in open complex (RPo) formation by Escherichia coli RNA polymerase at the lambdaPR promoter: evidence for unmasking of the active site in the isomerization step and for large-scale coupled folding in the subsequent conversion to RPo.	3.2	50
40	Quantifying additive interactions of the osmolyte proline with individual functional groups of proteins: comparisons with urea and glycine betaine, interpretation of m-values. <i>Biochemistry</i> , 2013 , 52, 5997-6010	3.2	48
39	Mechanism of transcription initiation and promoter escape by . RNA polymerase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E3032-E3040	11.5	46
38	Formation of a wrapped DNA-protein interface: experimental characterization and analysis of the large contributions of ions and water to the thermodynamics of binding IHF to HSDNA. <i>Journal of Molecular Biology</i> , 2008 , 377, 9-27	6.5	46
37	Use of urea and glycine betaine to quantify coupled folding and probe the burial of DNA phosphates in lac repressor-lac operator binding. <i>Biochemistry</i> , 2005 , 44, 16896-911	3.2	46
36	The effects of upstream DNA on open complex formation by Escherichia coli RNA polymerase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 285-90	11.5	46
35	Quantifying functional group interactions that determine urea effects on nucleic acid helix formation. <i>Journal of the American Chemical Society</i> , 2013 , 135, 5828-38	16.4	41
34	One-step DNA melting in the RNA polymerase cleft opens the initiation bubble to form an unstable open complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 10418-23	11.5	39
33	Probing DNA binding, DNA opening, and assembly of a downstream clamp/jaw in Escherichia coli RNA polymerase-lambdaP(R) promoter complexes using salt and the physiological anion glutamate. <i>Biochemistry</i> , 2010 , 49, 4361-73	3.2	39
32	Late steps in the formation of E. coli RNA polymerase-lambda P R promoter open complexes: characterization of conformational changes by rapid [perturbant] upshift experiments. <i>Journal of Molecular Biology</i> , 2008 , 376, 1034-47	6.5	36
31	DNA binding mode transitions of Escherichia coli HU(alphabeta): evidence for formation of a bent DNAprotein complex on intact, linear duplex DNA. <i>Journal of Molecular Biology</i> , 2008 , 383, 324-46	6.5	36
30	Complete Asymptotic Solution of Cylindrical and Spherical Poisson B oltzmann Equations at Experimental Salt Concentrations. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 5161-5170	3.4	35
29	E. coli RNA Polymerase Determinants of Open Complex Lifetime and Structure. <i>Journal of Molecular Biology</i> , 2015 , 427, 2435-2450	6.5	34
28	Separating chemical and excluded volume interactions of polyethylene glycols with native proteins: Comparison with PEG effects on DNA helix formation. <i>Biopolymers</i> , 2015 , 103, 517-27	2.2	33
27	Kinetics of the helix-coil transition in DNA. <i>Biopolymers</i> , 1972 , 11, 1435-84	2.2	31
26	General method of analysis of kinetic equations for multistep reversible mechanisms in the single-exponential regime: application to kinetics of open complex formation between Esigma70 RNA polymerase and lambdaP(R) promoter DNA. <i>Biophysical Journal</i> , 1999 , 76, 1320-9	2.9	29

(2020-2013)

25	Probing the protein-folding mechanism using denaturant and temperature effects on rate constants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 16784-9	11.5	26
24	Basis of Protein Stabilization by K Glutamate: Unfavorable Interactions with Carbon, Oxygen Groups. <i>Biophysical Journal</i> , 2016 , 111, 1854-1865	2.9	25
23	Interactions of the KWK6 cationic peptide with short nucleic acid oligomers: demonstration of large Coulombic end effects on binding at 0.1-0.2 M salt. <i>Nucleic Acids Research</i> , 2004 , 32, 3271-81	20.1	24
22	Key roles of the downstream mobile jaw of Escherichia coli RNA polymerase in transcription initiation. <i>Biochemistry</i> , 2012 , 51, 9447-59	3.2	21
21	Positioning the Intracellular Salt Potassium Glutamate in the Hofmeister Series by Chemical Unfolding Studies of NTL9. <i>Biochemistry</i> , 2016 , 55, 2251-9	3.2	17
20	Contributions of Coulombic and Hofmeister Effects to the Osmotic Activation of Escherichia coli Transporter ProP. <i>Biochemistry</i> , 2016 , 55, 1301-13	3.2	16
19	Nonspecific DNA binding and bending by HUllinterfaces of the three binding modes characterized by salt-dependent thermodynamics. <i>Journal of Molecular Biology</i> , 2011 , 410, 241-67	6.5	15
18	Interactions of cationic ligands and proteins with small nucleic acids: analytic treatment of the large coulombic end effect on binding free energy as a function of salt concentration. <i>Biochemistry</i> , 2006 , 45, 8411-26	3.2	14
17	Experimental Atom-by-Atom Dissection of Amide-Amide and Amide-Hydrocarbon Interactions in HO. <i>Journal of the American Chemical Society</i> , 2017 , 139, 9885-9894	16.4	13
16	Quantifying the roles of water and solutes (denaturants, osmolytes, and Hofmeister salts) in protein and model processes using the solute partitioning model. <i>Methods in Molecular Biology</i> , 2009 , 490, 179-93	1.4	11
15	RNA Polymerase: Step-by-Step Kinetics and Mechanism of Transcription Initiation. <i>Biochemistry</i> , 2019 , 58, 2339-2352	3.2	9
14	Fluorescence Resonance Energy Transfer Characterization of DNA Wrapping in Closed and Open Escherichia coli RNA Polymerase- P (R) Promoter Complexes. <i>Biochemistry</i> , 2016 , 55, 2174-86	3.2	9
13	Coulombic free energy and salt ion association per phosphate of all-atom models of DNA oligomer: dependence on oligomer size. <i>Soft Matter</i> , 2012 , 8, 9345-9355	3.6	9
12	Fluorescence-Detected Conformational Changes in Duplex DNA in Open Complex Formation by RNA Polymerase: Upstream Wrapping and Downstream Bending Precede Clamp Opening and Insertion of the Downstream Duplex. <i>Biochemistry</i> , 2020 , 59, 1565-1581	3.2	8
11	Contributions of the histidine side chain and the N-terminal alpha-amino group to the binding thermodynamics of oligopeptides to nucleic acids as a function of pH. <i>Biochemistry</i> , 2010 , 49, 2018-30	3.2	8
10	The mechanism and high-free-energy transition state of lac repressor-lac operator interaction. Nucleic Acids Research, 2017, 45, 12671-12680	20.1	5
9	Using solutes and kinetics to probe large conformational changes in the steps of transcription initiation. <i>Methods in Molecular Biology</i> , 2015 , 1276, 241-61	1.4	4
8	Experimentally determined strengths of favorable and unfavorable interactions of amide atoms involved in protein self-assembly in water. <i>Proceedings of the National Academy of Sciences of the United States of America</i> 2020 117 27339-27345	11.5	4

7	Temperature effects on RNA polymerase initiation kinetics reveal which open complex initiates and that bubble collapse is stepwise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	4
6	Quantifying Interactions of Nucleobase Atoms with Model Compounds for the Peptide Backbone and Glutamine and Asparagine Side Chains in Water. <i>Biochemistry</i> , 2018 , 57, 2227-2237	3.2	2
5	How Glutamate Promotes Liquid-liquid Phase Separation and DNA Binding Cooperativity of E. coli SSB Protein <i>Journal of Molecular Biology</i> , 2022 , 167562	6.5	2
4	Kinetic-Mechanistic Evidence for Which E. coli RNA Polymerase- P R Open Promoter Complex Initiates and for Stepwise Disruption of Contacts in Bubble Collapse		1
3	Roles of the Initial Transcribed Sequence on Productive and Non-Productive Initiation. <i>FASEB Journal</i> , 2019 , 33, 458.10	0.9	
2	Open complex stability regulates transcription initiation by E. coli RNA polymerase from the rrnB P1 promoter. <i>FASEB Journal</i> , 2019 , 33, 624.1	0.9	
1	Step-by-Step Regulation of Productive and Abortive Transcription Initiation by Pyrophosphorolysis <i>Journal of Molecular Biology</i> , 2022 , 167621	6.5	