

Paolo Manunta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9085102/paolo-manunta-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

9,889
citations

45
h-index

98
g-index

157
ext. papers

11,208
ext. citations

6.4
avg, IF

4.89
L-index

#	Paper	IF	Citations
150	Dissecting the Polygenic Basis of Primary Hypertension: Identification of Key Pathway-Specific Components.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 814502	5.4	0
149	Association of colorectal cancer with genetic and epigenetic variation in PEAR1-A population-based cohort study.. <i>PLoS ONE</i> , 2022 , 17, e0266481	3.7	
148	COVID-19 and the Environment: Pandemics, Climate, and Ecosystems, and the Environmental Challenge in Dialysis.. <i>Nephrology Nursing Journal</i> , 2022 , 49, 59-65	0.4	
147	Antihypertensive treatment guided by genetics: PEARL-HT, the randomized proof-of-concept trial comparing rosfafuroxin with losartan. <i>Pharmacogenomics Journal</i> , 2021 , 21, 346-358	3.5	3
146	Urinary proteomics reveals key markers of salt sensitivity in hypertensive patients during saline infusion. <i>Journal of Nephrology</i> , 2021 , 34, 739-751	4.8	1
145	Klotho Gene in Human Salt-Sensitive Hypertension. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 375-383	6.9	14
144	Pharmacological blockade of TNF α prevents sarcopenia and prolongs survival in aging mice. <i>Aging</i> , 2020 , 12, 23497-23508	5.6	6
143	Hypertension in High School Students: Genetic and Environmental Factors: The HYGEF Study. <i>Hypertension</i> , 2020 , 75, 71-78	8.5	15
142	Lanosterol Synthase Genetic Variants, Endogenous Ouabain, and Both Acute and Chronic Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 504-512	7.4	6
141	Reply: "Comment on: Endogenous Ouabain and Related Genes in the Translation from Hypertension to Renal Diseases". <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	1
140	Effects of valsartan, benazepril and their combination in overt nephropathy of type 2 diabetes: A prospective, randomized, controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1177-1190	6.7	9
139	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019 , 10, 4957	17.4	40
138	The risk of nephrolithiasis is causally related to inactive matrix Gla protein, a marker of vitamin K status: a Mendelian randomization study in a Flemish population. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 514-522	4.3	9
137	Predicting acute kidney injury: current status and future challenges. <i>Journal of Nephrology</i> , 2018 , 31, 209-223	4.8	40
136	Endogenous Ouabain and Related Genes in the Translation from Hypertension to Renal Diseases. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	9
135	Ion Channels and Transporters in Inflammation: Special Focus on TRP Channels and TRPC6. <i>Cells</i> , 2018 , 7,	7.9	25
134	Na ⁺ , K ⁺ -ATPase activity in children with autism spectrum disorder: Searching for the reason(s) of its decrease in blood cells. <i>Autism Research</i> , 2018 , 11, 1388-1403	5.1	12

133 Endogenous Ouabain **2018**, 564-568

132 Claudin-14 Gene Polymorphisms and Urine Calcium Excretion. *Clinical Journal of the American Society of Nephrology: CJASN*, **2018**, 13, 1542-1549 6.9 8

131 The TRPC6 intronic polymorphism, associated with the risk of neurological disorders in systemic lupus erythematosus, influences immune cell function. *Journal of Neuroimmunology*, **2018**, 325, 43-53 3.5 2

130 Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. *Molecular Psychiatry*, **2017**, 22, 192-201 15.1 31

129 Genetic susceptibility variants for lung cancer: replication study and assessment as expression quantitative trait loci. *Scientific Reports*, **2017**, 7, 42185 4.9 11

128 Pseudoexfoliation syndrome-associated genetic variants affect transcription factor binding and alternative splicing of LOXL1. *Nature Communications*, **2017**, 8, 15466 17.4 28

127 Genetic association study of exfoliation syndrome identifies a protective rare variant at LOXL1 and five new susceptibility loci. *Nature Genetics*, **2017**, 49, 993-1004 36.3 72

126 Genome-Wide and Gene-Based Meta-Analyses Identify Novel Loci Influencing Blood Pressure Response to Hydrochlorothiazide. *Hypertension*, **2017**, 69, 51-59 8.5 25

125 Genetics of ion homeostasis in Ménière Disease. *European Archives of Oto-Rhino-Laryngology*, **2017**, 274, 757-763 3.5 12

124 A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. *Nature Communications*, **2016**, 7, 13357 17.4 46

123 Deciphering Variability of PKD1 and PKD2 in an Italian Cohort of 643 Patients with Autosomal Dominant Polycystic Kidney Disease (ADPKD). *Scientific Reports*, **2016**, 6, 30850 4.9 17

122 MicroRNA 193b-3p as a predictive biomarker of chronic kidney disease in patients undergoing radical nephrectomy for renal cell carcinoma. *British Journal of Cancer*, **2016**, 115, 1343-1350 8.7 20

121 Endogenous ouabain and aldosterone are coelevated in the circulation of patients with essential hypertension. *Journal of Hypertension*, **2016**, 34, 2074-80 1.9 12

120 ADDing a piece to the puzzle of cognition in schizophrenia. *European Journal of Medical Genetics*, **2016**, 59, 26-31 2.6 7

119 Personalized Therapy of Hypertension: the Past and the Future. *Current Hypertension Reports*, **2016**, 18, 24 4.7 14

118 Lanosterol Synthase Gene Polymorphisms and Changes in Endogenous Ouabain in the Response to Low Sodium Intake. *Hypertension*, **2016**, 67, 342-8 8.5 9

117 Ouabain Contributes to Kidney Damage in a Rat Model of Renal Ischemia-Reperfusion Injury. *International Journal of Molecular Sciences*, **2016**, 17, 6.3 9

116 Xanthine oxidase gene variants and their association with blood pressure and incident hypertension: a population study. *Journal of Hypertension*, **2016**, 34, 2147-54 1.9 21

115	Salt Sensitivity: Challenging and Controversial Phenotype of Primary Hypertension. <i>Current Hypertension Reports</i> , 2016 , 18, 70	4.7	9
114	Urinary neutrophil gelatinase-associated lipocalin time course during cardiac surgery. <i>Annals of Cardiac Anaesthesia</i> , 2015 , 18, 39-44	1.3	7
113	A genome-wide screening and SNPs-to-genes approach to identify novel genetic risk factors associated with frontotemporal dementia. <i>Neurobiology of Aging</i> , 2015 , 36, 2904.e13-26	5.6	34
112	Endogenous cardiogenic steroids in kidney failure: a review and an hypothesis. <i>Advances in Chronic Kidney Disease</i> , 2015 , 22, 232-44	4.7	30
111	The -665 C>T polymorphism in the eNOS gene predicts cardiovascular mortality and morbidity in white Europeans. <i>Journal of Human Hypertension</i> , 2015 , 29, 167-72	2.6	7
110	Inactive matrix Gla protein is causally related to adverse health outcomes: a Mendelian randomization study in a Flemish population. <i>Hypertension</i> , 2015 , 65, 463-70	8.5	66
109	Coronary risk in relation to genetic variation in MEOX2 and TCF15 in a Flemish population. <i>BMC Genetics</i> , 2015 , 16, 116	2.6	10
108	TET2 and CSMD1 genes affect SBP response to hydrochlorothiazide in never-treated essential hypertensives. <i>Journal of Hypertension</i> , 2015 , 33, 1301-9	1.9	20
107	Endogenous Ouabain: An Old Cardiogenic Steroid as a New Biomarker of Heart Failure and a Predictor of Mortality after Cardiac Surgery. <i>BioMed Research International</i> , 2015 , 2015, 714793	3	15
106	Beta-adducin and sodium-calcium exchanger 1 gene variants are associated with systemic lupus erythematosus and lupus nephritis. <i>Rheumatology International</i> , 2015 , 35, 1975-83	3.6	6
105	TRPC6 gene variants and neuropsychiatric lupus. <i>Journal of Neuroimmunology</i> , 2015 , 288, 21-4	3.5	11
104	Cross-disorder genome-wide analyses suggest a complex genetic relationship between Tourette's syndrome and OCD. <i>American Journal of Psychiatry</i> , 2015 , 172, 82-93	11.9	101
103	Genetic burden of common variants in progressive and bout-onset multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014 , 20, 802-11	5	10
102	Rostafuroxin protects from podocyte injury and proteinuria induced by adducin genetic variants and ouabain. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014 , 351, 278-87	4.7	11
101	Quantitative proteomics reveals novel therapeutic and diagnostic markers in hypertension. <i>BBA Clinical</i> , 2014 , 2, 79-87		20
100	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014 , 46, 1173-86	36.3	1339
99	A new clinical multivariable model that predicts postoperative acute kidney injury: impact of endogenous ouabain. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1696-701	4.3	29
98	Novel approach identifies SNPs in SLC2A10 and KCNK9 with evidence for parent-of-origin effect on body mass index. <i>PLoS Genetics</i> , 2014 , 10, e1004508	6	45

97	Genome-wide association study identifies CAMKID variants involved in blood pressure response to losartan: the SOPHIA study. <i>Pharmacogenomics</i> , 2014 , 15, 1643-52	2.6	24
96	Meta-analysis of gene-level associations for rare variants based on single-variant statistics. <i>American Journal of Human Genetics</i> , 2013 , 93, 236-48	11	49
95	Common noncoding UMOD gene variants induce salt-sensitive hypertension and kidney damage by increasing uromodulin expression. <i>Nature Medicine</i> , 2013 , 19, 1655-60	50.5	242
94	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013 , 45, 501-12	36.3	437
93	A functional common polymorphism of the ABCB1 gene is associated with chronic kidney disease and hypertension in Chinese. <i>American Journal of Hypertension</i> , 2013 , 26, 1428-36	2.3	11
92	cGMP-dependent protein kinase 1 polymorphisms underlie renal sodium handling impairment. <i>Hypertension</i> , 2013 , 62, 1027-33	8.5	8
91	Target sequencing, cell experiments, and a population study establish endothelial nitric oxide synthase (eNOS) gene as hypertension susceptibility gene. <i>Hypertension</i> , 2013 , 62, 844-52	8.5	39
90	Genomic association analysis of common variants influencing antihypertensive response to hydrochlorothiazide. <i>Hypertension</i> , 2013 , 62, 391-7	8.5	79
89	Left ventricular radial function associated with genetic variation in the cGMP-dependent protein kinase. <i>Hypertension</i> , 2013 , 62, 1034-9	8.5	5
88	Preoperative endogenous ouabain predicts acute kidney injury in cardiac surgery patients. <i>Critical Care Medicine</i> , 2013 , 41, 744-55	1.4	43
87	Endogenous Ouabain Changes Rapidly During Cardiac Pulmonary by Pass. <i>Journal of Steroids & Hormonal Science</i> , 2013 , 04,		3
86	Genomewide association study using a high-density single nucleotide polymorphism array and case-control design identifies a novel essential hypertension susceptibility locus in the promoter region of endothelial NO synthase. <i>Hypertension</i> , 2012 , 59, 248-55	8.5	124
85	Left ventricular structure and function in relation to steroid biosynthesis genes in a white population. <i>American Journal of Hypertension</i> , 2012 , 25, 986-93	2.3	3
84	Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. <i>Diabetes</i> , 2011 , 60, 2624-34	0.9	285
83	Genes involved in vasoconstriction and vasodilation system affect salt-sensitive hypertension. <i>PLoS ONE</i> , 2011 , 6, e19620	3.7	48
82	Endogenous ouabain and the renin-angiotensin-aldosterone system: distinct effects on Na handling and blood pressure in human hypertension. <i>Journal of Hypertension</i> , 2011 , 29, 349-56	1.9	29
81	The clinical pathway for hypertensive patient of local health unit, hospitals and general practitioners, the Milan experience. <i>Reviews on Recent Clinical Trials</i> , 2011 , 6, 16-23	1.2	1
80	Endogenous ouabain: a link between sodium intake and hypertension. <i>Current Hypertension Reports</i> , 2011 , 13, 14-20	4.7	25

79	Main results of the ouabain and adducin for Specific Intervention on Sodium in Hypertension Trial (OASIS-HT): a randomized placebo-controlled phase-2 dose-finding study of rostafuroxin. <i>Trials</i> , 2011 , 12, 13	2.8	32
78	Polymorphisms, hypertension and thiazide diuretics. <i>Pharmacogenomics</i> , 2011 , 12, 1587-604	2.6	12
77	Are retinal microvascular phenotypes associated with the 1675G/A polymorphism in the angiotensin II type-2 receptor gene?. <i>American Journal of Hypertension</i> , 2011 , 24, 1300-5	2.3	5
76	Association of echocardiographic left ventricular structure with the ACE D/I polymorphism: a meta-analysis. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011 , 12, 243-53	3	10
75	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010 , 42, 937-48	36.3	2267
74	Adducin- and ouabain-related gene variants predict the antihypertensive activity of rostafuroxin, part 2: clinical studies. <i>Science Translational Medicine</i> , 2010 , 2, 59ra87	17.5	58
73	Endogenous ouabain in renal Na(+) handling and related diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010 , 1802, 1214-8	6.9	19
72	Genetics of primary hypertension: the clinical impact of adducin polymorphisms. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010 , 1802, 1285-98	6.9	22
71	Endogenous ouabain in Ménière disease. <i>Otology and Neurotology</i> , 2010 , 31, 153-6	2.6	6
70	alpha- and beta-Adducin polymorphisms affect podocyte proteins and proteinuria in rodents and decline of renal function in human IgA nephropathy. <i>Journal of Molecular Medicine</i> , 2010 , 88, 203-17	5.5	16
69	Steroid biosynthesis and renal excretion in human essential hypertension: association with blood pressure and endogenous ouabain. <i>American Journal of Hypertension</i> , 2009 , 22, 357-63	2.3	38
68	Arterial properties in relation to genetic variations in the adducin subunits in a white population. <i>American Journal of Hypertension</i> , 2009 , 22, 21-6	2.3	10
67	Arterial properties in relation to genetic variation in alpha-adducin and the renin-angiotensin system in a White population. <i>Journal of Human Hypertension</i> , 2009 , 23, 55-64	2.6	8
66	Effect of weight loss through laparoscopic gastric banding on blood pressure, plasma renin activity and aldosterone levels in morbid obesity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 110-4	4.5	52
65	Endogenous ouabain in cardiovascular function and disease. <i>Journal of Hypertension</i> , 2009 , 27, 9-18	1.9	76
64	Clinical impact of adducin polymorphism. <i>Journal of Hypertension</i> , 2009 , 27, 1325-7; author reply 1327-9	1.9	3
63	Left ventricular geometry and endogenous ouabain in a Flemish population. <i>Journal of Hypertension</i> , 2009 , 27, 1884-91	1.9	13
62	Endogenous ouabain and cardiomyopathy in dialysis patients. <i>Journal of Internal Medicine</i> , 2008 , 263, 274-80	10.8	50

61	Physiological interaction between alpha-adducin and WNK1-NEDD4L pathways on sodium-related blood pressure regulation. <i>Hypertension</i> , 2008 , 52, 366-72	8.5	82
60	Gly460Trp alpha-adducin mutation as a possible mechanism leading to endolymphatic hydrops in Ménière syndrome. <i>Otology and Neurotology</i> , 2008 , 29, 824-8	2.6	34
59	Relationships among endogenous ouabain, alpha-adducin polymorphisms and renal sodium handling in primary hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 914-20	1.9	46
58	Adducin polymorphisms and the treatment of hypertension. <i>Pharmacogenomics</i> , 2007 , 8, 465-72	2.6	17
57	Common genetic variants and haplotypes in renal CLCNKA gene are associated to salt-sensitive hypertension. <i>Human Molecular Genetics</i> , 2007 , 16, 1630-8	5.6	63
56	Angiotensin-converting enzyme I/D and alpha-adducin Gly460Trp polymorphisms: from angiotensin-converting enzyme activity to cardiovascular outcome. <i>Hypertension</i> , 2007 , 49, 1291-7	8.5	56
55	Targeting Ouabain- and Adducin-dependent mechanisms of hypertension and cardiovascular remodeling as a novel pharmacological approach. <i>Medical Hypotheses</i> , 2007 , 68, 1307-14	3.8	21
54	Independent and incremental prognostic value of endogenous ouabain in idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2006 , 8, 179-86	12.3	44
53	Salt intake and depletion increase circulating levels of endogenous ouabain in normal men. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006 , 290, R553-9	3.2	84
52	Pharmacogenomics and pharmacogenetics of hypertension: update and perspectives--the adducin paradigm. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, S30-5	12.7	34
51	Association between arterial properties and renal sodium handling in a general population. <i>Hypertension</i> , 2006 , 48, 609-15	8.5	20
50	Association of atrial natriuretic peptide and type a natriuretic peptide receptor gene polymorphisms with left ventricular mass in human essential hypertension. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 499-505	15.1	115
49	A new antihypertensive agent that antagonizes the prohypertensive effect of endogenous ouabain and adducin. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2006 , 4, 61-6	1.9	13
48	Ouabain and serum sodium. <i>Hypertension</i> , 2005 , 45, e16; author reply e16-7	8.5	2
47	Role of the adducin family genes in human essential hypertension. <i>Journal of Hypertension</i> , 2005 , 23, 543-9	1.9	41
46	High circulating levels of endogenous ouabain in the offspring of hypertensive and normotensive individuals. <i>Journal of Hypertension</i> , 2005 , 23, 1677-81	1.9	28
45	The endogenous ouabain: molecular basis of its role in hypertension and cardiovascular complications. <i>Frontiers in Bioscience - Landmark</i> , 2005 , 10, 2472-7	2.8	18
44	OASIS-HT: design of a pharmacogenomic dose-finding study. <i>Pharmacogenomics</i> , 2005 , 6, 755-75	2.6	17

43	Haplotype analysis in human hypertension. <i>Journal of Hypertension</i> , 2005 , 23, 711-2	1.9	2
42	Adducin, renal intermediate phenotypes, and hypertension. <i>Hypertension</i> , 2004 , 44, 394-5	8.5	6
41	Na ⁺ , kidney, hypertension and genes: lessons from rats. <i>Journal of Hypertension</i> , 2004 , 22, 1461-4	1.9	2
40	Low-salt diet and diuretic effect on blood pressure and organ damage. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15 Suppl 1, S43-6	12.7	6
39	Ouabain 2004 , 447-450		
38	Salt, endogenous ouabain and blood pressure interactions in the general population. <i>Journal of Hypertension</i> , 2003 , 21, 1475-81	1.9	59
37	ACE and alpha-adducin polymorphism as markers of individual response to diuretic therapy. <i>Hypertension</i> , 2003 , 41, 398-403	8.5	149
36	Genetics of essential hypertension: from families to genes. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13 Suppl 3, S155-64	12.7	40
35	Are the new single nucleotide polymorphisms (SNPs) relevant for hypertensive populations?. <i>Journal of Hypertension</i> , 2002 , 20, 2335-6	1.9	1
34	Genotyping of Essential Hypertension Single-Nucleotide Polymorphisms by a Homogeneous PCR Method with Universal Energy Transfer Primers. <i>Clinical Chemistry</i> , 2002 , 48, 2131-2140	5.5	82
33	Plasma ouabain-like factor during acute and chronic changes in sodium balance in essential hypertension. <i>Hypertension</i> , 2001 , 38, 198-203	8.5	94
32	Structure-activity relationships for the hypertensinogenic activity of ouabain: role of the sugar and lactone ring. <i>Hypertension</i> , 2001 , 37, 472-7	8.5	47
31	Endogenous ouabain and hemodynamic and left ventricular geometric patterns in essential hypertension. <i>American Journal of Hypertension</i> , 2001 , 14, 44-50	2.3	92
30	Erythrocyte calcium influx is related to severity of ventricular arrhythmias in uraemic patients. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 85-90	4.3	10
29	Synaptic plasticity in sympathetic ganglia from acquired and inherited forms of ouabain-dependent hypertension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001 , 281, R635-44	3.2	27
28	Ouabain-like factor: is this the natriuretic hormone?. <i>Current Opinion in Nephrology and Hypertension</i> , 2000 , 9, 165-71	3.5	22
27	Synergistic effect of alpha-adducin and ACE genes causes blood pressure changes with body sodium and volume expansion. <i>Kidney International</i> , 2000 , 57, 1083-90	9.9	64
26	Chronic hypertension induced by ouabain but not digoxin in the rat: antihypertensive effect of digoxin and digitoxin. <i>Hypertension Research</i> , 2000 , 23 Suppl, S77-85	4.7	79

25	Different effects of in vivo ouabain and digoxin on renal artery function and blood pressure in the rat. <i>Hypertension Research</i> , 2000 , 23 Suppl, S67-76	4.7	40
24	CA-Repeat polymorphism in intron 1 of HSD11B2 : effects on gene expression and salt sensitivity. <i>Hypertension</i> , 2000 , 36, 187-94	8.5	125
23	Evidence for an interaction between adducin and Na(+)-K(+)-ATPase: relation to genetic hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 277, H1338-49	5.2	50
22	The role of alpha-adducin polymorphism in blood pressure and sodium handling regulation may not be excluded by a negative association study. <i>Hypertension</i> , 1999 , 34, 649-54	8.5	139
21	Left ventricular mass, stroke volume, and ouabain-like factor in essential hypertension. <i>Hypertension</i> , 1999 , 34, 450-6	8.5	148
20	Adducin polymorphism affects renal proximal tubule reabsorption in hypertension. <i>Hypertension</i> , 1999 , 33, 694-7	8.5	108
19	Alpha-adducin polymorphisms and renal sodium handling in essential hypertensive patients. <i>Kidney International</i> , 1998 , 53, 1471-8	9.9	103
18	Adducin in essential hypertension. <i>FEBS Letters</i> , 1998 , 430, 41-4	3.8	26
17	Observations on the nature, biosynthesis, secretion and significance of endogenous ouabain. <i>Clinical and Experimental Hypertension</i> , 1998 , 20, 523-33	2.2	86
16	MPO antibody-positive vasculitis in a patient with psoriatic arthritis and gold-induced membranous glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 1998 , 13, 2104-6	4.3	7
15	The young girl with renovascular hypertension of unknown origin. <i>Nephrology Dialysis Transplantation</i> , 1997 , 12, 843-6	4.3	4
14	Polymorphisms of alpha-adducin and salt sensitivity in patients with essential hypertension. <i>Lancet, The</i> , 1997 , 349, 1353-7	40	473
13	Ouabain-like factor quantification in mammalian tissues and plasma: comparison of two independent assays. <i>Hypertension</i> , 1997 , 30, 886-96	8.5	88
12	Endogenous ouabain, sodium balance and blood pressure: a review and a hypothesis. <i>Journal of Hypertension</i> , 1996 , 14, 151-67	1.9	131
11	Renal artery stenosis: value of screening with three-dimensional phase-contrast MR angiography with a phased-array multicoil. <i>Radiology</i> , 1996 , 201, 697-703	20.5	44
10	Recognition of markers of response to potassium-canrenoate in essential hypertension. <i>Steroids</i> , 1995 , 60, 105-9	2.8	12
9	Immunoreactive endogenous ouabain in primary aldosteronism and essential hypertension: relationship with plasma renin, aldosterone and blood pressure levels. <i>Journal of Hypertension</i> , 1995 , 13, 1181-91	1.9	109
8	Efficacy and tolerability of doxazosin alone or in combination with chlorthalidone in essential hypertension. <i>Current Therapeutic Research</i> , 1994 , 55, 22-31	2.4	8

7	Ouabain-induced hypertension in the rat. <i>Journal of Hypertension</i> , 1994 , 12, 549-560	1.9	111
6	Ouabain, digitalis-like factors and hypertension. <i>Journal of Hypertension</i> , 1992 , 10, S99-112	1.9	46
5	Ouabain, digitalis-like factors and hypertension. <i>Journal of Hypertension</i> , 1992 , 10, S113	1.9	2
4	Brain kinins are responsible for the pressor effect of intracerebroventricular captopril in spontaneously hypertensive rats. <i>Hypertension</i> , 1990 , 15, 407-12	8.5	31
3	Correlates of atrial natriuretic factor in chronic renal failure. <i>Journal of Hypertension</i> , 1989 , 7, S238-9	1.9	2
2	Circulating prorenin and renin in response to intravenous adrenocorticotrophic hormone in essential hypertension. <i>Journal of Hypertension</i> , 1989 , 7, S226-7	1.9	
1	The effects of aprotinin, a kallikrein inhibitor, on renin release and urinary sodium excretion in mild essential hypertensives. <i>Journal of Hypertension</i> , 1987 , 5, 581-6	1.9	8