## Alexandra Acco

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9085423/alexandra-acco-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 884 18 26 h-index g-index citations papers 66 4.8 1,133 4.39 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
61	Nuances of PFKFB3 Signaling in Breast Cancer Clinical Breast Cancer, 2022,	3	1
60	Myricitrin exhibits antidepressant-like effects and reduces IL-6 hippocampal levels in the chronic mild stress model <i>Behavioural Brain Research</i> , <b>2022</b> , 429, 113905	3.4	1
59	Involvement of cytochrome P450 enzymes in inflammation and cancer: a review. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2021</b> , 87, 295-309	3.5	9
58	Pharmacological profile and effects of mitotane in adrenocortical carcinoma. <i>British Journal of Clinical Pharmacology</i> , <b>2021</b> , 87, 2698-2710	3.8	7
57	Andrographolide blocks 50-kHz ultrasonic vocalizations, hyperlocomotion and oxidative stress in an animal model of mania. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 139, 91-98	5.2	1
56	Biocompatible gum arabic-gold nanorod composite as an effective therapy for mistreated melanomas. <i>International Journal of Biological Macromolecules</i> , <b>2021</b> , 185, 551-561	7.9	4
55	Antitumoral activity of liraglutide, a new DNMT inhibitor in breast cancer cells in vitro and in vivo. <i>Chemico-Biological Interactions</i> , <b>2021</b> , 349, 109641	5	1
54	Polysaccharides from green sweet pepper increase the antineoplastic effect of methotrexate on mammary tumor cells. <i>International Journal of Biological Macromolecules</i> , <b>2020</b> , 158, 1071-1081	7.9	1
53	Carbohydrates from Mikania glomerata Spreng tea: Chemical characterization and hepatoprotective effects. <i>Bioactive Carbohydrates and Dietary Fibre</i> , <b>2020</b> , 24, 100227	3.4	O
52	Antineoplastic activity of a novel ruthenium complex against human hepatocellular carcinoma (HepG2) and human cervical adenocarcinoma (HeLa) cells. <i>Heliyon</i> , <b>2020</b> , 6, e03862	3.6	2
51	Promising therapeutic use of Baccharis trimera (less.) DC. as a natural hepatoprotective agent against hepatic lesions that are caused by multiple risk factors. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 254, 112729	5	3
50	Chemical characterization of polysaccharides from Baccharis trimera (Less.) DC. infusion and its hepatoprotective effects. <i>Food Research International</i> , <b>2020</b> , 136, 109510	7	4
49	Thirty-day experimental diabetes impairs contractility and increases fatigue resistance in rat diaphragm muscle associated with increased anti-oxidative activity. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2020</b> , 98, 490-497	2.4	1
48	EFEITOS DE POLISSACARDEOS DO JAMBO NO MODELO TUMORAL SOLIDO DE EHRLICH EM CAMUNDONGOS. <i>Infarma: Pharmaceutical Sciences</i> , <b>2020</b> , 32, 86-100	0.1	
47	Induction of diabetes in Wistar rats: is the streptozotocin model feasible at any age?. <i>Brazilian Journal of Development</i> , <b>2020</b> , 6, 40153-40164	0	O
46	Fruticuline A, a chemically-defined diterpene, exerts antineoplastic effects in vitro and in vivo by multiple mechanisms. <i>Scientific Reports</i> , <b>2020</b> , 10, 16477	4.9	1
45	The GLP-1 analog liraglutide attenuates acute liver injury in mice. <i>Annals of Hepatology</i> , <b>2019</b> , 18, 918-	9281	7

## (2016-2019)

44	integrated biomarker response index to assess toxic effects of environmentally relevant concentrations of paracetamol in a neotropical catfish (Rhamdia quelen). <i>Ecotoxicology and Environmental Safety</i> , <b>2019</b> , 182, 109438	7	15
43	Salvia lachnostachys Benth has antitumor and chemopreventive effects against solid Ehrlich carcinoma. <i>Molecular Biology Reports</i> , <b>2019</b> , 46, 4827-4841	2.8	3
42	Blockade of endothelin receptors reduces tumor-induced ongoing pain and evoked hypersensitivity in a rat model of facial carcinoma induced pain. <i>European Journal of Pharmacology</i> , <b>2018</b> , 818, 132-140	5.3	9
41	Structural features of polysaccharides from edible jambo (Syzygium jambos) fruits and antitumor activity of extracted pectins. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 118, 1414-1421	7.9	13
40	Antineoplastic effect of pectic polysaccharides from green sweet pepper (Capsicum annuum) on mammary tumor cells in vivo and in vitro. <i>Carbohydrate Polymers</i> , <b>2018</b> , 201, 280-292	10.3	15
39	Glutathione system in animal model of solid tumors: From regulation to therapeutic target. <i>Critical Reviews in Oncology/Hematology</i> , <b>2018</b> , 128, 43-57	7	51
38	Anti-fatigue activity of an arabinan-rich pectin from acerola (Malpighia emarginata). <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 109, 1147-1153	7.9	19
37	Effects of a new antiprotozoal drug, N,NSdiphenyl-4-methoxy-benzamidine, on energy-linked functions of rat liver mitochondria. <i>Chemico-Biological Interactions</i> , <b>2018</b> , 279, 34-42	5	2
36	Effects of silymarin on angiogenesis and oxidative stress in streptozotocin-induced diabetes in mice. <i>Biomedicine and Pharmacotherapy</i> , <b>2018</b> , 108, 232-243	7·5	11
35	The antioxidant gallic acid induces anxiolytic-, but not antidepressant-like effect, in streptozotocin-induced diabetes. <i>Metabolic Brain Disease</i> , <b>2018</b> , 33, 1573-1584	3.9	14
34	Effects of acute and chronic quercetin administration on methylphenidate-induced hyperlocomotion and oxidative stress. <i>Life Sciences</i> , <b>2017</b> , 171, 1-8	6.8	14
33	Necroptosis mediates the antineoplastic effects of the soluble fraction of polysaccharide from red wine in Walker-256 tumor-bearing rats. <i>Carbohydrate Polymers</i> , <b>2017</b> , 160, 123-133	10.3	15
32	Effects of Silymarin on Diabetes Mellitus Complications: A Review. <i>Phytotherapy Research</i> , <b>2017</b> , 31, 36	6 <del>G</del> 74	42
31	Ruthenium complex exerts antineoplastic effects that are mediated by oxidative stress without inducing toxicity in Walker-256 tumor-bearing rats. <i>Free Radical Biology and Medicine</i> , <b>2017</b> , 110, 228-23	3 <b>9</b> 7.8	13
30	Inulin-type fructan and infusion of Artemisia vulgaris protect the liver against carbon tetrachloride-induced liver injury. <i>Phytomedicine</i> , <b>2017</b> , 24, 68-76	6.5	22
29	Safe therapeutics of murine melanoma model using a novel antineoplasic, the partially methylated mannogalactan from Pleurotus eryngii. <i>Carbohydrate Polymers</i> , <b>2017</b> , 178, 95-104	10.3	17
28	Hydroethanolic extract of Baccharis trimera ameliorates alcoholic fatty liver disease in mice. <i>Chemico-Biological Interactions</i> , <b>2016</b> , 260, 22-32	5	21
27	Hydroethanolic extract of Baccharis trimera promotes gastroprotection and healing of acute and chronic gastric ulcers induced by ethanol and acetic acid. <i>Naunyn-Schmiedebergis Archives of Pharmacology</i> , <b>2016</b> , 389, 985-98	3.4	21

26	Pharmacological study of a cannabinoid-containing eyedrop formulation in dogs and mice. <i>Journal of Applied Biomedicine</i> , <b>2016</b> , 14, 41-48	0.6	0
25	Sydnone 1: A Mesoionic Compound with Antitumoral and Haematological Effects In Vivo. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2016</b> , 119, 41-50	3.1	11
24	Molecular basis of alcoholic fatty liver disease: From incidence to treatment. <i>Hepatology Research</i> , <b>2016</b> , 46, 111-23	5.1	44
23	Atheroprotective effects of Cuphea carthagenensis (Jacq.) J. F. Macbr. in New Zealand rabbits fed with cholesterol-rich diet. <i>Journal of Ethnopharmacology</i> , <b>2016</b> , 187, 134-45	5	14
22	Quercetin reduces manic-like behavior and brain oxidative stress induced by paradoxical sleep deprivation in mice. <i>Free Radical Biology and Medicine</i> , <b>2016</b> , 99, 79-86	7.8	31
21	Selective Cytotoxicity of 1,3,4-Thiadiazolium Mesoionic Derivatives on Hepatocarcinoma Cells (HepG2). <i>PLoS ONE</i> , <b>2015</b> , 10, e0130046	3.7	12
20	Characterization of an alcoholic hepatic steatosis model induced by ethanol and high-fat diet in rats. <i>Brazilian Archives of Biology and Technology</i> , <b>2015</b> , 58, 367-378	1.8	O
19	Sesquiterpene lactones of Moquiniastrum polymorphum subsp. floccosum have antineoplastic effects in Walker-256 tumor-bearing rats. <i>Chemico-Biological Interactions</i> , <b>2015</b> , 228, 46-56	5	12
18	The FXR agonist 6ECDCA reduces hepatic steatosis and oxidative stress induced by ethanol and low-protein diet in mice. <i>Chemico-Biological Interactions</i> , <b>2014</b> , 217, 19-27	5	44
17	FXR-dependent reduction of hepatic steatosis in a bile salt deficient mouse model. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2014</b> , 1842, 739-46	6.9	22
16	Sydnone SYD-1 affects the metabolic functions of isolated rat hepatocytes. <i>Chemico-Biological Interactions</i> , <b>2014</b> , 218, 107-14	5	8
15	Cytotoxic effect of Agaricus bisporus and Lactarius rufus 🗗-glucans on HepG2 cells. <i>International Journal of Biological Macromolecules</i> , <b>2013</b> , 58, 95-103	7.9	25
14	Defective bile salt biosynthesis and hydroxylation in mice with reduced cytochrome P450 activity. <i>Hepatology</i> , <b>2013</b> , 57, 1509-17	11.2	23
13	Uncaria tomentosa exerts extensive anti-neoplastic effects against the Walker-256 tumour by modulating oxidative stress and not by alkaloid activity. <i>PLoS ONE</i> , <b>2013</b> , 8, e54618	3.7	20
12	Alcoholic liver steatosis in mice is aggravated by low-protein diet and reversed by FXR agonist. <i>BMC Proceedings</i> , <b>2012</b> , 6, P2	2.3	78
11	Effects of statins on liver cell function and inflammation in septic rats. <i>Journal of Surgical Research</i> , <b>2012</b> , 178, 888-97	2.5	8
10	Effects of the Crotalus durissus terrificus snake venom on hepatic metabolism and oxidative stress. Journal of Biochemical and Molecular Toxicology, <b>2011</b> , 25, 195-203	3.4	13
9	Hepatic effects of flunixin-meglumin in LPS-induced sepsis. <i>Fundamental and Clinical Pharmacology</i> , <b>2010</b> , 24, 759-69	3.1	5

## LIST OF PUBLICATIONS

8	Antitumoral and antioxidant effects of a hydroalcoholic extract of cats claw (Uncaria tomentosa) (Willd. Ex Roem. & Schult) in an in vivo carcinosarcoma model. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 130, 127-33	5	39
7	Effects of Agaricus brasiliensis mushroom in Walker-256 tumor-bearing rats. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2010</b> , 88, 21-7	2.4	26
6	Celecoxib prevents tumor growth in an animal model by a COX-2 independent mechanism. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2010</b> , 65, 267-76	3.5	23
5	Effects of the venom and the dermonecrotic toxin LiRecDT1 of Loxosceles intermedia in the rat liver. <i>Toxicon</i> , <b>2008</b> , 52, 695-704	2.8	11
4	Action of celecoxib on hepatic metabolic changes induced by the Walker-256 tumour in rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2007</b> , 101, 294-300	3.1	11
3	Transport, transformation and distribution space of propofol in the rat liver studied by means of the indicator-dilution technique. <i>Xenobiotica</i> , <b>2004</b> , 34, 317-34	2	10
2	Metabolic effects of propofol in the isolated perfused rat liver. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2004</b> , 95, 166-74		28
1	Order Rodentia (Rodents)225-237		4