Abdallah M Samy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9085635/publications.pdf

Version: 2024-02-01

17440 17592 70,985 124 63 121 citations h-index g-index papers 126 126 126 81607 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
2	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
3	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
4	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
5	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
6	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
7	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
8	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
9	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	10.2	2,308
10	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
11	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	10.2	2,005
12	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
13	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
14	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	10.2	1,521
15	Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. The Lancet Global Health, 2021, 9, e144-e160.	6.3	1,148
16	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064
17	Prevalence and attributable health burden of chronic respiratory diseases, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2020, 8, 585-596.	10.7	1,049
18	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890

#	Article	IF	CITATIONS
19	The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 245-266.	8.1	823
20	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
21	Global, Regional, and National Levels and Trends in Burden of Oral Conditions from 1990 to 2017: A Systematic Analysis for the Global Burden of Disease 2017 Study. Journal of Dental Research, 2020, 99, 362-373.	5. 2	645
22	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
23	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
24	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
25	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.	2.3	558
26	Global, regional, and national burden of epilepsy, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 357-375.	10.2	526
27	Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. The Lancet Global Health, 2021, 9, e130-e143.	6.3	500
28	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
29	The global, regional, and national burden of stomach cancer in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 42-54.	8.1	390
30	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 934-947.	8.1	372
31	Global, regional, and national burden of brain and other CNS cancer, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 376-393.	10.2	359
32	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	13.7	358
33	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. Lancet HIV,the, 2019, 6, e831-e859.	4.7	341
34	The global burden of non-typhoidal salmonella invasive disease: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2019, 19, 1312-1324.	9.1	338
35	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
36	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335

#	Article	IF	CITATIONS
37	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
38	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine, the, 2019, 7, 69-89.	10.7	326
39	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
40	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
41	Past, present, and future of global health financing: a review of development assistance, government, out-of-pocket, and other private spending on health for 195 countries, 1995–2050. Lancet, The, 2019, 393, 2233-2260.	13.7	283
42	Global, regional, and national burden of bone fractures in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. The Lancet Healthy Longevity, 2021, 2, e580-e592.	4.6	277
43	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 913-933.	8.1	259
44	The global, regional, and national burden of oesophageal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 582-597.	8.1	241
45	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
46	Global, regional, and national burden of meningitis, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1061-1082.	10.2	221
47	The global burden of childhood and adolescent cancer in 2017: an analysis of the Global Burden of Disease Study 2017. Lancet Oncology, The, 2019, 20, 1211-1225.	10.7	199
48	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
49	Mapping the global potential distributions of two arboviral vectors Aedes aegypti and Ae. albopictus under changing climate. PLoS ONE, 2018, 13, e0210122.	2.5	158
50	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	9.1	144
51	Climate Change Influences on the Global Potential Distribution of the Mosquito Culex quinquefasciatus, Vector of West Nile Virus and Lymphatic Filariasis. PLoS ONE, 2016, 11, e0163863.	2.5	135
52	Mapping child growth failure across low- and middle-income countries. Nature, 2020, 577, 231-234.	27.8	128
53	Climate change influences on the potential geographic distribution of the disease vector tick lxodes ricinus. PLoS ONE, 2017, 12, e0189092.	2.5	117
54	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. Injury Prevention, 2020, 26, i83-i95.	2.4	109

#	Article	IF	Citations
55	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 37-59.	9.1	104
56	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
57	The global distribution of lymphatic filariasis, 2000–18: a geospatial analysis. The Lancet Global Health, 2020, 8, e1186-e1194.	6.3	98
58	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 60-79.	9.1	95
59	Epidemiology of injuries from fire, heat and hot substances: global, regional and national morbidity and mortality estimates from the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i36-i45.	2.4	93
60	Measuring routine childhood vaccination coverage in 204 countries and territories, 1980–2019: a systematic analysis for the Global Burden of Disease Study 2020, Release 1. Lancet, The, 2021, 398, 503-521.	13.7	93
61	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	6. 3	91
62	Measuring the availability of human resources for health and its relationship to universal health coverage for 204 countries and territories from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2022, 399, 2129-2154.	13.7	91
63	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. Lancet, The, 2020, 396, 693-724.	13.7	87
64	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Respiratory Medicine,the, 2021, 9, 1030-1049.	10.7	86
65	Mapping the global geographic potential of Zika virus spread. Memorias Do Instituto Oswaldo Cruz, 2016, 111, 559-560.	1.6	73
66	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	13.7	72
67	Epidemiology of facial fractures: incidence, prevalence and years lived with disability estimates from the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i27-i35.	2.4	67
68	Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 137-149.	2.3	63
69	Global trends of hand and wrist trauma: a systematic analysis of fracture and digit amputation using the Global Burden of Disease 2017 Study. Injury Prevention, 2020, 26, i115-i124.	2.4	51
70	Burden of obesity in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 165-176.	2.3	50
71	Mapping the Potential Risk of Mycetoma Infection in Sudan and South Sudan Using Ecological Niche Modeling. PLoS Neglected Tropical Diseases, 2014, 8, e3250.	3.0	48
72	Burden of cancer in the Eastern Mediterranean Region, 2005–2015: findings from the Global Burden of Disease 2015 Study. International Journal of Public Health, 2018, 63, 151-164.	2.3	48

#	Article	IF	CITATIONS
73	Climate Change Influences on the Global Potential Distribution of Bluetongue Virus. PLoS ONE, 2016, 11, e0150489.	2.5	45
74	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
75	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
76	Species composition of sand flies and bionomics of Phlebotomus papatasi and P. sergenti (Diptera:) Tj ETQq0	0 0 rgBT /O\	verlock 10 Tf
77	The burden of mental disorders in the Eastern Mediterranean region, 1990–2015: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 25-37.	2.3	43
78	Mapping the environmental suitability of etiological agent and tick vectors of Crimean-Congo hemorrhagic fever. Acta Tropica, 2020, 203, 105319.	2.0	34
79	Phylogeography of Rift Valley Fever Virus in Africa and the Arabian Peninsula. PLoS Neglected Tropical Diseases, 2017, 11, e0005226.	3.0	33
80	Towards harmonisation of entomological surveillance in the Mediterranean area. PLoS Neglected Tropical Diseases, 2019, 13, e0007314.	3.0	32
81	Bionomics of phlebotomine sand flies (Diptera: Psychodidae) in the province of Al-Baha, Saudi Arabia. Memorias Do Instituto Oswaldo Cruz, 2010, 105, 850-856.	1.6	31
82	Geographic potential of disease caused by Ebola and Marburg viruses in Africa. Acta Tropica, 2016, 162, 114-124.	2.0	31
83	Mapping the potential distributions of etiological agent, vectors, and reservoirs of Japanese Encephalitis in Asia and Australia. Acta Tropica, 2018, 188, 108-117.	2.0	31
84	Diabetes mellitus and chronic kidney disease in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 177-186.	2.3	30
85	Middle East Respiratory Syndrome Coronavirus (MERS-CoV): State of the Science. Microorganisms, 2020, 8, 991.	3.6	30
86	MERS-CoV geography and ecology in the Middle East: analyses of reported camel exposures and a preliminary risk map. BMC Research Notes, 2015, 8, 801.	1.4	27
87	Re-emergence of Aedes aegypti in Egypt. Lancet Infectious Diseases, The, 2018, 18, 142-143.	9.1	27
88	Intentional injuries in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 39-46.	2.3	27
89	Leishmaniasis transmission: distribution and coarse-resolution ecology of two vectors and two parasites in Egypt. Revista Da Sociedade Brasileira De Medicina Tropical, 2014, 47, 57-62.	0.9	25
90	First Report of Leishmania tropica from a Classical Focus of L. major in North-Sinai, Egypt. American Journal of Tropical Medicine and Hygiene, 2009, 81, 213-218.	1.4	25

#	Article	IF	CITATIONS
91	Burden of lower respiratory infections in the Eastern Mediterranean Region between 1990 and 2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 97-108.	2.3	23
92	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
93	Transport injuries and deaths in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 Study. International Journal of Public Health, 2018, 63, 187-198.	2.3	22
94	Seasonal Variation in Biting Rates of Simulium damnosum sensu lato, Vector of Onchocerca volvulus, in Two Sudanese Foci. PLoS ONE, 2016, 11, e0150309.	2.5	21
95	Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990–2015. International Journal of Public Health, 2018, 63, 11-23.	2.3	21
96	Coarse-resolution Ecology of Etiological Agent, Vector, and Reservoirs of Zoonotic Cutaneous Leishmaniasis in Libya. PLoS Neglected Tropical Diseases, 2016, 10, e0004381.	3.0	20
97	Hard ticks (Acari: Ixodidae) infesting domestic animals in Egypt: diagnostic characters and a taxonomic key to the collected species. Medical and Veterinary Entomology, 2021, 35, 333-351.	1.5	20
98	Predictable invasion dynamics in North American populations of the Eurasian collared dove <i>Streptopelia decaocto</i> . Proceedings of the Royal Society B: Biological Sciences, 2017, 284, 20171157.	2.6	18
99	Burden of vision loss in the Eastern Mediterranean region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 199-210.	2.3	17
100	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 79-96.	2.3	17
101	Buffalopox Virus: An Emerging Virus in Livestock and Humans. Pathogens, 2020, 9, 676.	2.8	17
102	Recognizing sources of uncertainty in disease vector ecological niche models: An example with the tick Rhipicephalus sanguineus sensu lato. Perspectives in Ecology and Conservation, 2020, 18, 91-102.	1.9	17
103	Neonatal, infant, and under-5 mortality and morbidity burden in the Eastern Mediterranean region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 63-77.	2.3	15
104	Seroprevalence and associated risk factors of Dengue fever in Kassala state, eastern Sudan. PLoS Neglected Tropical Diseases, 2020, 14, e0008918.	3.0	15
105	Trends in HIV/AIDS morbidity and mortality in Eastern Mediterranean countries, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 123-136.	2.3	13
106	Mapping Brazilian spotted fever: Linking etiological agent, vectors, and hosts. Acta Tropica, 2020, 207, 105496.	2.0	13
107	First report of Leishmania tropica from a classical focus of L. major in North-Sinai, Egypt. American Journal of Tropical Medicine and Hygiene, 2009, 81, 213-8.	1.4	13
108	The influence of Nd oxide substitution on magnetic and electrical properties of Cu–Zn ferrite. Physica Status Solidi A, 2003, 200, 401-406.	1.7	12

#	Article	IF	CITATIONS
109	Ecology of cutaneous leishmaniasis in Sinai: linking parasites, vectors and hosts. Memorias Do Instituto Oswaldo Cruz, 2014, 109, 299-306.	1.6	12
110	Burden of diarrhea in the Eastern Mediterranean Region, 1990–2015: Findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 109-121.	2.3	12
111	Identifying asymptomatic Leishmania infections in non-endemic villages in Gedaref state, Sudan. BMC Research Notes, 2019, 12, 566.	1.4	12
112	Acknowledging uncertainty in evolutionary reconstructions of ecological niches. Ecology and Evolution, 2020, 10, 6967-6977.	1.9	12
113	Assessing the Potential Distributions of the Invasive Mosquito Vector Aedes albopictus and Its Natural Wolbachia Infections in México. Insects, 2021, 12, 143.	2.2	11
114	Predicting the environmental suitability for onchocerciasis in Africa as an aid to elimination planning. PLoS Neglected Tropical Diseases, 2021, 15, e0008824.	3.0	10
115	Maternal mortality and morbidity burden in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 47-61.	2.3	9
116	Genetic diversity of Plasmodium vivax metacaspase 1 and Plasmodium vivax multi-drug resistance 1 genes of field isolates from Mauritania, Sudan and Oman. Malaria Journal, 2017, 16, 61.	2.3	5
117	Preliminary field investigations on Phlebotomine sandflies (Diptera: Psychodidae) from a recent cutaneous leishmaniasis focus in Northern-Sinai, Egypt. Egyptian Academic Journal of Biological Sciences, 2009, 2, 9-5.	0.1	5
118	Natural and Experimental Evidence of Viscerotropic Infection Caused by Leishmania Tropica from North Sinai, Egypt. Journal of the Egyptian Society of Parasitology, 2014, 44, 425-434.	0.2	3
119	Potential distributions of the parasite <i>Trypanosoma cruzi</i> and its vector <i>Dipetalogaster maxima</i> highlight areas at risk of Chagas disease transmission in Baja California Sur, Mexico, under climate change. Medical and Veterinary Entomology, 0, , .	1.5	3
120	Burden of Transport-Related Injuries in the Eastern Mediterranean Region: A Systematic Analysis for the Global Burden of Disease Study 2017. Archives of Iranian Medicine, 2021, 24, 512-525.	0.6	2
121	Experimental Effect of Feeding on Ricinus Communis and Bougainvillea Glabra on the Development of the Sand Fly Phlebotomus Papatasi (Diptera : Psychodidae) from Egypt. Journal of the Egyptian Society of Parasitology, 2014, 44, 1-12.	0.2	1
122	Malaria in North Africa: A Review of the Status of Vectors and Parasites. Journal of Entomological Science, 2020, 55, 25.	0.3	1
123	Modeling Distributional Potential of Infectious Diseases. , 2022, , 337-353.		1
124	Climate Change and Disease. , 0, , 270-280.		0