Celine Pangault

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/9085681/publications.pdf

Version: 2024-02-01

59 papers	3,494 citations	136950 32 h-index	149698 56 g-index
64 all docs	64 docs citations	64 times ranked	5162 citing authors

#	Article	IF	Citations
1	Extracellular vesicles shed by follicular lymphoma B cells promote polarization of the bone marrow stromal cell niche. Blood, 2021, 138, 57-70.	1.4	19
2	Functional characterization of PD1+TIM3+ tumor-infiltrating T cells in DLBCL and effects of PD1 or TIM3 blockade. Blood Advances, 2021, 5, 1816-1829.	5.2	22
3	Follicular lymphoma triggers phenotypic and functional remodeling of the human lymphoid stromal cell landscape. Immunity, 2021, 54, 1788-1806.e7.	14.3	43
4	A novel 3D culture model recapitulates primary FL B-cell features and promotes their survival. Blood Advances, 2021, 5, 5372-5386.	5.2	18
5	Linking the KIR phenotype with STAT3 and TET2 mutations to identify chronic lymphoproliferative disorders of NK cells. Blood, 2021, 137, 3237-3250.	1.4	32
6	Nonclassical Monocytes Are Prone to Migrate Into Tumor in Diffuse Large B-Cell Lymphoma. Frontiers in Immunology, 2021, 12, 755623.	4.8	5
7	Integrated transcriptomic, phenotypic, and functional study reveals tissue-specific immune properties of mesenchymal stromal cells. Stem Cells, 2020, 38, 146-159.	3.2	50
8	Integrative Analysis of Cell Crosstalk within Follicular Lymphoma Cell Niche: Towards a Definition of the FL Supportive Synapse. Cancers, 2020, 12, 2865.	3.7	14
9	CeVi: A UNIQUE CRYOPRESERVED HUMAN VIABLE CELL COLLECTION FROM LYMPHOMA PATIENTS, A CALYM INITIATIVE TO ACCELERATE INNOVATION AND ITS TRANSFER TO LYMPHOMA FIELD. Hematological Oncology, 2019, 37, 370-372.	1.7	0
10	Pan-HDAC Inhibitors Restore PRDM1 Response to IL21 in CREBBP-Mutated Follicular Lymphoma. Clinical Cancer Research, 2019, 25, 735-746.	7.0	21
11	IGHV segment utilization in immunoglobulin gene rearrangement differentiates patients with anti-myelin-associated glycoprotein neuropathy from others immunoglobulin M-gammopathies. Haematologica, 2018, 103, e207-e210.	3.5	9
12	Genomic profiling reveals spatial intra-tumor heterogeneity in follicular lymphoma. Leukemia, 2018, 32, 1261-1265.	7.2	87
13	HSP110 sustains chronic NF-Î²B signaling in activated B-cell diffuse large B-cell lymphoma through MyD88 stabilization. Blood, 2018, 132, 510-520.	1.4	25
14	Pan-HDAC Inhibitors May Restore PRDM1 Expression in Follicular Lymphoma. Blood, 2018, 132, 2848-2848.	1.4	0
15	Early Expansion of Circulating Granulocytic Myeloid-derived Suppressor Cells Predicts Development of Nosocomial Infections in Patients with Sepsis. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 315-327.	5.6	184
16	IL-4/CXCL12 loop is a key regulator of lymphoid stroma function in follicular lymphoma. Blood, 2017, 129, 2507-2518.	1.4	80
17	Soluble programmed death-ligand 1 as a prognostic biomarker for overall survival in patients with diffuse large B-cell lymphoma: a replication study and combined analysis of 508 patients. Leukemia, 2017, 31, 988-991.	7.2	41
18	Targeting netrinâ€1/<scp>DCC</scp> interaction in diffuse large Bâ€cell and mantle cell lymphomas. EMBO Molecular Medicine, 2016, 8, 96-104.	6.9	19

#	Article	IF	Citations
19	T-cell defect in diffuse large B-cell lymphomas involves expansion of myeloid-derived suppressor cells. Blood, 2016, 128, 1081-1092.	1.4	120
20	Inhibition of Hedgehog signaling for the treatment of lymphoma and CLL: a phase II study from the LYSA. Annals of Oncology, 2016, 27, 1349-1350.	1.2	13
21	DC-SIGNâ€“expressing macrophages trigger activation of mannosylated IgM B-cell receptor in follicular lymphoma. Blood, 2015, 126, 1911-1920.	1.4	109
22	Localized Store-Operated Calcium Influx Represses CD95-Dependent Apoptotic Effects of Rituximab in Non-Hodgkin B Lymphomas. Journal of Immunology, 2015, 195, 2207-2215.	0.8	26
23	Lectin-like transcript 1 is a marker of germinal center-derived B-cell non-Hodgkin's lymphomas dampening natural killer cell functions. OncoImmunology, 2015, 4, e1026503.	4.6	33
24	T-Cell Defect in Diffuse Large B-Cell Lymphomas Involves Expansion of Myeloid Derived Suppressor Cells Expressing IL-10, PD-L1, and S100A12. Blood, 2015, 126, 1478-1478.	1.4	1
25	Neutrophils trigger a NF-ÎºB dependent polarization of tumor-supportive stromal cells in germinal center B-cell lymphomas. Oncotarget, 2015, 6, 16471-16487.	1.8	60
26	Inhibition of Hedgehog Signaling for the Treatment of Lymphoma and CLL: A Phase II Study from the Lysa. Blood, 2015, 126, 3970-3970.	1.4	0
27	COX-2â€“Independent Effects of Celecoxib Sensitize Lymphoma B Cells to TRAIL-Mediated Apoptosis. Clinical Cancer Research, 2014, 20, 2663-2673.	7.0	35
28	High level of soluble programmed cell death ligand 1 in blood impacts overall survival in aggressive diffuse large B-Cell lymphoma: results from a French multicenter clinical trial. Leukemia, 2014, 28, 2367-2375.	7.2	281
29	The class-specific BCR tonic signal modulates lymphomagenesis in ac-mycderegulation transgenic model. Oncotarget, 2014, 5, 8995-9006.	1.8	10
30	Diffuse Large B Cell Lymphoma (DLBCL) infiltrating T Cells Display an Activated and Exhausted Status and Are Inhibited By Ligands of Cosignaling Receptors Including PD-L1, PD-L2 and CD80 Expressed By Most DLBCL in Situ. Blood, 2014, 124, 1665-1665.	1.4	1
31	Blood Soluble PD-L1 Protein In Aggressive Diffuse Large B-Cell Lymphoma Impacts patientâ€™s Overall Survival. Blood, 2013, 122, 361-361.	1.4	4
32	Stromal Cell Contribution to Human Follicular Lymphoma Pathogenesis. Frontiers in Immunology, 2012, 3, 280.	4.8	46
33	High rate of TNFRSF14 gene alterations related to 1p36 region in de novo follicular lymphoma and impact on prognosis. Leukemia, 2012, 26, 559-562.	7.2	97
34	Anti-CD20 IgA can protect mice against lymphoma development: evaluation of the direct impact of IgA and cytotoxic effector recruitment on CD20 target cells. Haematologica, 2012, 97, 1686-1694.	3.5	34
35	Characterization of intratumoral follicular helper T cells in follicular lymphoma: role in the survival of malignant B cells. Leukemia, 2012, 26, 1053-1063.	7.2	163
36	Mesenchymal stromal cells orchestrate follicular lymphoma cell niche through the CCL2-dependent recruitment and polarization of monocytes. Blood, 2012, 119, 2556-2567.	1.4	133

#	Article	IF	Citations
37	Monocytes and T cells cooperate to favor normal and follicular lymphoma B-cell growth: role of IL-15 and CD40L signaling. Leukemia, 2012, 26, 139-148.	7.2	77
38	Whole Blood Transcriptional Profiling of DLBCL At Diagnosis: Evidence of Systemic Changes Altering T-Cell Signaling Pathways. Blood, 2011, 118, 2435-2435.	1.4	0
39	Mesenchymal Stromal Cells Orchestrate Follicular Lymphoma Cell Niche Through the CCL2-Dependent Recruitment and Polarization of Monocytes. Blood, 2011, 118, 1566-1566.	1.4	0
40	Expression Map of the Human Exome in CD34+ Cells and Blood Cells: Increased Alternative Splicing in Cell Motility and Immune Response Genes. PLoS ONE, 2010, 5, e8990.	2.5	8
41	Follicular lymphoma cell niche: identification of a preeminent IL-4-dependent TFHâ€“B cell axis. Leukemia, 2010, 24, 2080-2089.	7.2	133
42	Functional Alteration of the Lymphoma Stromal Cell Niche by the Cytokine Context: Role of Indoleamine-2,3 Dioxygenase. Cancer Research, 2009, 69, 3228-3237.	0.9	76
43	CD40 Ligand Protects from TRAIL-Induced Apoptosis in Follicular Lymphomas through NF-ÎºB Activation and Up-Regulation of c-FLIP and Bcl-xL. Journal of Immunology, 2008, 181, 1001-1011.	0.8	75
44	Expression of functional soluble human leucocyte antigen-G molecules in lymphoproliferative disorders. British Journal of Haematology, 2007, 138, 202-212.	2.5	68
45	Down-modulation of granulocyte macrophage-colony stimulating factor receptor on monocytes during human septic shock. Critical Care Medicine, 2006, 34, 1193-1201.	0.9	59
46	CD40L Modulates TRAIL-Induced Apoptosis in Germinal Center Derived B Cell Lymphomas.. Blood, 2006, 108, 4630-4630.	1.4	0
47	Capacity of myeloid and plasmacytoid dendritic cells especially at mature stage to express and secrete HLA-G molecules. Journal of Leukocyte Biology, 2004, 76, 1125-1133.	3.3	38
48	Monocyte Human Leukocyte Antigenâ€“DR Transcriptional Downregulation by Cortisol during Septic Shock. American Journal of Respiratory and Critical Care Medicine, 2004, 169, 1144-1151.	5.6	143
49	HLA-G Expression in Guillain-BarrÃ© Syndrome Is Associated with Primary Infection with Cytomegalovirus. Viral Immunology, 2004, 17, 123-125.	1.3	9
50	HLA-G and lymphoproliferative disorders. Seminars in Cancer Biology, 2003, 13, 379-385.	9.6	45
51	Soluble HLA-G molecules are increased in lymphoproliferative disorders. Human Immunology, 2003, 64, 1093-1101.	2.4	65
52	Soluble HLA-G inhibits human dendritic cell-triggered allogeneic T-cell proliferation without altering dendritic differentiation and maturation processes. Human Immunology, 2003, 64, 752-761.	2.4	72
53	Early Circulating Lymphocyte Apoptosis in Human Septic Shock Is Associated with Poor Outcome. Shock, 2002, 18, 487-494.	2.1	309
54	Lung macrophages and dendritic cells express HLA-G molecules in pulmonary diseases. Human Immunology, 2002, 63, 83-90.	2.4	69

#	Article	IF	Citations
55	Major histocompatibility complex abnormalities in non-Hodgkin lymphomas. British Journal of Haematology, 2002, 119, 417-424.	2.5	31
56	Modulation of HLA-G Antigens Expression by Human Cytomegalovirus: Specific Induction in Activated Macrophages Harboring Human Cytomegalovirus Infection. Journal of Immunology, 2000, 164, 6426-6434.	0.8	151
57	Modulation of HLA-G antigens expression in myelomonocytic cells. Human Immunology, 2000, 61, 1086-1094.	2.4	48
58	HLA-G protein expression is not induced during malignant transformation. Tissue Antigens, 1999, 53, 335-346.	1.0	55
59	SPONTANEOUS PHENOTYPIC AND MOLECULAR BLOOD REMISSION IN A CASE OF CHRONIC LYMPHOCYTIC LEUKAEMIA. British Journal of Haematology, 1999, 107, 213-214.	2.5	9