

Seung Goo Kang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9087122/seung-goo-kang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

2,083
citations

20
h-index

44
g-index

44
ext. papers

2,453
ext. citations

7.2
avg, IF

4.56
L-index

#	Paper	IF	Citations
43	Lactoferrin Potentiates Inducible Regulatory T Cell Differentiation through TGF- β Receptor III Binding and Activation of Membrane-Bound TGF- β <i>Journal of Immunology</i> , 2021 , 207, 2456-2464	5.3	0
42	GSK3 Restrains Germinal Center B Cells to Form Plasma Cells. <i>Journal of Immunology</i> , 2021 , 206, 481-493	5.3	2
41	IFNAR1 signaling in NK cells promotes persistent virus infection. <i>Science Advances</i> , 2021 , 7,	14.3	2
40	Effects of Live and Pasteurized Forms of Akkermansia from the Human Gut on Obesity and Metabolic Dysregulation. <i>Microorganisms</i> , 2021 , 9,	4.9	3
39	APB-F1, a long-acting feline granulocyte colony-stimulating factor fusion protein, created by exploiting FL335, a chimeric Fab specific for feline serum albumin. <i>Veterinary Immunology and Immunopathology</i> , 2021 , 240, 110322	2	0
38	Cathelicidin-Related Antimicrobial Peptide Regulates CD73 Expression in Mouse Th17 Cells via p38. <i>Cells</i> , 2020 , 9,	7.9	3
37	Lactoferrin Induces Tolerogenic Bone Marrow-Derived Dendritic Cells. <i>Immune Network</i> , 2020 , 20, e38	6.1	2
36	IBI facilitates protective immunity against Salmonella infection via Th1 differentiation and IgG production. <i>Scientific Reports</i> , 2019 , 9, 8397	4.9	1
35	Nonsaponin fraction of Korean Red Ginseng attenuates cytokine production via inhibition of TLR4 expression. <i>Journal of Ginseng Research</i> , 2019 , 43, 291-299	5.8	16
34	NF- κ B-responsive miR-155 induces functional impairment of vascular smooth muscle cells by downregulating soluble guanylyl cyclase. <i>Experimental and Molecular Medicine</i> , 2019 , 51, 1-12	12.8	21
33	Obovatol inhibits NLRP3, AIM2, and non-canonical inflammasome activation. <i>Phytomedicine</i> , 2019 , 63, 153019	6.5	12
32	Extracellular pH modulating injectable gel for enhancing immune checkpoint inhibitor therapy. <i>Journal of Controlled Release</i> , 2019 , 315, 65-75	11.7	11
31	Antiviral and anti-inflammatory activity of budesonide against human rhinovirus infection mediated via autophagy activation. <i>Antiviral Research</i> , 2018 , 151, 87-96	10.8	24
30	Poly-gamma-glutamic acid from Bacillus subtilis upregulates pro-inflammatory cytokines while inhibiting NLRP3, NLRC4 and AIM2 inflammasome activation. <i>Cellular and Molecular Immunology</i> , 2018 , 15, 111-119	15.4	27
29	Crystal structure of the VanR transcription factor and the role of its unique Ehelix in effector recognition. <i>FEBS Journal</i> , 2018 , 285, 3786-3800	5.7	8
28	MicroRNA-mediated Regulation of the Development and Functions of Follicular Helper T cells. <i>Immune Network</i> , 2018 , 18, e7	6.1	7
27	Crystal structure of FlgL and its implications for flagellar assembly. <i>Scientific Reports</i> , 2018 , 8, 14307	4.9	9

26	Helicobacter pylori flagellin: TLR5 evasion and fusion-based conversion into a TLR5 agonist. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 505, 872-878	3.4	5
25	Murine Γ Cells Render B Cells Refractory to Commitment of IgA Isotype Switching. <i>Immune Network</i> , 2018 , 18, e25	6.1	2
24	Mercury and arsenic attenuate canonical and non-canonical NLRP3 inflammasome activation. <i>Scientific Reports</i> , 2018 , 8, 13659	4.9	17
23	Lentinan from shiitake selectively attenuates AIM2 and non-canonical inflammasome activation while inducing pro-inflammatory cytokine production. <i>Scientific Reports</i> , 2017 , 7, 1314	4.9	41
22	Tetrameric structure of the flagellar cap protein FlhD from <i>Serratia marcescens</i> . <i>Biochemical and Biophysical Research Communications</i> , 2017 , 489, 63-69	3.4	13
21	RhoA GTPase oxidation stimulates cell proliferation via nuclear factor- κ B activation. <i>Free Radical Biology and Medicine</i> , 2017 , 103, 57-68	7.8	15
20	Methylene blue inhibits NLRP3, NLRC4, AIM2, and non-canonical inflammasome activation. <i>Scientific Reports</i> , 2017 , 7, 12409	4.9	32
19	Mechanism underlying the suppressor activity of retinoic acid on IL4-induced IgE synthesis and its physiological implication. <i>Cellular Immunology</i> , 2017 , 322, 49-55	4.4	10
18	Differential Sensitivity of Target Genes to Translational Repression by miR-17~92. <i>PLoS Genetics</i> , 2017 , 13, e1006623	6	26
17	Wnt3A Induces GSK-3 β Phosphorylation and β -Catenin Accumulation Through RhoA/ROCK. <i>Journal of Cellular Physiology</i> , 2017 , 232, 1104-1113	7	24
16	Combination of anti-L1 cell adhesion molecule antibody and gemcitabine or cisplatin improves the therapeutic response of intrahepatic cholangiocarcinoma. <i>PLoS ONE</i> , 2017 , 12, e0170078	3.7	6
15	Aquatic Activation of SIRT1 Reduces Cellular Senescence through a SIRT1-FOXO1-Autophagy Axis. <i>Biomolecules and Therapeutics</i> , 2017 , 25, 511-518	4.2	26
14	Structural and biochemical characterization of the <i>Bacillus cereus</i> 3-hydroxyisobutyrate dehydrogenase. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 474, 522-527	3.4	10
13	A miR-155-Peli1-c-Rel pathway controls the generation and function of T follicular helper cells. <i>Journal of Experimental Medicine</i> , 2016 , 213, 1901-19	16.6	47
12	SIRT1 deacetylates ROR γ and enhances Th17 cell generation. <i>Journal of Experimental Medicine</i> , 2015 , 212, 607-17	16.6	98
11	Human Tfh and Tfr cells: identification and assessment of their migration potential. <i>Methods in Molecular Biology</i> , 2015 , 1291, 175-86	1.4	2
10	MicroRNAs of the miR-17~92 family are critical regulators of T(FH) differentiation. <i>Nature Immunology</i> , 2013 , 14, 849-57	19.1	145
9	Short-chain fatty acids activate GPR41 and GPR43 on intestinal epithelial cells to promote inflammatory responses in mice. <i>Gastroenterology</i> , 2013 , 145, 396-406.e1-10	13.3	517

8	MicroRNA-17~92 plays a causative role in lymphomagenesis by coordinating multiple oncogenic pathways. <i>EMBO Journal</i> , 2013 , 32, 2377-91	13	106
7	Retinoic acid determines the precise tissue tropism of inflammatory Th17 cells in the intestine. <i>Journal of Immunology</i> , 2010 , 184, 5519-26	5.3	78
6	Batf coordinates multiple aspects of B and T cell function required for normal antibody responses. <i>Journal of Experimental Medicine</i> , 2010 , 207, 933-42	16.6	166
5	High and low vitamin A therapies induce distinct FoxP3+ T-cell subsets and effectively control intestinal inflammation. <i>Gastroenterology</i> , 2009 , 137, 1391-402.e1-6	13.3	72
4	Vitamin A metabolites induce gut-homing FoxP3+ regulatory T cells. <i>Journal of Immunology</i> , 2007 , 179, 3724-33	5.3	258
3	Identification of a chemokine network that recruits FoxP3(+) regulatory T cells into chronically inflamed intestine. <i>Gastroenterology</i> , 2007 , 132, 966-81	13.3	55
2	FoxP3+ T cells undergo conventional first switch to lymphoid tissue homing receptors in thymus but accelerated second switch to nonlymphoid tissue homing receptors in secondary lymphoid tissues. <i>Journal of Immunology</i> , 2007 , 178, 301-11	5.3	103
1	Human CD57+ germinal center-T cells are the major helpers for GC-B cells and induce class switch recombination. <i>BMC Immunology</i> , 2005 , 6, 3	3.7	61