## Guorong Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9088581/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Rose petals-like Bi semimetal embedded on the zeolitic imidazolate frameworks based-immunochromatographic strip to sensitively detect acetamiprid. Journal of Hazardous Materials, 2022, 423, 127202.	6.5	22
2	Integrating electrochemical sensor based on MoO3/Co3O4 heterostructure for highly sensitive sensing of nitrite in sausages and water. Food Chemistry, 2022, 367, 130666.	4.2	46
3	Sustainable films containing AIE-active berberine-based nanoparticles: A promising antibacterial food packaging. Food Hydrocolloids, 2022, 123, 107147.	5.6	40
4	A portable kit based on thiol-ene Michael addition for acrylamide detection in thermally processed foods. Food Chemistry, 2022, 373, 131465.	4.2	17
5	Semi-sacrificial template growth-assisted self-supporting MOF chip: A versatile and high-performance SERS sensor for food contaminants monitoring. Sensors and Actuators B: Chemical, 2022, 352, 131025.	4.0	25
6	Dual-functional intelligent gelatin based packaging film for maintaining and monitoring the shrimp freshness. Food Hydrocolloids, 2022, 124, 107258.	5.6	56
7	Green Regenerative Hydrogel Wound Dressing Functionalized by Natural Drugâ€Food Homologous Small Molecule Selfâ€Assembled Nanospheres. Advanced Functional Materials, 2022, 32, 2106572.	7.8	58
8	In situ fabrication of metal-organic framework derived hybrid nanozymes for enhanced nanozyme-photothermal therapy of bacteria-infected wounds. Composites Part B: Engineering, 2022, 229, 109465.	5.9	42
9	3D/2D TMSs/TiO2 nanofibers heterojunctions for photodynamic-photothermal and oxidase-like synergistic antibacterial therapy co-driven by VIS and NIR biowindows. Composites Part B: Engineering, 2022, 230, 109498.	5.9	27
10	A bacteria-triggered wearable colorimetric band-aid for real-time monitoring and treating of wound healing. Journal of Colloid and Interface Science, 2022, 610, 913-922.	5.0	20
11	A colorimetric and fluorescent dual-readout probe based on red emission carbon dots for nitrite detection in meat products. Food Chemistry, 2022, 374, 131768.	4.2	31
12	Highly selective and sensitive fluorescence detection of tetracyclines based on novel tungsten oxide quantum dots. Food Chemistry, 2022, 374, 131774.	4.2	30
13	Innovative ratiometric optical strategy: Nonconjugated polymer dots based fluorescence-scattering dual signal output for sensing mercury ions. Food Chemistry, 2022, 374, 131771.	4.2	3
14	"Lighting-up―methylene blue-embedded zirconium based organic framework triggered by Al3+ for advancing the sensitivity of E. coli O157:H7 analysis in dual-signal lateral flow immunochromatographic assay. Journal of Hazardous Materials, 2022, 425, 128034.	6.5	30
15	Food spoilage, bioactive food fresh-keeping films and functional edible coatings: Research status, existing problems and development trend. Trends in Food Science and Technology, 2022, 119, 122-132.	7.8	54
16	Fluorescent detection of tetracycline in foods based on carbon dots derived from natural red beet pigment. LWT - Food Science and Technology, 2022, 157, 113100.	2.5	21
17	Fluorescence and Colorimetric Dual-Mode Ratiometric Sensor Based on Zr–Tetraphenylporphyrin Tetrasulfonic Acid Hydrate Metal–Organic Frameworks for Visual Detection of Copper Ions. ACS Applied Materials & Interfaces, 2022, 14, 13848-13857.	4.0	69
18	Dual-Modal Immunochromatographic Test for Sensitive Detection of Zearalenone in Food Samples Based On Biosynthetic <i>Staphylococcus aureus</i> -Mediated Polymer Dot Nanocomposites. Analytical Chemistry, 2022, 94, 5546-5554.	3.2	14

#	Article	IF	CITATIONS
19	NIR-regulated dual-functional silica nanoplatform for infected-wound therapy via synergistic sterilization and anti-oxidation. Colloids and Surfaces B: Biointerfaces, 2022, 213, 112414.	2.5	7
20	Golf-shaped Bi2Se3 microparticles based-immunochromatographic strip for ultrasensitive detection of Acetamiprid. Journal of Hazardous Materials, 2022, 433, 128810.	6.5	10
21	NiCu nanoalloy embedded in N-doped porous carbon composite as superior electrochemical sensor for neonicotinoid determination. Food Chemistry, 2022, 384, 132607.	4.2	20
22	Polydopamine nanospheres-assisted direct PCR for rapid detection of Escherichia coli O157:H7. Analytical Biochemistry, 2022, 654, 114797.	1.1	7
23	Metal-polydopamine framework based lateral flow assay for high sensitive detection of tetracycline in food samples. Food Chemistry, 2021, 339, 127854.	4.2	52
24	Nitrogen, silicon co-doped carbon dots as the fluorescence nanoprobe for trace p-nitrophenol detection based on inner filter effect. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 244, 118876.	2.0	32
25	Gold nanoparticles-functionalized three-dimensional flower-like manganese dioxide: A high-sensitivity thermal analysis immunochromatographic sensor. Food Chemistry, 2021, 341, 128231.	4.2	20
26	Conversional fluorescent kiwi peel phenolic extracts: Sensing of Hg2+ and Cu2+, imaging of HeLa cells and their antioxidant activity. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 244, 118857.	2.0	13
27	An innovative prussian blue nanocubes decomposition-assisted signal amplification strategy suitable for competitive lateral flow immunoassay to sensitively detect aflatoxin B1. Food Chemistry, 2021, 344, 128711.	4.2	27
28	Multifunctional chitosan-copper-gallic acid based antibacterial nanocomposite wound dressing. International Journal of Biological Macromolecules, 2021, 167, 10-22.	3.6	61
29	Ingenious dual-emitting Ru@UiO-66-NH2 composite as ratiometric fluorescence sensor for detection of mercury in aqueous. Journal of Hazardous Materials, 2021, 408, 124469.	6.5	56
30	A novel α-Fe2O3 nanocubes-based multiplex immunochromatographic assay for simultaneous detection of deoxynivalenol and aflatoxin B1 in food samples. Food Control, 2021, 123, 107811.	2.8	26
31	Bio-inspired self-cleaning carbon cloth based on flower-like Ag nanoparticles and leaf-like MOF: A high-performance and reusable substrate for SERS detection of azo dyes in soft drinks. Sensors and Actuators B: Chemical, 2021, 329, 129080.	4.0	31
32	Surface engineering of carbon selenide nanofilms on carbon cloth: An advanced and ultrasensitive self-supporting binder-free electrode for nitrite sensing. Food Chemistry, 2021, 340, 127953.	4.2	20
33	Multifunctional Injectable Hydrogel Dressings for Effectively Accelerating Wound Healing: Enhancing Biomineralization Strategy. Advanced Functional Materials, 2021, 31, 2100093.	7.8	168
34	Diverse Dyes-Embedded <i>Staphylococcus aureus</i> as Potential Biocarriers for Enhancing Sensitivity in Biosensing. Analytical Chemistry, 2021, 93, 6731-6738.	3.2	45
35	Surface Selenylation Engineering for Construction of a Hierarchical NiSe <sub>2</sub> /Carbon Nanorod: A High-Performance Nonenzymatic Glucose Sensor. ACS Applied Materials & Interfaces, 2021, 13, 22866-22873.	4.0	19
36	Development of functional gelatin-based composite films incorporating oil-in-water lavender essential oil nano-emulsions: Effects on physicochemical properties and cherry tomatoes preservation. LWT - Food Science and Technology, 2021, 142, 110987.	2.5	44

#	Article	IF	CITATIONS
37	Europium-based metal-organic framework containing characteristic metal chains: A novel turn-on fluorescence sensor for simultaneous high-performance detection and removal of tetracycline. Sensors and Actuators B: Chemical, 2021, 334, 129610.	4.0	46
38	Macro-meso-microporous carbon composite derived from hydrophilic metal-organic framework as high-performance electrochemical sensor for neonicotinoid determination. Journal of Hazardous Materials, 2021, 411, 125122.	6.5	43
39	Immunochromatographic Assay Based on Polydopamine-Decorated Iridium Oxide Nanoparticles for the Rapid Detection of Salbutamol in Food Samples. ACS Applied Materials & Interfaces, 2021, 13, 28899-28907.	4.0	21
40	Nearâ€Infrared Lightâ€Regulated Drugâ€Food Homologous Bioactive Molecules and Photothermal Collaborative Precise Antibacterial Therapy Nanoplatform with Controlled Release Property. Advanced Healthcare Materials, 2021, 10, e2100546.	3.9	21
41	Carbon cloth-supported nanorod-like conductive Ni/Co bimetal MOF: A stable and high-performance enzyme-free electrochemical sensor for determination of glucose in serum and beverage. Food Chemistry, 2021, 349, 129202.	4.2	122
42	Construction of a photothermal hydrogel platform with two-dimensional PEG@zirconium-ferrocene MOF nanozymes for rapid tissue repair of bacteria-infected wounds. Acta Biomaterialia, 2021, 135, 342-355.	4.1	55
43	On-off-on fluorescent sensor for glutathione based on bifunctional vanadium oxide quantum dots induced spontaneous formation of MnO2 nanosheets. Mikrochimica Acta, 2021, 188, 299.	2.5	11
44	Sodium alginate-based nanocomposite films with strong antioxidant and antibacterial properties enhanced by polyphenol-rich kiwi peel extracts bio-reduced silver nanoparticles. Food Packaging and Shelf Life, 2021, 29, 100741.	3.3	34
45	Three-dimensional (3D) hierarchical structure engineering of AuNPs/Co(OH)2 nanocomposite on carbon cloth: An advanced and efficient electrode for highly sensitive and specific determination of nitrite. Sensors and Actuators B: Chemical, 2021, 342, 130061.	4.0	17
46	Multifunctional bacteria-derived tags for advancing immunoassay analytical performance with dual-channel switching and antibodies bioactivity sustaining. Biosensors and Bioelectronics, 2021, 192, 113538.	5.3	33
47	Polydopamine-mediated photothermal effect enables a new method for point-of-care testing of biothiols using a portable photothermal sensor. Sensors and Actuators B: Chemical, 2021, 346, 130498.	4.0	14
48	Combine etching-doping sedimentation strategy and carbonization to design double-deck petal-like NiO/CoO nanoporous carbon composite for methyl parathion detection. Chemical Engineering Journal, 2021, 426, 131906.	6.6	10
49	Well-orientation strategy for direct binding of antibodies: Development of the immunochromatographic test using the antigen modified Fe2O3 nanoprobes for sensitive detection of aflatoxin B1. Food Chemistry, 2021, 364, 129583.	4.2	14
50	A Naturally Derived Nanocomposite Film with Photodynamic Antibacterial Activity: New Prospect for Sustainable Food Packaging. ACS Applied Materials & Interfaces, 2021, 13, 52998-53008.	4.0	19
51	Silver nanoparticle-embedded hydrogel as a photothermal platform for combating bacterial infections. Chemical Engineering Journal, 2020, 382, 122990.	6.6	171
52	Antimonene Quantum Dots as an Emerging Fluorescent Nanoprobe for the pHâ€Mediated Dual hannel Detection of Tetracyclines. Small, 2020, 16, e2003429.	5.2	15
53	Innovative Dual-Emitting Ratiometric Fluorescence Sensor for Tetracyclines Detection Based on Boron Nitride Quantum Dots and Europium Ions. ACS Sustainable Chemistry and Engineering, 2020, 8, 17185-17193.	3.2	102
54	Rhombic-like Al nanosupporter-based fluorescent immunochromatographic assay for the sensitive detection of tetracycline. Sensors and Actuators B: Chemical, 2020, 324, 128721.	4.0	23

#	Article	IF	CITATIONS
55	Polydopamine coated zirconium metal-organic frameworks-based immunochromatographic assay for highly sensitive detection of deoxynivalenol. Analytica Chimica Acta, 2020, 1131, 109-117.	2.6	36
56	Rapid simultaneous adsorption and SERS detection of acid orange II using versatile gold nanoparticles decorated NH2-MIL-101(Cr). Analytica Chimica Acta, 2020, 1129, 126-135.	2.6	32
57	Ratiometric Fluorescent Probe Based on Diazotization-Coupling Reaction for Determination of Clenbuterol. Journal of Agricultural and Food Chemistry, 2020, 68, 11578-11585.	2.4	16
58	Dual-Emission Zr-MOF-Based Composite Material as a Fluorescence Turn-On Sensor for the Ultrasensitive Detection of Al <sup>3+</sup> . Inorganic Chemistry, 2020, 59, 18205-18213.	1.9	68
59	Hierarchical molybdenum disulfide nanosheets based lateral flow immunoassay for highly sensitive detection of tetracycline in food samples. Sensors and Actuators B: Chemical, 2020, 320, 128440.	4.0	28
60	Surface morphology-controllable magnetic covalent organic frameworks: A novel electrocatalyst for simultaneously high-performance detection of p-nitrophenol and o-nitrophenol. Talanta, 2020, 219, 121255.	2.9	51
61	In situ preparation of FeSe nanorods-functionalized carbon cloth for efficient and stable electrochemical detection of nitrite. Sensors and Actuators B: Chemical, 2020, 321, 128452.	4.0	37
62	Fe3O4@CuS-based immunochromatographic test strips and their application to label-free and dual-readout detection of Escherichia coli O157:H7 in food. Food Chemistry, 2020, 332, 127398.	4.2	35
63	Construction of Chitosanâ€Based Hydrogel Incorporated with Antimonene Nanosheets for Rapid Capture and Elimination of Bacteria. Advanced Functional Materials, 2020, 30, 2003196.	7.8	116
64	A novel colorimetric and fluorometric probe for biothiols based on MnO2 NFs-Rhodamine B system. Analytica Chimica Acta, 2020, 1127, 39-48.	2.6	25
65	Chitosan-based bifunctional composite aerogel combining absorption and phototherapy for bacteria elimination. Carbohydrate Polymers, 2020, 247, 116739.	5.1	19
66	A bifunctional nanoplatform based on copper manganate nanoflakes for bacterial elimination <i>via</i> a catalytic and photothermal synergistic effect. Biomaterials Science, 2020, 8, 4266-4274.	2.6	16
67	Electrochemical behavior of reduced graphene oxide/cyclodextrins sensors for ultrasensitive detection of imidacloprid in brown rice. Food Chemistry, 2020, 333, 127495.	4.2	70
68	Multifunctional Magnetic Copper Ferrite Nanoparticles as Fenton-like Reaction and Near-Infrared Photothermal Agents for Synergetic Antibacterial Therapy. ACS Applied Materials & Interfaces, 2019, 11, 31649-31660.	4.0	143
69	Gold nanoparticles-functionalized microorganisms assisted construction of immunobiosensor for sensitive detection of ochratoxin A in food samples. Sensors and Actuators B: Chemical, 2019, 299, 126969.	4.0	34
70	Visual and fluorescent detection of mercury ions using a dual-emission ratiometric fluorescence nanomixture of carbon dots cooperating with gold nanoclusters. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2019, 223, 117364.	2.0	30
71	2D/1D Zn0.7Cd0.3S p-n heterogeneous junction enhanced with NiWO4 for efficient photocatalytic hydrogen evolution. Journal of Colloid and Interface Science, 2019, 554, 113-124.	5.0	77
72	Diversely positive-charged gold nanoparticles based biosensor: A label-free and sensitive tool for foodborne pathogen detection. Food Chemistry: X, 2019, 3, 100052.	1.8	22

#	Article	IF	CITATIONS
73	Construction and multifunctionalization of chitosan-based three-phase nano-delivery system. Food Hydrocolloids, 2019, 96, 402-411.	5.6	31
74	Three-dimensional Cu/C porous composite: Facile fabrication and efficient catalytic reduction of 4-nitrophenol. Journal of Colloid and Interface Science, 2019, 553, 768-777.	5.0	41
75	Silicon-doped carbon quantum dots with blue and green emission are a viable ratiometric fluorescent probe for hydroquinone. Mikrochimica Acta, 2019, 186, 399.	2.5	19
76	A sensitive and selective approach for detection of tetracyclines using fluorescent molybdenum disulfide nanoplates. Food Chemistry, 2019, 297, 124969.	4.2	79
77	Molecular engineering of a colorimetric two-photon fluorescent probe for visualizing H2S level in lysosome and tumor. Analytica Chimica Acta, 2019, 1077, 273-280.	2.6	43
78	A screen printed carbon electrode modified with a lamellar nanocomposite containing dendritic silver nanostructures, reduced graphene oxide, and β-cyclodextrin for voltammetric sensing of nitrite. Mikrochimica Acta, 2019, 186, 319.	2.5	18
79	Bottom-Up Formation of Carbon-Based Magnetic Honeycomb Material from Metal–Organic Framework–Guest Polyhedra for the Capture of Rhodamine B. ACS Omega, 2019, 4, 5578-5585.	1.6	3
80	Carbon-Based Nanorod Catalysts for Nitrophenol Reduction. ACS Applied Nano Materials, 2019, 2, 879-889.	2.4	12
81	Superhydrophobic SERS substrates based on silver dendrite-decorated filter paper for trace detection of nitenpyram. Analytica Chimica Acta, 2019, 1049, 170-178.	2.6	59
82	Carbon quantum dot-basedÂfluorometric nitrite assay by exploiting the oxidation of iron(II) to iron(III). Mikrochimica Acta, 2018, 185, 129.	2.5	31
83	Highly selective and sensitive fluorescence detection of hydroquinone using novel silicon quantum dots. Sensors and Actuators B: Chemical, 2018, 275, 415-421.	4.0	70