

Tomohiko Kimura

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9089886/tomohiko-kimura-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

374
citations

12
h-index

17
g-index

56
ext. papers

512
ext. citations

4
avg, IF

3.35
L-index

#	Paper	IF	Citations
48	Vitamin D deficiency osteomalacia triggered by long-term social withdrawal and unbalanced diet in a Japanese middle-aged subject: A case report.. <i>Medicine (United States)</i> , 2022 , 101, e28589	1.8	
47	Glucagon Test Is a Useful Predictor of Withdrawal From Insulin Therapy in Subjects With Type 2 Diabetes Mellitus.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 871660	5.7	0
46	Case Report: A Variety of Immune-Related Adverse Events Triggered by Immune Checkpoint Inhibitors in a Subject With Malignant Melanoma: Destructive Thyroiditis, Aseptic Meningitis and Isolated ACTH Deficiency. <i>Frontiers in Endocrinology</i> , 2021 , 12, 722586	5.7	1
45	New prospects for incretin-related drugs in the treatment of type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1141-1143	3.9	2
44	Multifaceted Mechanisms of Action of Metformin Which Have Been Unraveled One after Another in the Long History. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	12
43	Unexpected Pleiotropic Effects of SGLT2 Inhibitors: Pearls and Pitfalls of This Novel Antidiabetic Class. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
42	Case Report: Malignant Pheochromocytoma Without Hypertension Accompanied by Increment of Serum VEGF Level and Catecholamine Cardiomyopathy. <i>Frontiers in Endocrinology</i> , 2021 , 12, 688536	5.7	2
41	A case of tamoxifen-induced hypertriglyceridemia monitoring the changes in lipoprotein fractions over time. <i>BMC Endocrine Disorders</i> , 2021 , 21, 115	3.3	1
40	Persistent Hypoglycemia Induced by Long-acting Insulin Degludec. <i>Internal Medicine</i> , 2021 ,	1.1	1
39	Favorable Effects of GLP-1 Receptor Agonist against Pancreatic β Cell Glucose Toxicity and the Development of Arteriosclerosis: "The Earlier, the Better" in Therapy with Incretin-Based Medicine. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
38	Switching From Daily DPP-4 Inhibitor to Once-Weekly GLP-1 Receptor Activator Dulaglutide Significantly Ameliorates Glycemic Control in Subjects With Poorly Controlled Type 2 Diabetes Mellitus: A Retrospective Observational Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 714447	5.7	0
37	Multiple endocrine neoplasia type 1 with a frameshift mutation in its gene accompanied by a giant cervical lipoma and multiple fatty deposits in the pancreas: Case report. <i>BMC Endocrine Disorders</i> , 2021 , 21, 164	3.3	0
36	Idiopathic Bilateral Extraocular Myositis in a Subject With Poorly Controlled Type 2 Diabetes Mellitus: Case Report. <i>Frontiers in Medicine</i> , 2021 , 8, 700307	4.9	1
35	Syndrome of inappropriate secretion of thyroid-stimulating hormone in a subject with galactorrhea and menstrual disorder and undergoing infertility treatment: Case report.. <i>Medicine (United States)</i> , 2021 , 100, e28414	1.8	
34	Notable Underlying Mechanism for Pancreatic β Cell Dysfunction and Atherosclerosis: Pleiotropic Roles of Incretin and Insulin Signaling. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
33	Insulin allergy brought out 8 years after starting insulin therapy in a subject with type 1 diabetes mellitus. <i>Acta Diabetologica</i> , 2020 , 57, 1025-1026	3.9	3
32	Comparison of the effects of three kinds of glucose-lowering drugs on non-alcoholic fatty liver disease in patients with type 2 diabetes: A randomized, open-label, three-arm, active control study. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 1612-1622	3.9	21

31	Vascular endothelial PDK1 plays a pivotal role in the maintenance of pancreatic beta cell mass and function in adult male mice. <i>Diabetologia</i> , 2019 , 62, 1225-1236	10.3	6
30	Verification of Kumamoto Declaration 2013 and Glycemic Targets for Elderly Patients with Diabetes in Japan for prevention of diabetic complications: A retrospective longitudinal study using outpatient clinical data. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 290-301	3.9	3
29	Association of the Glycemic Fluctuation as well as Glycemic Control with the Pancreatic β cell Function in Japanese Subjects with Type 2 Diabetes Mellitus. <i>Internal Medicine</i> , 2019 , 58, 167-173	1.1	5
28	Suppression of free fatty acid receptor 1 expression in pancreatic β cells in obese type 2 diabetic db/db mice: a potential role of pancreatic and duodenal homeobox factor 1. <i>Endocrine Journal</i> , 2019 , 66, 43-50	2.9	2
27	Pancreatic alpha cells in diabetic rats express active GLP-1 receptor: Endosomal co-localization of GLP-1/GLP-1R complex functioning through intra-islet paracrine mechanism. <i>Scientific Reports</i> , 2018 , 8, 3725	4.9	13
26	There is a Close Association Between the Recovery of Liver Injury and Glycemic Control after SGLT2 Inhibitor Treatment in Japanese Subjects with Type 2 Diabetes: A Retrospective Clinical Study. <i>Diabetes Therapy</i> , 2018 , 9, 1569-1580	3.6	6
25	Down-regulation of vascular GLP-1 receptor expression in human subjects with obesity. <i>Scientific Reports</i> , 2018 , 8, 10644	4.9	12
24	Protective effects of the SGLT2 inhibitor luseogliflozin on pancreatic β cells in db/db mice: The earlier and longer, the better. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2442-2457	6.7	20
23	Onset of type 1 diabetes mellitus and heparin-induced thrombocytopenia in a patient with Basedow's disease and idiopathic thrombocytopenic purpura: Novel combination as autoimmune polyglandular syndrome. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 1381-1382	3.9	0
22	Switching from low-dose thiazide diuretics to sodium-glucose cotransporter 2 inhibitor improves various metabolic parameters without affecting blood pressure in patients with type 2 diabetes and hypertension. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 875-881	3.9	9
21	Administration of RAS Inhibitor before the Onset of Diabetic Nephropathy Counteracts the Adverse Effect of Chronic Hyperglycemia and Reduces the Augmentation of Urinary Albumin Excretion: A Retrospective Clinical Study. <i>Journal of Diabetes Research</i> , 2018 , 2018, 9435401	3.9	1
20	Efficacy and Safety of Switching from Insulin Glargine 100 U/mL to the Same Dose of Glargine 300 U/mL in Japanese Type 1 and 2 Diabetes Patients: A Retrospective Analysis. <i>Internal Medicine</i> , 2018 , 57, 1381-1389	1.1	2
19	Effect of Tofogliflozin on Body Composition and Glycemic Control in Japanese Subjects with Type 2 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2018 , 2018, 6470137	3.9	18
18	Advanced breast cancer in a relatively young man with severe obesity and type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 395-396	3.9	7
17	Werner Syndrome and Diabetes Mellitus Accompanied by Adrenal Cortex Cancer. <i>Internal Medicine</i> , 2017 , 56, 1987-1992	1.1	3
16	Inadequate Triglyceride Management Worsens the Durability of Dipeptidyl Peptidase-4 Inhibitor in Subjects with Type 2 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2017 , 2017, 5856475	3.9	2
15	Decreased glucagon-like peptide 1 receptor expression in endothelial and smooth muscle cells in diabetic db/db mice: TCF7L2 is a possible regulator of the vascular glucagon-like peptide 1 receptor. <i>Diabetes and Vascular Disease Research</i> , 2017 , 14, 540-548	3.3	11
14	Beneficial effects of sodium-glucose cotransporter 2 inhibitors for preservation of pancreatic β cell function and reduction of insulin resistance. <i>Journal of Diabetes</i> , 2017 , 9, 219-225	3.8	33

13	Temporal lobe epilepsy associated with GAD autoimmunity. <i>Acta Diabetologica</i> , 2017 , 54, 321-323	3.9	
12	Protective effects of SGLT2 inhibitor luseogliflozin on pancreatic β cells in obese type 2 diabetic db/db mice. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 470, 772-782	3.4	36
11	Seven-year Observational Study on the Association between Glycemic Control and the New Onset of Macroangiopathy in Japanese Subjects with Type 2 Diabetes. <i>Internal Medicine</i> , 2016 , 55, 1419-24	1.1	9
10	Human serum albumin: Possible cause of insulin autoimmune syndrome. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 919-920	3.9	4
9	Clinical effects of liraglutide are possibly influenced by hypertriglyceridemia and remaining pancreatic β cell function in subjects with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1201-3	3.2	5
8	Association of GA/HbA1c ratio and cognitive impairment in subjects with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1452-1455	3.2	16
7	Influence of thyroid volume on the effect of methimazole in Japanese subjects with mild Graves' disease. <i>European Journal of Internal Medicine</i> , 2016 , 36, e31-e32	3.9	1
6	Strawberry milk-like blood in a subject with diabetic lipemia: dramatic change to transparent color after insulin therapy. <i>SpringerPlus</i> , 2016 , 5, 1499		2
5	Appropriate therapy for type 2 diabetes mellitus in view of pancreatic β cell glucose toxicity: "the earlier, the better". <i>Journal of Diabetes</i> , 2016 , 8, 183-9	3.8	16
4	Protective effects of pioglitazone and/or liraglutide on pancreatic β cells in db/db mice: Comparison of their effects between in an early and advanced stage of diabetes. <i>Molecular and Cellular Endocrinology</i> , 2015 , 400, 78-89	4.4	34
3	Combination of DPP-4 inhibitor and PPAR γ agonist exerts protective effects on pancreatic β cells in diabetic db/db mice through the augmentation of IRS-2 expression. <i>Molecular and Cellular Endocrinology</i> , 2015 , 413, 49-60	4.4	20
2	Dietary restriction preserves the mass and function of pancreatic β cells via cell kinetic regulation and suppression of oxidative/ER stress in diabetic mice. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 219-26	6.3	17
1	Concomitant use of miglitol and mitiglinide as initial combination therapy in type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2013 , 101, 35-44	7.4	9