

Saeedeh Salimi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9089915/publications.pdf>

Version: 2024-02-01

115
papers

1,647
citations

304368

22
h-index

433756

31
g-index

117
all docs

117
docs citations

117
times ranked

2309
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Polymorphisms in miR146a, an Inflammation-Associated MicroRNA, with the Risk of Idiopathic Recurrent Spontaneous Miscarriage: A Case-Control Study. <i>Disease Markers</i> , 2022, 2022, 1-10.	0.6	4
2	Long non-coding RNA <i>ANRIL</i> polymorphisms in papillary thyroid cancer and its severity. <i>British Journal of Biomedical Science</i> , 2021, 78, 58-62.	1.2	11
3	Functional miR29a polymorphism is associated with protection against recurrent spontaneous abortion: A case-control study and bioinformatics analysis. <i>Gene Reports</i> , 2021, 23, 101108.	0.4	4
4	Genetic variants of <i>HOTAIR</i> are associated with susceptibility to recurrent spontaneous abortion: A preliminary case-control study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 3767-3778.	0.6	8
5	The Effect of Renalase rs2576178 and rs10887800 Polymorphisms on Ischemic Stroke Susceptibility in Young Patients (<50 Years): A Case-Control Study and In Silico Analysis. <i>Disease Markers</i> , 2021, 2021, 1-6.	0.6	0
6	Association of IL-1 β , NLRP3, and COX-2 Gene Polymorphisms with Autoimmune Thyroid Disease Risk and Clinical Features in the Iranian Population. <i>BioMed Research International</i> , 2021, 2021, 1-10.	0.9	7
7	Association between Genetic Polymorphisms in microRNA Machinery Genes and Risk of Papillary Thyroid Carcinoma. <i>Pathology and Oncology Research</i> , 2020, 26, 1235-1241.	0.9	8
8	The possible role of maternal and placental vitamin D receptor polymorphisms and haplotypes in pathogenesis of preeclampsia. <i>Clinical and Experimental Hypertension</i> , 2020, 42, 171-176.	0.5	14
9	The effects of DICER1 and DROSHA polymorphisms on susceptibility to recurrent spontaneous abortion. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23079.	0.9	7
10	The effect of TP53 and P21 gene polymorphisms on papillary thyroid carcinoma susceptibility and clinical/pathological features. <i>IUBMB Life</i> , 2020, 72, 922-930.	1.5	11
11	The effects of placental long noncoding RNA H19 polymorphisms and promoter methylation on H19 expression in association with preeclampsia susceptibility. <i>IUBMB Life</i> , 2020, 72, 413-425.	1.5	14
12	The relationships between maternal and placental polymorphisms of miR-196a2 and miRNA-499 genes and preeclampsia. <i>British Journal of Biomedical Science</i> , 2020, 77, 191-195.	1.2	7
13	Effects of the <i>MTOR</i> and <i>AKT1</i> genes polymorphisms on papillary thyroid cancer development. <i>IUBMB Life</i> , 2020, 72, 2601-2610.	1.5	5
14	The effect of CASP3 rs4647610 and rs4647602 polymorphisms on tumour size and cancer stage in papillary thyroid carcinoma. <i>British Journal of Biomedical Science</i> , 2020, 77, 129-134.	1.2	4
15	Association of CTLA4 (rs4553808) and PTPN22 (rs2476601) gene polymorphisms with Hashimoto's thyroiditis disease: A case-control study and an In-silico analysis. <i>Meta Gene</i> , 2020, 24, 100693.	0.3	9
16	The effects of the genetic polymorphisms of antioxidant enzymes on susceptibility to papillary thyroid carcinoma. <i>IUBMB Life</i> , 2020, 72, 1045-1053.	1.5	11
17	The Impact of TRAIL (C1595T and G1525A) and DR4 (rs20576) Gene Polymorphisms on Systemic Lupus Erythematosus. <i>Biochemical Genetics</i> , 2020, 58, 649-659.	0.8	3
18	Association of H19 rs3741219 polymorphism with the susceptibility to uterine leiomyomas. <i>Gene Reports</i> , 2020, 19, 100623.	0.4	2

#	ARTICLE	IF	CITATIONS
19	Association of the placental VEGF promoter polymorphisms and VEGF mRNA expression with preeclampsia. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 274-279.	0.5	12
20	The association of pri-miRNA- 26a1 rs7372209 polymorphism and Preeclampsia susceptibility. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 268-273.	0.5	8
21	The effect of miR-146a rs2910164 and miR-149 rs2292832 polymorphisms on preeclampsia susceptibility. <i>Molecular Biology Reports</i> , 2019, 46, 4529-4536.	1.0	9
22	Analysis of polymorphisms, promoter methylation, and mRNA expression profile of maternal and placental P53 and P21 genes in preeclamptic and normotensive pregnant women. <i>Journal of Biomedical Science</i> , 2019, 26, 92.	2.6	20
23	The effect of GPx-1 rs1050450 and MnSOD rs4880 polymorphisms on PE susceptibility: a case- control study. <i>Molecular Biology Reports</i> , 2019, 46, 6099-6104.	1.0	11
24	Genetic and epigenetic analysis of the BAX and BCL2 in the placenta of pregnant women complicated by preeclampsia. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2019, 24, 301-311.	2.2	25
25	Association of HOTAIR gene polymorphisms and haplotypes with uterine leiomyoma susceptibility in southeast of Iran. <i>Molecular Biology Reports</i> , 2019, 46, 4271-4277.	1.0	7
26	Impact of HOTAIR variants on preeclampsia susceptibility based on blood and placenta and in silico analysis. <i>IUBMB Life</i> , 2019, 71, 1367-1381.	1.5	20
27	Association between selenium, cadmium, and arsenic levels and genetic polymorphisms in DNA repair genes (XRCC5, XRCC6) in gastric cancerous and non-cancerous tissue. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019, 55, 89-95.	1.5	10
28	The role of TNF- α and TLR4 polymorphisms in the placenta of pregnant women complicated by preeclampsia and in silico analysis. <i>International Journal of Biological Macromolecules</i> , 2019, 134, 1205-1215.	3.6	16
29	Common Variations in Prothrombotic Genes and Susceptibility to Ischemic Stroke in Young Patients: A Case-Control Study in Southeast Iran. <i>Medicina (Lithuania)</i> , 2019, 55, 47.	0.8	6
30	Role of MDM2 309T>G (rs2279744) and I/D (rs3730485) polymorphisms and haplotypes in risk of papillary thyroid carcinoma, tumor stage, tumor size, and early onset of tumor: A case control study. <i>Journal of Cellular Physiology</i> , 2019, 234, 12934-12940.	2.0	8
31	Association between miRNA-152 polymorphism and risk of preeclampsia susceptibility. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 475-480.	0.8	12
32	The effect of the placental DROSHA rs10719 and rs6877842 polymorphisms on PE susceptibility and mRNA expression. <i>Journal of Human Hypertension</i> , 2019, 33, 552-558.	1.0	4
33	Genetic polymorphisms of miRNA <i>let7a</i> and <i>pri-mir-34b/c</i> are associated with an increased risk of papillary thyroid carcinoma and clinical/pathological features. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 8640-8647.	1.2	14
34	Renalase rs10887800 polymorphism is associated with severe preeclampsia in southeast Iranian women. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 3277-3285.	1.2	12
35	Hypomethylation of the miRNA-34a gene promoter is associated with Severe Preeclampsia. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 118-122.	0.5	9
36	Association of ACE I/D and AGTR1 A1166C Gene Polymorphisms and Risk of Uterine Leiomyoma: A Case-Control Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 2595-2599.	0.5	5

#	ARTICLE	IF	CITATIONS
37	Vitamin D Receptor rs2228570 and rs731236 Polymorphisms are Susceptible Factors for Systemic Lupus Erythematosus. <i>Advanced Biomedical Research</i> , 2019, 8, 48.	0.2	10
38	Association study of TPH1 (rs1800532) and TPH2 (rs4570625) Polymorphisms in Type 1 Bipolar Disorder in Iran. <i>Gene, Cell and Tissue</i> , 2019, In Press, .	0.2	0
39	Relationships between Dicer 1 polymorphism and expression levels in the etiopathogenesis of preeclampsia. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 5563-5570.	1.2	13
40	The long non-coding RNA H19 rs217727 polymorphism is associated with PE susceptibility. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 5473-5480.	1.2	19
41	Association between ER β polymorphisms and systemic lupus erythematosus: susceptibility and <i>in silico</i> analysis. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 214-222.	0.9	6
42	Genetic variants in 3'UTRs of MTHFR in the pregnancies complicated with preeclampsia and bioinformatics analysis. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 773-781.	1.2	10
43	The association of the placental MTHFR 3'UTR polymorphisms, promoter methylation, and MTHFR expression with preeclampsia. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 1346-1354.	1.2	20
44	The neuroprotective effects of hydro-alcoholic extract of olive (<i>Olea europaea</i> L.) leaf on rotenone-induced Parkinson's disease in rat. <i>Metabolic Brain Disease</i> , 2018, 33, 79-88.	1.4	32
45	The Drosha rs10719 T>C polymorphism is associated with preeclampsia susceptibility. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 440-445.	0.5	13
46	The association of the placental Hypoxia-inducible factor1 β polymorphisms and HIF1 β mRNA expression with preeclampsia. <i>Placenta</i> , 2018, 67, 31-37.	0.7	25
47	5-Aminolevulinic acid moderates environmental stress-induced bunch wilting and stress markers in date palm. <i>Acta Physiologiae Plantarum</i> , 2018, 40, 1.	1.0	5
48	Effects of deficit irrigation on some physiological traits, production and fruit quality of "Mazafati" date palm and the fruit wilting and dropping disorder. <i>Agricultural Water Management</i> , 2018, 209, 219-227.	2.4	29
49	The association of the placental CASPASE β gene polymorphisms and preeclampsia susceptibility and <i>in silico</i> analysis. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 6756-6764.	1.2	8
50	Comparison of CAT-21A/T Gene Polymorphism in Women with Preeclampsia and Control Group. <i>Advanced Biomedical Research</i> , 2018, 7, 133.	0.2	3
51	Association of PvuII T> C and XbaI A> G Polymorphisms of Estrogen Receptor β Gene with Uterine Leiomyoma: A Case-Control Study. <i>Gene, Cell and Tissue</i> , 2018, In Press, .	0.2	1
52	Carriage of 2R allele at VNTR polymorphous site of XRCC5 gene increases risk of multiple sclerosis in an Iranian population. <i>Russian Journal of Genetics</i> , 2017, 53, 147-152.	0.2	2
53	Comparison of Salivary Cortisol and α -amylase Levels and Psychological Profiles in Patients with Burning Mouth Syndrome. <i>Special Care in Dentistry</i> , 2017, 37, 120-125.	0.4	23
54	Cyclin D1 G870A polymorphism: Association with uterine leiomyoma risk and <i>in silico</i> analysis. <i>Biomedical Reports</i> , 2017, 6, 237-241.	0.9	6

#	ARTICLE	IF	CITATIONS
55	Estrogen receptor alpha XbaI GG genotype was associated with severe preeclampsia. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 220-224.	0.5	6
56	The MDM2 promoter T309G polymorphism was associated with preeclampsia susceptibility. <i>Journal of Assisted Reproduction and Genetics</i> , 2017, 34, 951-956.	1.2	7
57	Polymorphisms of the folate metabolizing enzymes: Association with SLE susceptibility and in silico analysis. <i>Gene</i> , 2017, 637, 161-172.	1.0	29
58	Genetic polymorphisms and haplotypes of the DJ-1 gene promoter associated with the susceptibility to male infertility. <i>Journal of Assisted Reproduction and Genetics</i> , 2017, 34, 1673-1682.	1.2	16
59	Effect of <i>Achillea wilhelmsii</i> extract on expression of the human telomerase reverse transcriptase mRNA in the PC3 prostate cancer cell line. <i>Biomedical Reports</i> , 2017, 7, 251-256.	0.9	19
60	The ID genotype of MDM2 40 bp insertion/deletion polymorphism was associated with lower risk of SLE. <i>Postgraduate Medical Journal</i> , 2017, 93, 758-761.	0.9	3
61	The placental vascular endothelial growth factor polymorphisms and preeclampsia/preeclampsia severity. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 606-611.	0.5	14
62	The \sim 2549 insertion/deletion polymorphism of VEGF gene associated with uterine leiomyoma susceptibility in women from Southeastern Iran. <i>Ginekologia Polska</i> , 2017, 88, 115-119.	0.3	5
63	Prooxidant-Antioxidant Balance in Patients with Systemic Lupus Erythematosus and Its Relationship with Clinical and Laboratory Findings. <i>Autoimmune Diseases</i> , 2016, 2016, 1-5.	2.7	5
64	Association of interleukin-1 receptor antagonist VNTR polymorphism and risk of preeclampsia in southeast Iranian population. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 142-147.	0.6	7
65	The Effect of Experimental Thyroid Dysfunction on Markers of Oxidative Stress in Rat Pancreas. <i>Drug Development Research</i> , 2016, 77, 199-205.	1.4	12
66	The effects of p21 gene C98A polymorphism on development of uterine leiomyoma in southeast Iranian women. <i>Tumor Biology</i> , 2016, 37, 12497-12502.	0.8	8
67	Association of eNOS gene polymorphisms and systemic lupus erythematosus in southeast Iran. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 606-612.	0.9	5
68	Association of the osteopontin rs1126616 polymorphism and a higher serum osteopontin level with lupus nephritis. <i>Biomedical Reports</i> , 2016, 4, 355-360.	0.9	22
69	Combination effect of cytochrome P450 1A1 gene polymorphisms on uterine leiomyoma: A case-control study. <i>Bosnian Journal of Basic Medical Sciences</i> , 2016, 16, 209-214.	0.6	2
70	Interleukin-1 β (IL-1 β) & IL-4 gene polymorphisms in patients with systemic lupus erythematosus (SLE) & their association with susceptibility to SLE. <i>Indian Journal of Medical Research</i> , 2016, 143, 591.	0.4	30
71	Antiproliferative and Antioxidant Effects of <i>Withania coagulans</i> Extract on Benign Prostatic Hyperplasia in Rats. <i>Nephro-Urology Monthly</i> , 2016, 8, e33180.	0.0	17
72	Association of FAS A-670G Polymorphism and Risk of Uterine Leiomyoma in a Southeast Iranian Population. <i>Reports of Biochemistry and Molecular Biology</i> , 2016, 5, 51-55.	0.5	2

#	ARTICLE	IF	CITATIONS
73	Vascular endothelial growth factor (<i>VEGF</i>)â€634G/C polymorphism was associated with severe preâ€eclampsia and lower serum VEGF level. Journal of Obstetrics and Gynaecology Research, 2015, 41, 1877-1883.	0.6	21
74	Association of XRCC1 Arg399Gln and Tp53 Arg72Pro polymorphisms and increased risk of uterine leiomyoma - A case-control study. Genetics and Molecular Biology, 2015, 38, 444-449.	0.6	10
75	Association Between Functional Polymorphisms of DNA Double-Strand Breaks in Repair Genes<i>XRCC5</i>,<i>XRCC6</i>and<i>XRCC7</i>with the Risk of Systemic Lupus Erythematosus in South East Iran. DNA and Cell Biology, 2015, 34, 360-366.	0.9	17
76	Vitamin D Receptor Gene Polymorphism and the Risk of Multiple Sclerosis in South Eastern of Iran. Journal of Molecular Neuroscience, 2015, 56, 572-576.	1.1	34
77	Association of polymorphisms and haplotypes in the cytochrome P450 1B1 gene with uterine leiomyoma: A case control study. Biomedical Reports, 2015, 3, 201-206.	0.9	7
78	Biomarkers identified from serum proteomic analysis for the differential diagnosis of systemic lupus erythematosus. Lupus, 2015, 24, 582-587.	0.8	22
79	Association between vitamin D receptor polymorphisms and haplotypes with pulmonary tuberculosis. Biomedical Reports, 2015, 3, 189-194.	0.9	36
80	Ageâ€dependent association of <i>MDM2</i> promoter polymorphisms and uterine leiomyoma in <sc>S</sc>outhâ€ast <sc>E</sc>ast <sc>I</sc>ran: A preliminary report. Journal of Obstetrics and Gynaecology Research, 2015, 41, 729-734.	0.6	15
81	The early-onset preeclampsia is associated with MTHFR and FVL polymorphisms. Archives of Gynecology and Obstetrics, 2015, 291, 1303-1312.	0.8	28
82	The Association of Endothelial Nitric Oxide Synthase Gene Polymorphisms and Preeclampsia Susceptibility. Gene, Cell and Tissue, 2015, 2, .	0.2	1
83	TLR8 and TLR9 Polymorphisms and Pulmonary Tuberculosis. Gene, Cell and Tissue, 2015, 2, .	0.2	1
84	Combination Effect of GSTM1, GSTT1 and GSTP1 Polymorphisms and Risk of Systemic Lupus Erythematosus. Iranian Journal of Public Health, 2015, 44, 814-21.	0.3	13
85	<i>XRCC1</i>Arg399Gln and Arg194Trp Polymorphisms and Risk of Systemic Lupus Erythematosus in an Iranian Population: A Pilot Study. BioMed Research International, 2014, 2014, 1-5.	0.9	19
86	KE and EE Genotypes of ICAM-1 Gene K469E Polymorphism Is Associated with Severe Preeclampsia. Disease Markers, 2014, 2014, 1-5.	0.6	14
87	Possible Association of IL-4 VNTR Polymorphism with Susceptibility to Preeclampsia. BioMed Research International, 2014, 2014, 1-5.	0.9	28
88	Different Profile of Serum Leptin between Early Onset and Late Onset Preeclampsia. Disease Markers, 2014, 2014, 1-7.	0.6	49
89	Association of functional polymorphisms in <i>FAS</i> and <i>FAS</i> <i>Ligand</i> genes promoter with preâ€eclampsia. Journal of Obstetrics and Gynaecology Research, 2014, 40, 1167-1173.	0.6	14
90	Lack of Association Between IL-1 Receptor Antagonist Gene 86bp VNTR Polymorphism and Leiomyoma. Gene, Cell and Tissue, 2014, 1, .	0.2	1

#	ARTICLE	IF	CITATIONS
91	Association Between Interleukin 4 Gene Seventy-Base-Pair Variable Number of Tandem Repeats Polymorphism and Uterine Leiomyoma. <i>Gene, Cell and Tissue</i> , 2014, 1, .	0.2	4
92	Effect of mobile phone usage time on total antioxidant capacity of saliva and salivary immunoglobulin a. <i>Iranian Journal of Public Health</i> , 2014, 43, 480-4.	0.3	9
93	Association between <i>TLR4</i> and <i>TLR9</i> Gene Polymorphisms with Development of Pulmonary Tuberculosis in Zahedan, Southeastern Iran. <i>Scientific World Journal</i> , The, 2013, 2013, 1-7.	0.8	24
94	Association of FAS and FAS Ligand Genes Polymorphism and Risk of Systemic Lupus Erythematosus. <i>Scientific World Journal</i> , The, 2013, 2013, 1-6.	0.8	24
95	Association of plasma nitric oxide concentration and endothelial nitric oxide synthase T-786C gene polymorphism in coronary artery disease. <i>Pathophysiology</i> , 2012, 19, 157-162.	1.0	23
96	Association between the CD14 gene C-159T polymorphism and serum soluble CD14 with pulmonary tuberculosis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2012, 16, 1383-1387.	0.6	25
97	Adenosine deaminase activity in fertile and infertile men. <i>Andrologia</i> , 2012, 44, 586-589.	1.0	8
98	Lack of relationship between endothelial nitric oxide synthase gene 4b/a and T-786C polymorphisms with preeclampsia in southeast of Iran. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 405-409.	0.8	12
99	Evaluation of relationship between methylene tetrahydrofolate reductase gene C677T polymorphism and preeclampsia. <i>Clinical Biochemistry</i> , 2011, 44, S292-S293.	0.8	0
100	Endothelial nitric oxide synthase gene Glu298Asp polymorphism and risk of preeclampsia in South East of Iran. <i>African Journal of Biotechnology</i> , 2011, 10, 10712-10717.	0.3	8
101	Association of L55M and Q192R Polymorphisms of Paraoxonase-1 Gene with Preeclampsia. <i>Archives of Medical Research</i> , 2011, 42, 324-328.	1.5	8
102	Association of Angiotensin-Converting Enzyme Intron 16 Insertion/Deletion and Angiotensin II Type 1 Receptor A1166C Gene Polymorphisms with Preeclampsia in South East of Iran. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-6.	3.0	31
103	Angiotensin converting enzyme DD genotype not associated with increased risk of coronary artery disease in the Iranian population. <i>Pathophysiology</i> , 2010, 17, 163-167.	1.0	22
104	Endothelial nitric oxide synthase gene Glu298Asp polymorphism in patients with coronary artery disease. <i>Annals of Saudi Medicine</i> , 2010, 30, 33-37.	0.5	13
105	Endothelial nitric oxide synthase gene Glu298Asp polymorphism in patients with coronary artery disease. <i>Annals of Saudi Medicine</i> , 2010, 30, 33-7.	0.5	10
106	Relationship between Estradiol and Antioxidant Enzymes Activity of Ischemic Stroke. <i>Journal of Biomedicine and Biotechnology</i> , 2009, 2009, 1-5.	3.0	9
107	Docosahexaenoic acid sensitizes Ramos cells to Gamma-irradiation-induced apoptosis through involvement of PPAR- γ activation and NF- κ B suppression. <i>Molecular and Cellular Biochemistry</i> , 2008, 317, 113-120.	1.4	46
108	Relationship between seminal antioxidant enzymes and the phospholipid and fatty acid composition of spermatozoa. <i>Reproductive BioMedicine Online</i> , 2008, 16, 649-656.	1.1	40

#	ARTICLE	IF	CITATIONS
109	Activity of antioxidant enzymes in seminal plasma and their relationship with lipid peroxidation of spermatozoa. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2008, 34, 485-491.	0.7	73
110	Lack of evidence for contribution of intron4a/b polymorphism of endothelial nitric oxide synthase (NOS3) gene to plasma nitric oxide levels. <i>Acta Cardiologica</i> , 2008, 63, 229-234.	0.3	12
111	Lower Total Serum Protein, Albumin and Zinc in Depression in an Iranian Population. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2008, 8, 587-590.	0.0	10
112	Lipid composition of spermatozoa in normozoospermic and asthenozoospermic males. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007, 77, 45-50.	1.0	65
113	Involvement of PPAR- γ 3 and p53 in DHA-induced apoptosis in Reh cells. <i>Molecular and Cellular Biochemistry</i> , 2007, 304, 71-77.	1.4	43
114	Endothelial nitric oxide synthase gene intron4 VNTR polymorphism in patients with coronary artery disease in Iran. <i>Indian Journal of Medical Research</i> , 2006, 124, 683-8.	0.4	13
115	Salivary Atopy Biomarkers in Patients with Geographic Tongue. <i>European Journal of General Dentistry</i> , 0, , .	0.1	0