

Chi-Tai Yeh

List of Publications by Citations

Source: <https://exaly.com/author-pdf/90911/chi-tai-yeh-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

1,370
citations

24
h-index

33
g-index

93
ext. papers

1,841
ext. citations

5.8
avg, IF

4.64
L-index

#	Paper	IF	Citations
73	Aberrant KDM5B expression promotes aggressive breast cancer through MALAT1 overexpression and downregulation of hsa-miR-448. <i>BMC Cancer</i> , 2016 , 16, 160	4.8	85
72	Pterostilbene, a bioactive component of blueberries, suppresses the generation of breast cancer stem cells within tumor microenvironment and metastasis via modulating NF- κ B/microRNA 448 circuit. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 1123-34	5.9	73
71	Collagen 1A1 (COL1A1) Is a Reliable Biomarker and Putative Therapeutic Target for Hepatocellular Carcinogenesis and Metastasis. <i>Cancers</i> , 2019 , 11,	6.6	67
70	A sesquiterpene lactone antrocin from <i>Antrodia camphorata</i> negatively modulates JAK2/STAT3 signaling via microRNA let-7c and induces apoptosis in lung cancer cells. <i>Carcinogenesis</i> , 2013 , 34, 2918-28	4.6	56
69	Pterostilbene inhibits triple-negative breast cancer metastasis via inducing microRNA-205 expression and negatively modulates epithelial-to-mesenchymal transition. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 675-85	6.3	50
68	Silencing JARID1B suppresses oncogenicity, stemness and increases radiation sensitivity in human oral carcinoma. <i>Cancer Letters</i> , 2015 , 368, 36-45	9.9	42
67	Ovatodiolide sensitizes aggressive breast cancer cells to doxorubicin, eliminates their cancer stem cell-like phenotype, and reduces doxorubicin-associated toxicity. <i>Cancer Letters</i> , 2015 , 364, 125-34	9.9	40
66	Bruton's tyrosine kinase (Btk) inhibitor ibrutinib suppresses stem-like traits in ovarian cancer. <i>Oncotarget</i> , 2015 , 6, 13255-68	3.3	40
65	JARID1B Expression Plays a Critical Role in Chemoresistance and Stem Cell-Like Phenotype of Neuroblastoma Cells. <i>PLoS ONE</i> , 2015 , 10, e0125343	3.7	38
64	(PG2) Enhances the M1 Polarization of Macrophages, Functional Maturation of Dendritic Cells, and T Cell-Mediated Anticancer Immune Responses in Patients with Lung Cancer. <i>Nutrients</i> , 2019 , 11,	6.7	36
63	Bevacizumab Reduces S100A9-Positive MDSCs Linked to Intracranial Control in Patients with EGFR-Mutant Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 958-967	8.9	36
62	Cisplatin resistant lung cancer cells promoted M2 polarization of tumor-associated macrophages via the Src/CD155/MIF functional pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 180	12.8	34
61	Elevated PDK1 Expression Drives PI3K/AKT/MTOR Signaling Promotes Radiation-Resistant and Dedifferentiated Phenotype of Hepatocellular Carcinoma. <i>Cells</i> , 2020 , 9,	7.9	34
60	Honokiol inhibits sphere formation and xenograft growth of oral cancer side population cells accompanied with JAK/STAT signaling pathway suppression and apoptosis induction. <i>BMC Cancer</i> , 2016 , 16, 245	4.8	34
59	4-Acetylanthroquinonol B inhibits colorectal cancer tumorigenesis and suppresses cancer stem-like phenotype. <i>Toxicology and Applied Pharmacology</i> , 2015 , 288, 258-68	4.6	32
58	Pterostilbene suppressed irradiation-resistant glioma stem cells by modulating GRP78/miR-205 axis. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 466-75	6.3	31
57	Antibacterial activities of <i>Anisomeles indica</i> constituents and their inhibition effect on <i>Helicobacter pylori</i> -induced inflammation in human gastric epithelial cells. <i>Food Chemistry</i> , 2012 , 132, 780-787	8.5	30

56	4-Acetylanthroquinonol B suppresses autophagic flux and improves cisplatin sensitivity in highly aggressive epithelial cancer through the PI3K/Akt/mTOR/p70S6K signaling pathway. <i>Toxicology and Applied Pharmacology</i> , 2017 , 325, 48-60	4.6	29
55	CD47-SIRPβ Signaling Induces Epithelial-Mesenchymal Transition and Cancer Stemness and Links to a Poor Prognosis in Patients with Oral Squamous Cell Carcinoma. <i>Cells</i> , 2019 , 8,	7.9	29
54	Preclinical evaluation of destruxin B as a novel Wnt signaling target suppressing proliferation and metastasis of colorectal cancer using non-invasive bioluminescence imaging. <i>Toxicology and Applied Pharmacology</i> , 2012 , 261, 31-41	4.6	28
53	Garcinol inhibits cancer stem cell-like phenotype via suppression of the Wnt/βcatenin/STAT3 axis signalling pathway in human non-small cell lung carcinomas. <i>Journal of Nutritional Biochemistry</i> , 2018 , 54, 140-150	6.3	26
52	Histone demethylase JARID1B/KDM5B promotes aggressiveness of non-small cell lung cancer and serves as a good prognostic predictor. <i>Clinical Epigenetics</i> , 2018 , 10, 107	7.7	26
51	Destruxin B inhibits hepatocellular carcinoma cell growth through modulation of the Wnt/βcatenin signaling pathway and epithelial-mesenchymal transition. <i>Toxicology in Vitro</i> , 2014 , 28, 552-61	3.6	26
50	Cadherin 11 Inhibition Downregulates βcatenin, Deactivates the Canonical WNT Signalling Pathway and Suppresses the Cancer Stem Cell-Like Phenotype of Triple Negative Breast Cancer. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	25
49	HDAC inhibitor suppresses proliferation and tumorigenicity of drug-resistant chronic myeloid leukemia stem cells through regulation of hsa-miR-196a targeting BCR/ABL1. <i>Experimental Cell Research</i> , 2018 , 370, 519-530	4.2	23
48	The therapeutic targeting of the FGFR1/Src/NF-β signaling axis inhibits pancreatic ductal adenocarcinoma stemness and oncogenicity. <i>Clinical and Experimental Metastasis</i> , 2018 , 35, 663-677	4.7	22
47	Elimination of cancer stem-like cells and potentiation of temozolomide sensitivity by Honokiol in glioblastoma multiforme cells. <i>PLoS ONE</i> , 2015 , 10, e0114830	3.7	21
46	The Disruption of the βCatenin/TCF-1/STAT3 Signaling Axis by 4-Acetylanthroquinonol B Inhibits the Tumorigenesis and Cancer Stem-Cell-Like Properties of Glioblastoma Cells, In Vitro and In Vivo. <i>Cancers</i> , 2018 , 10,	6.6	21
45	4-Acetyl-Antroquinonol B Suppresses SOD2-Enhanced Cancer Stem Cell-Like Phenotypes and Chemoresistance of Colorectal Cancer Cells by Inducing hsa-miR-324 re-Expression. <i>Cancers</i> , 2018 , 10,	6.6	20
44	Apoptotic Cell Death and Inhibition of Wnt/βCatenin Signaling Pathway in Human Colon Cancer Cells by an Active Fraction (HS7) from Taiwanofungus camphoratus. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 750230	2.3	20
43	Targeting the Epigenetic Non-Coding RNA MALAT1/Wnt Signaling Axis as a Therapeutic Approach to Suppress Stemness and Metastasis in Hepatocellular Carcinoma. <i>Cells</i> , 2020 , 9,	7.9	19
42	Endothelial SCUBE2 Interacts With VEGFR2 and Regulates VEGF-Induced Angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 144-155	9.4	19
41	A preclinical evaluation of antimycin a as a potential antilung cancer stem cell agent. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 910451	2.3	19
40	Antrodia cinnamomea sensitizes radio-/chemo-therapy of cancer stem-like cells by modulating microRNA expression. <i>Journal of Ethnopharmacology</i> , 2017 , 207, 47-56	5	18
39	Characterization of the interactions between protein and carbon black. <i>Journal of Hazardous Materials</i> , 2014 , 264, 127-35	12.8	17

38	Enhanced Hsa-miR-181d/p-STAT3 and Hsa-miR-181d/p-STAT5A Ratios Mediate the Anticancer Effect of Garcinol in -Addicted Glioblastoma. <i>Cancers</i> , 2019 , 11,	6.6	17
37	(PG2) Ameliorates Cancer Symptom Clusters, as well as Improves Quality of Life in Patients with Metastatic Disease, through Modulation of the Inflammatory Cascade. <i>Cancers</i> , 2019 , 11,	6.6	15
36	Investigation of ovatodiolide, a macrocyclic diterpenoid, as a potential inhibitor of oral cancer stem-like cells properties via the inhibition of the JAK2/STAT3/JARID1B signal circuit. <i>Phytomedicine</i> , 2018 , 46, 93-103	6.5	14
35	BlueBerry Isolate, Pterostilbene, Functions as a Potential Anticancer Stem Cell Agent in Suppressing Irradiation-Mediated Enrichment of Hepatoma Stem Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 258425	2.3	14
34	Signal peptide peptidase promotes tumor progression via facilitating FKBP8 degradation. <i>Oncogene</i> , 2019 , 38, 1688-1701	9.2	13
33	Ovatodiolide inhibits the oncogenicity and cancer stem cell-like phenotype of glioblastoma cells, as well as potentiate the anticancer effect of temozolomide. <i>Phytomedicine</i> , 2019 , 61, 152840	6.5	12
32	Upregulated SCUBE2 expression in breast cancer stem cells enhances triple negative breast cancer aggression through modulation of notch signaling and epithelial-to-mesenchymal transition. <i>Experimental Cell Research</i> , 2018 , 370, 444-453	4.2	10
31	Aberrantly expressed Bruton κ tyrosine kinase preferentially drives metastatic and stem cell-like phenotypes in neuroblastoma cells. <i>Cellular Oncology (Dordrecht)</i> , 2020 , 43, 1067-1084	7.2	8
30	SUMO-Activating Enzyme Subunit 1 (SAE1) Is a Promising Diagnostic Cancer Metabolism Biomarker of Hepatocellular Carcinoma. <i>Cells</i> , 2021 , 10,	7.9	8
29	Methoxyphenyl chalcone sensitizes aggressive epithelial cancer to cisplatin through apoptosis induction and cancer stem cell eradication. <i>Tumor Biology</i> , 2017 , 39, 1010428317691689	2.9	7
28	Activation of the monocytic α 7 nicotinic acetylcholine receptor modulates oxidative stress and inflammation-associated development of coronary artery spasm via a p38 MAP-kinase signaling-dependent pathway. <i>Free Radical Biology and Medicine</i> , 2018 , 120, 266-276	7.8	7
27	Hydroxychloroquine (HCQ) Modulates Autophagy and Oxidative DNA Damage Stress in Hepatocellular Carcinoma to Overcome Sorafenib Resistance via TLR9/SOD1/hsa-miR-30a-5p/Beclin-1 Axis. <i>Cancers</i> , 2021 , 13,	6.6	7
26	Targeting BC200/miR218-5p Signaling Axis for Overcoming Temozolomide Resistance and Suppressing Glioma Stemness. <i>Cells</i> , 2020 , 9,	7.9	6
25	Inhibition of Bruton κ tyrosine kinase as a therapeutic strategy for chemoresistant oral squamous cell carcinoma and potential suppression of cancer stemness. <i>Oncogenesis</i> , 2021 , 10, 20	6.6	6
24	Targeted PARP Inhibition Combined with FGFR1 Blockade is Synthetically Lethal to Malignant Cells in Patients with Pancreatic Cancer. <i>Cells</i> , 2020 , 9,	7.9	5
23	Induced Mitochondrial Alteration and DNA Damage via IFNGR-JAK2-STAT1-PARP1 Pathway Facilitates Viral Hepatitis Associated Hepatocellular Carcinoma Aggressiveness and Stemness. <i>Cancers</i> , 2021 , 13,	6.6	4
22	Exosomal lncRNA PVT1/VEGFA Axis Promotes Colon Cancer Metastasis and Stemness by Downregulation of Tumor Suppressor miR-152-3p. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 9959807	6.7	4
21	The JAK inhibitor Tofacitinib inhibits structural damage in osteoarthritis by modulating JAK1/TNF-alpha/IL-6 signaling through Mir-149-5p. <i>Bone</i> , 2021 , 151, 116024	4.7	4

20	Apolipoprotein (a)/Lipoprotein(a)-Induced Oxidative-Inflammatory 7-nAChR/p38 MAPK/IL-6/RhoA-GTP Signaling Axis and M1 Macrophage Polarization Modulate Inflammation-Associated Development of Coronary Artery Spasm.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 9964689	6.7	3
19	The MEK/ERK/miR-21 Signaling Is Critical in Osimertinib Resistance in EGFR-Mutant Non-Small Cell Lung Cancer Cells. <i>Cancers</i> , 2021 , 13,	6.6	3
18	Novel NFB Inhibitor SC75741 Mitigates Chondrocyte Degradation and Prevents Activated Fibroblast Transformation by Modulating miR-21/GDF-5/SOX5 Signaling. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
17	4-Acetylanthroquinonol B induced DNA damage response signaling and apoptosis via suppressing CDK2/CDK4 expression in triple negative breast cancer cells. <i>Toxicology and Applied Pharmacology</i> , 2021 , 422, 115493	4.6	3
16	4-Acetyl-Antroquinonol B Improves the Sensitization of Cetuximab on Both Kras Mutant and Wild Type Colorectal Cancer by Modulating the Expression of Ras/Raf/miR-193a-3p Signaling Axis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
15	Isoorientin inhibits epithelial-to-mesenchymal properties and cancer stem-cell-like features in oral squamous cell carcinoma by blocking Wnt/ β -catenin/STAT3 axis. <i>Toxicology and Applied Pharmacology</i> , 2021 , 424, 115581	4.6	3
14	The E3 Ubiquitin Ligase NEDD4-1 Mediates Temozolomide-Resistant Glioblastoma through PTEN Attenuation and Redox Imbalance in Nrf2-HO-1 Axis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
13	Adipose-derived stem cell induced-tissue repair or wound healing is mediated by the concomitant upregulation of miR-21 and miR-29b expression and activation of the AKT signaling pathway. <i>Archives of Biochemistry and Biophysics</i> , 2021 , 705, 108895	4.1	2
12	Garcinol Attenuates Lipoprotein(a)-Induced Oxidative Stress and Inflammatory Cytokine Production in Ventricular Cardiomyocyte through α -Nicotinic Acetylcholine Receptor-Mediated Inhibition of the p38 MAPK and NF- κ B Signaling Pathways. <i>Antioxidants</i> , 2021 , 10,	7.1	2
11	Association between Coronary Artery Spasm and the risk of incident Diabetes: A Nationwide population-based Cohort Study. <i>International Journal of Medical Sciences</i> , 2021 , 18, 2630-2640	3.7	1
10	Bruton κ tyrosine kinase (BTK) mediates resistance to EGFR inhibition in non-small-cell lung carcinoma. <i>Oncogenesis</i> , 2021 , 10, 56	6.6	1
9	Combined Treatment with Acalabrutinib and Rapamycin Inhibits Glioma Stem Cells and Promotes Vascular Normalization by Downregulating BTK/mTOR/VEGF Signaling. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	1
8	Urokinase plasminogen activator induces epithelial-mesenchymal and metastasis of pancreatic cancer through plasmin/MMP14/TGF- β axis, which is inhibited by 4-acetyl-antroquinonol B treatment.. <i>Phytomedicine</i> , 2022 , 100, 154062	6.5	1
7	Air pollution-regulated E-cadherin mediates contact inhibition of proliferation via the hippo signaling pathways in emphysema. <i>Chemico-Biological Interactions</i> , 2021 , 351, 109763	5	0
6	Drug-eluting versus bare-metal stents for first myocardial infarction in patients with atrial fibrillation: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0227571	3.7	
5	MED10 Drives the Oncogenicity and Refractory Phenotype of Bladder Urothelial Carcinoma Through the Upregulation of hsa-miR-590.. <i>Frontiers in Oncology</i> , 2021 , 11, 744937	5.3	
4	Drug-eluting versus bare-metal stents for first myocardial infarction in patients with atrial fibrillation: A nationwide population-based cohort study 2020 , 15, e0227571		
3	Drug-eluting versus bare-MMP stents for first myocardial infarction in patients with atrial fibrillation: A nationwide population-based cohort study 2020 , 15, e0227571		

2 Drug-eluting versus bare-metal stents for first myocardial infarction in patients with atrial fibrillation: A nationwide population-based cohort study **2020**, 15, e0227571

1 Drug-eluting versus bare-metal stents for first myocardial infarction in patients with atrial fibrillation: A nationwide population-based cohort study **2020**, 15, e0227571