## William H Coryell

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9091206/william-h-coryell-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

320	22,879 citations	71	143
papers		h-index	g-index
339	25,809	7.3	6.88
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
320	Engagement With Personalized Feedback for Emotional Distress Among College Students at Elevated Suicide Risk <i>Behavior Therapy</i> , <b>2022</b> , 53, 365-375	4.8	O
319	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. Biological Psychiatry, <b>2022</b> , 91, 102-117	7.9	11
318	Developing an IV Ketamine Clinic for Treatment-Resistant Depression: a Primer. <i>Psychopharmacology Bulletin</i> , <b>2021</b> , 51, 109-124	0.9	
317	Symptoms of mania and anxiety do not contribute to suicidal ideation or behavior in the presence of bipolar depression. <i>Psychiatry Research</i> , <b>2021</b> , 307, 114296	9.9	0
316	Correction of depression-associated circadian rhythm abnormalities is associated with lithium response in bipolar disorder. <i>Bipolar Disorders</i> , <b>2021</b> ,	3.8	1
315	Effects of somatic treatments on suicidal ideation and completed suicides. <i>Brain and Behavior</i> , <b>2021</b> , 11, e2381	3.4	2
314	Circadian rhythms in bipolar disorder patient-derived neurons predict lithium response: preliminary studies. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 3383-3394	15.1	7
313	Clinical predictors of non-response to lithium treatment in the Pharmacogenomics of Bipolar Disorder (PGBD) study. <i>Bipolar Disorders</i> , <b>2021</b> ,	3.8	8
312	Moderators of the association between depressive, manic, and mixed mood symptoms and suicidal ideation and behavior: An analysis of the National Network of Depression Centers Mood Outcomes Program. <i>Journal of Affective Disorders</i> , <b>2021</b> , 281, 623-630	6.6	3
311	Black college students at elevated risk for suicide: Barriers to mental health service utilization. Journal of American College Health, <b>2021</b> , 69, 308-314	2.2	12
310	Targeting the Coronavirus Nucleocapsid Protein through GSK-3 Inhibition 2021,		1
309	Characterisation of age and polarity at onset in bipolar disorder <i>British Journal of Psychiatry</i> , <b>2021</b> , 219, 659-669	5.4	2
308	Alcohol intake in relation to suicidal ideation and behavior among university students. <i>Journal of American College Health</i> , <b>2021</b> , 1-5	2.2	O
307	Targeting the coronavirus nucleocapsid protein through GSK-3 inhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	14
306	The association between lithium use and neurocognitive performance in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 1743-1749	8.7	6
305	Development of the National Network of Depression Centers Mood Outcomes Program: A Multisite Platform for Measurement-Based Care. <i>Psychiatric Services</i> , <b>2020</b> , 71, 456-464	3.3	11
304	Variation in Suicide Risk among Subgroups of Sexual and Gender Minority College Students. <i>Suicide and Life-Threatening Behavior</i> , <b>2020</b> , 50, 1041-1053	3.9	23

303	Latent infection, inflammatory markers and suicide attempt history in depressive disorders. <i>Journal of Affective Disorders</i> , <b>2020</b> , 270, 97-101	6.6	12
302	Sociodemographic differences in barriers to mental health care among college students at elevated suicide risk. <i>Journal of Affective Disorders</i> , <b>2020</b> , 271, 123-130	6.6	15
301	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 169-184	7.9	57
300	Predictors of depressive symptom trajectories in a prospective follow-up of late adolescents. <i>Psychological Medicine</i> , <b>2020</b> , 50, 2283-2288	6.9	2
299	Suicide risk among gender and sexual minority college students: The roles of victimization, discrimination, connectedness, and identity affirmation. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 121, 182-	-158	15
298	Polygenic risk for anxiety influences anxiety comorbidity and suicidal behavior in bipolar disorder. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 298	8.6	7
297	Anxiety Symptom Severity and Long-term Risk for Suicidal Behavior in Depressive Disorders. <i>Suicide and Life-Threatening Behavior</i> , <b>2019</b> , 49, 1621-1629	3.9	1
296	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , <b>2019</b> , 51, 793-803	36.3	662
295	Entrainment of Circadian Rhythms to Temperature Reveals Amplitude Deficits in Fibroblasts from Patients with Bipolar Disorder and Possible Links to Calcium Channels. <i>Molecular Neuropsychiatry</i> , <b>2019</b> , 5, 115-124	4.9	4
294	Bipolar I affective disorder: predictors of outcome after 15 years <b>2019</b> , 69-75		
293	Depressive symptoms carry an increased risk for suicidal ideation and behavior in bipolar disorder without any additional contribution of mixed symptoms. <i>Journal of Affective Disorders</i> , <b>2019</b> , 246, 775-7	782 <sup>6</sup>	15
292	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 156-170	1.2	5
291	Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 620-628	8.7	43
<b>2</b> 90	Impact, Diagnosis, Phenomenology, and Biology. <i>Handbook of Experimental Pharmacology</i> , <b>2019</b> , 250, 3-33	3.2	
289	Mixed state and suicide: Is the effect of mixed state on suicidal behavior more than the sum of its parts?. <i>Bipolar Disorders</i> , <b>2018</b> , 20, 35-41	3.8	21
288	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , <b>2018</b> , 173, 1705-1715.e16	56.2	360
287	Detecting significant genotype-phenotype association rules in bipolar disorder: market research meets complex genetics. <i>International Journal of Bipolar Disorders</i> , <b>2018</b> , 6, 24	5.4	4
286	Aggression, impulsivity and inflammatory markers as risk factors for suicidal behavior. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 106, 38-42	5.2	21

285	Risk of Psychosis in Recurrent Episodes of Psychotic and Nonpsychotic Major Depressive Disorder: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , <b>2018</b> , 175, 897-904	11.9	15
284	Body Composition in Adolescents During Treatment With Selective Serotonin Reuptake Inhibitors. <i>Pediatrics</i> , <b>2017</b> , 140,	7.4	13
283	A prospective follow-up study of younger and older subjects with pathological gambling. <i>Psychiatry Research</i> , <b>2017</b> , 256, 162-168	9.9	13
282	The Effect of Depression, Generalized Anxiety, and Selective Serotonin Reuptake Inhibitors on Change in Bone Metabolism in Adolescents and Emerging Adults. <i>Journal of Bone and Mineral Research</i> , <b>2017</b> , 32, 2367-2374	6.3	12
281	Polyunsaturated fatty acid composition and childhood adversity: Independent correlates of depressive symptom persistence. <i>Psychiatry Research</i> , <b>2017</b> , 256, 305-311	9.9	4
280	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 3383-3394	5.6	125
279	Risk factors for suicide in bipolar I disorder in two prospectively studied cohorts. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 1-5	6.6	14
278	Fat distribution and major depressive disorder in late adolescence. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, 84-9	4.6	11
277	Longitudinal study of low serum LDL cholesterol and depressive symptom onset in postmenopause. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, 212-20	4.6	10
276	A New Empirical Definition of Major Depressive Episode Recovery and Its Positive Impact on Future Course of Illness. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, 1065-73	4.6	23
275	Bipolar Illness <b>2016</b> , 53-78		
274	Schizoaffective and Schizophreniform Disorders <b>2016</b> , 121-135		1
273	Hippocampal subfield volumes in short- and long-term lithium-treated patients with bipolar I disorder. <i>Bipolar Disorders</i> , <b>2016</b> , 18, 352-62	3.8	26
272	Toxoplasmosis Titers and past Suicide Attempts Among Older Adolescents Initiating SSRI Treatment. <i>Archives of Suicide Research</i> , <b>2016</b> , 20, 605-13	2.3	10
271	The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 129	4.2	42
270	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , <b>2015</b> , 18, 199-209	25.5	572
269	Age at onset of DSM-IV pathological gambling in a non-treatment sample: Early- versus later-onset. <i>Comprehensive Psychiatry</i> , <b>2015</b> , 60, 40-6	7.3	20
268	Personality Disorders, Impulsiveness, and Novelty Seeking in Persons with DSM-IV Pathological Gambling and Their First-Degree Relatives. <i>Journal of Gambling Studies</i> , <b>2015</b> , 31, 1201-14	3	27

### (2013-2015)

267	Rare variants in neuronal excitability genes influence risk for bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 3576-81	11.5	112
266	Confirmatory test of two factors and four subtypes of bipolar disorder based on lifetime psychiatric co-morbidity. <i>Psychological Medicine</i> , <b>2015</b> , 45, 2181-96	6.9	7
265	Suicide Ideations, Suicide Attempts, and Completed Suicide in Persons with Pathological Gambling and Their First-Degree Relatives. <i>Suicide and Life-Threatening Behavior</i> , <b>2015</b> , 45, 700-9	3.9	32
264	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 735-43	15.1	39
263	Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 172, 453-61	6.6	12
262	The relationship of DSM-IV pathological gambling to compulsive buying and other possible spectrum disorders: results from the Iowa PG family study. <i>Psychiatry Research</i> , <b>2015</b> , 226, 273-6	9.9	64
261	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 283-94	11	161
<b>2</b> 60	Bipolar II disorder: reasons to recognize. <i>Journal of Clinical Psychiatry</i> , <b>2015</b> , 76, e222-3	4.6	1
259	Major depressive disorder and bone mass in adolescents and young adults. <i>Journal of Bone and Mineral Research</i> , <b>2014</b> , 29, 2230-7	6.3	32
258	Seasonal variation of depressive symptoms in unipolar major depressive disorder. <i>Comprehensive Psychiatry</i> , <b>2014</b> , 55, 1891-9	7.3	12
257	A direct, controlled, blind family study of DSM-IV pathological gambling. <i>Journal of Clinical Psychiatry</i> , <b>2014</b> , 75, 215-21	4.6	26
256	Omega-3 fatty acid biomarkers and subsequent depressive symptoms. <i>International Journal of Geriatric Psychiatry</i> , <b>2014</b> , 29, 747-57	3.9	26
255	Vascular mortality in participants of a bipolar genomics study. <i>Psychosomatics</i> , <b>2014</b> , 55, 485-90	2.6	20
254	Risk of suicidal behavior with antidepressants in bipolar and unipolar disorders. <i>Journal of Clinical Psychiatry</i> , <b>2014</b> , 75, 720-7	4.6	22
253	Posttraumatic stress disorder increases risk for suicide attempt in adults with recurrent major depression. <i>Depression and Anxiety</i> , <b>2013</b> , 30, 940-6	8.4	31
252	The role of inflammatory cytokines in suicidal behavior: a systematic review. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, 1672-86	1.2	93
251	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , <b>2013</b> , 45, 984-94	36.3	1628
250	Response to PDo the symptoms of bipolar disorder really show seasonal variation? P. Bipolar Disorders, 2013, 15, 811-2	3.8	

249	Age of onset and the prospectively observed course of illness in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2013</b> , 146, 34-8	6.6	41
248	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 497-511	15.1	853
247	Fear and panic in humans with bilateral amygdala damage. <i>Nature Neuroscience</i> , <b>2013</b> , 16, 270-2	25.5	213
246	Enrichment of cis-regulatory gene expression SNPs and methylation quantitative trait loci among bipolar disorder susceptibility variants. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 340-6	15.1	134
245	Seasonal variation of manic and depressive symptoms in bipolar disorder. <i>Bipolar Disorders</i> , <b>2013</b> , 15, 377-84	3.8	27
244	Overt irritability/anger in unipolar major depressive episodes: past and current characteristics and implications for long-term course. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 1171-80	14.5	115
243	Recovery from multiple episodes of bipolar I depression. <i>Journal of Clinical Psychiatry</i> , <b>2013</b> , 74, e205-1	14.6	7
242	Prevalence and clinical significance of subsyndromal manic symptoms, including irritability and psychomotor agitation, during bipolar major depressive episodes. <i>Journal of Affective Disorders</i> , <b>2012</b> , 138, 440-8	6.6	81
241	Course of illness following prospectively observed mania or hypomania in individuals presenting with unipolar depression. <i>Bipolar Disorders</i> , <b>2012</b> , 14, 664-71	3.8	14
240	Evidence for association of bipolar disorder to haplotypes in the 22q12.3 region near the genes stargazin, IFT27 and parvalbumin. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2012</b> , 159B, 941-50	3.5	10
239	Cholesterol fractions, symptom burden, and suicide attempts in mood disorders. <i>Psychiatry Research</i> , <b>2012</b> , 200, 1088-9	9.9	10
238	Chryptochrome 2 variants, chronicity, and seasonality of mood disorders. <i>Psychiatric Genetics</i> , <b>2012</b> , 22, 305-6	2.9	8
237	Antiepileptic drugs for bipolar disorder and the risk of suicidal behavior: a 30-year observational study. <i>American Journal of Psychiatry</i> , <b>2012</b> , 169, 285-91	11.9	36
236	Genome-wide significant association between a Rhegative mood delusions Pdimension in bipolar disorder and genetic variation on chromosome 3q26.1. <i>Translational Psychiatry</i> , <b>2012</b> , 2, e165	8.6	12
235	Vasculopathy related to manic/hypomanic symptom burden and first-generation antipsychotics in a sub-sample from the collaborative depression study. <i>Psychotherapy and Psychosomatics</i> , <b>2012</b> , 81, 235-	43 <sup>.4</sup>	44
234	Effects of anxiety on the long-term course of depressive disorders. <i>British Journal of Psychiatry</i> , <b>2012</b> , 200, 210-5	5.4	56
233	Cognition and nondysphoric depression among adoptees at high risk for psychopathology. <i>Comprehensive Psychiatry</i> , <b>2011</b> , 52, 498-506	7.3	1
232	Genome-wide association study of recurrent early-onset major depressive disorder. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 193-201	15.1	206

#### (2009-2011)

231	Novel loci for major depression identified by genome-wide association study of Sequenced Treatment Alternatives to Relieve Depression and meta-analysis of three studies. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 202-15	15.1	209
230	Factors associated with the prescribing of olanzapine, quetiapine, and risperidone in patients with bipolar and related affective disorders. <i>Pharmacotherapy</i> , <b>2011</b> , 31, 806-12	5.8	12
229	Subthreshold hypomanic symptoms in progression from unipolar major depression to bipolar disorder. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 40-8	11.9	148
228	The search for improved antidepressant strategies: is bigger better?. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 664-6	11.9	4
227	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , <b>2011</b> , 43, 977-83	36.3	1094
226	Genome-wide association of bipolar disorder suggests an enrichment of replicable associations in regions near genes. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002134	6	53
225	Longitudinal course of bipolar I disorder: duration of mood episodes. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 339-47		96
224	Mood disorder susceptibility gene CACNA1C modifies mood-related behaviors in mice and interacts with sex to influence behavior in mice and diagnosis in humans. <i>Biological Psychiatry</i> , <b>2010</b> , 68, 801-10	7.9	131
223	Cholesterol and affective morbidity. <i>Psychiatry Research</i> , <b>2010</b> , 175, 78-81	9.9	21
222	Do risk factors for suicidal behavior differ by affective disorder polarity?. <i>Psychological Medicine</i> , <b>2009</b> , 39, 763-71	6.9	29
221	Does major depressive disorder change with age?. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1689-95	6.9	14
220	Age transitions in the course of bipolar I disorder. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1247-52	6.9	16
219	Empirical typology of bipolar I mood episodes. British Journal of Psychiatry, 2009, 195, 525-30	5.4	9
218	Anxiety and outcome in bipolar disorder. American Journal of Psychiatry, 2009, 166, 1238-43	11.9	60
217	Genome-wide linkage and follow-up association study of postpartum mood symptoms. <i>American Journal of Psychiatry</i> , <b>2009</b> , 166, 1229-37	11.9	68
216	Genomewide association studies: history, rationale, and prospects for psychiatric disorders. <i>American Journal of Psychiatry</i> , <b>2009</b> , 166, 540-56	11.9	355
215	Singleton deletions throughout the genome increase risk of bipolar disorder. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 376-80	15.1	121
214	Genome-wide association study of bipolar disorder in European American and African American individuals. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 755-63	15.1	287

213	Maintenance treatment in bipolar disorder: a reassessment of lithium as the first choice. <i>Bipolar Disorders</i> , <b>2009</b> , 11 Suppl 2, 77-83	3.8	50
212	Manic/hypomanic symptom burden and cardiovascular mortality in bipolar disorder. <i>Psychosomatic Medicine</i> , <b>2009</b> , 71, 598-606	3.7	117
211	Effects of escitalopram on anxiety and respiratory responses to carbon dioxide inhalation in subjects at high risk for panic disorder: a placebo-controlled, crossover study. <i>Journal of Clinical Psychopharmacology</i> , <b>2009</b> , 29, 174-8	1.7	9
210	Defining and managing suicidal risk in patients taking psychotropic medications. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, 782-9	4.6	4
209	Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. <i>Bipolar Disorders</i> , <b>2008</b> , 10, 38-44	3.8	42
208	Predicting recovery from episodes of major depression. <i>Journal of Affective Disorders</i> , <b>2008</b> , 107, 285-97	16.6	32
207	HPA-axis hyperactivity and mortality in psychotic depressive disorder: preliminary findings. <i>Psychoneuroendocrinology</i> , <b>2008</b> , 33, 654-8	5	18
206	Rostral anterior cingulate cortex volume correlates with depressed mood in normal healthy children. <i>Biological Psychiatry</i> , <b>2008</b> , 63, 391-7	7.9	107
205	Psychosocial disability and work role function compared across the long-term course of bipolar I, bipolar II and unipolar major depressive disorders. <i>Journal of Affective Disorders</i> , <b>2008</b> , 108, 49-58	6.6	211
204	Residual symptom recovery from major affective episodes in bipolar disorders and rapid episode relapse/recurrence. <i>Archives of General Psychiatry</i> , <b>2008</b> , 65, 386-94		164
203	Evidence of association between brain-derived neurotrophic factor gene and bipolar disorder. <i>Psychiatric Genetics</i> , <b>2008</b> , 18, 267-74	2.9	47
202	Genome-wide parametric linkage analyses of 644 bipolar pedigrees suggest susceptibility loci at chromosomes 16 and 20. <i>Psychiatric Genetics</i> , <b>2008</b> , 18, 191-8	2.9	12
201	Schizoaffective and Schizophreniform Disorders <b>2008</b> , 109-123		
200	The facets of melancholia. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 115, 31-6	6.5	27
199	Melancholia: Beyond DSM, Beyond Neurotransmitters, May 2월, 2006, Copenhagen Marriott. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 115, 136-183	6.5	3
198	The association between course of illness and subsequent morbidity in bipolar I disorder. <i>Journal of Psychiatric Research</i> , <b>2007</b> , 41, 80-9	5.2	7
197	Mood-incongruent psychotic features in bipolar disorder: familial aggregation and suggestive linkage to 2p11-q14 and 13q21-33. <i>American Journal of Psychiatry</i> , <b>2007</b> , 164, 236-47	11.9	75
196	Bupropion in the treatment of pathological gambling: a randomized, double-blind, placebo-controlled, flexible-dose study. <i>Journal of Clinical Psychopharmacology</i> , <b>2007</b> , 27, 143-50	1.7	110

195	Combined biological tests for suicide prediction. <i>Psychiatry Research</i> , <b>2007</b> , 150, 187-91	9.9	62
194	Cholesterol and suicide attempts: a prospective study of depressed inpatients. <i>Psychiatry Research</i> , <b>2007</b> , 152, 11-20	9.9	65
193	Is perinatal depression familial?. Journal of Affective Disorders, 2006, 90, 49-55	6.6	73
192	Anxiety responses to CO2 inhalation in subjects at high-risk for panic disorder. <i>Journal of Affective Disorders</i> , <b>2006</b> , 92, 63-70	6.6	37
191	Hyperactivity of the hypothalamic-pituitary-adrenal axis and mortality in major depressive disorder. <i>Psychiatry Research</i> , <b>2006</b> , 142, 99-104	9.9	55
190	Onset of spontaneous panic attacks: a prospective study of risk factors. <i>Psychosomatic Medicine</i> , <b>2006</b> , 68, 754-7	3.7	13
189	Clinical assessment of suicide risk in depressive disorder. CNS Spectrums, 2006, 11, 455-61	1.8	11
188	Distinguishing bipolar major depression from unipolar major depression with the screening assessment of depression-polarity (SAD-P). <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67, 434-42	4.6	50
187	Suicide and the hypothalamic-pituitary-adrenal axis. <i>Lancet, The</i> , <b>2005</b> , 366, 959-61	40	10
186	Combined analysis from eleven linkage studies of bipolar disorder provides strong evidence of susceptibility loci on chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , <b>2005</b> , 77, 582-95	11	192
185	Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study. <i>Archives of General Psychiatry</i> , <b>2005</b> , 62, 1322-30		428
184	Rapid cycling bipolar disorder: clinical characteristics and treatment options. CNS Drugs, 2005, 19, 557-	-6 <b>%</b> .7	22
183	Evidence of association between bipolar disorder and Citron on chromosome 12q24. <i>Molecular Psychiatry</i> , <b>2005</b> , 10, 807-9	15.1	30
182	Subgenual prefrontal cortex volumes in major depressive disorder and schizophrenia: diagnostic specificity and prognostic implications. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 1706-12	11.9	127
181	Tachyphylaxis in unipolar major depressive disorder. <i>Journal of Clinical Psychiatry</i> , <b>2005</b> , 66, 283-90	4.6	40
180	Clinical predictors of suicide in primary major depressive disorder. <i>Journal of Clinical Psychiatry</i> , <b>2005</b> , 66, 412-7	4.6	156
179	Illness prediction in psychiatry. Acta Psychiatrica Scandinavica, 2004, 109, 323-4	6.5	1
178	Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin. <i>Nature Genetics</i> , <b>2004</b> , 36, 783-4; author reply 784-5	36.3	54

177	Comorbid major depression and panic disorder: significance of temporal sequencing to familial transmission. <i>Journal of Affective Disorders</i> , <b>2004</b> , 82, 119-23	6.6	7
176	The Course of Depression in Elderly Patients. <i>American Journal of Geriatric Psychiatry</i> , <b>2004</b> , 12, 22-29	6.5	42
175	Loci on chromosomes 6q and 6p interact to increase susceptibility to bipolar affective disorder in the national institute of mental health genetics initiative pedigrees. <i>Biological Psychiatry</i> , <b>2004</b> , 56, 18-2	23 <sup>7.9</sup>	59
174	Psychosocial impairment and recurrence of major depression. <i>Comprehensive Psychiatry</i> , <b>2004</b> , 45, 423-	<b>39</b> .3	82
173	The course of depression in elderly patients. American Journal of Geriatric Psychiatry, 2004, 12, 22-9	6.5	14
172	The long-term course of rapid-cycling bipolar disorder. <i>Archives of General Psychiatry</i> , <b>2003</b> , 60, 914-20		191
171	Long-term symptomatic status of bipolar I vs. bipolar II disorders. <i>International Journal of Neuropsychopharmacology</i> , <b>2003</b> , 6, 127-37	5.8	259
170	A 20-year longitudinal observational study of somatic antidepressant treatment effectiveness. <i>American Journal of Psychiatry</i> , <b>2003</b> , 160, 727-33	11.9	46
169	The comparative clinical phenotype and long term longitudinal episode course of bipolar I and II: a clinical spectrum or distinct disorders?. <i>Journal of Affective Disorders</i> , <b>2003</b> , 73, 19-32	6.6	259
168	Association of an exonic LDHA polymorphism with altered respiratory response in probands at high risk for panic disorder. <i>American Journal of Medical Genetics Part A</i> , <b>2003</b> , 117B, 11-7		13
167	Genomewide linkage analyses of bipolar disorder: a new sample of 250 pedigrees from the National Institute of Mental Health Genetics Initiative. <i>American Journal of Human Genetics</i> , <b>2003</b> , 73, 107-14	11	186
166	A prospective investigation of the natural history of the long-term weekly symptomatic status of bipolar II disorder. <i>Archives of General Psychiatry</i> , <b>2003</b> , 60, 261-9		860
165	Unipolar mania over the course of a 20-year follow-up study. <i>American Journal of Psychiatry</i> , <b>2003</b> , 160, 2049-51	11.9	44
164	The prospectively observed course of illness among depressed patients who commit suicide. <i>Acta Psychiatrica Scandinavica</i> , <b>2002</b> , 105, 218-23	6.5	22
163	Lithium and suicidal behavior in major affective disorder: a case-control study. <i>Acta Psychiatrica Scandinavica</i> , <b>2001</b> , 104, 193-7	6.5	19
162	The significance of psychotic features in manic episodes: a report from the NIMH collaborative study. <i>Journal of Affective Disorders</i> , <b>2001</b> , 67, 79-88	6.6	107
161	The dexamethasone suppression test and suicide prediction. <i>American Journal of Psychiatry</i> , <b>2001</b> , 158, 748-53	11.9	237
160	Aberrant respiratory sensitivity to CO(2) as a trait of familial panic disorder. <i>Biological Psychiatry</i> , <b>2001</b> , 49, 582-7	7.9	54

#### (1998-2000)

159	Charting patients Pcourse: a comparison of statistics used to summarize patient course in longitudinal and repeated measures studies. <i>Journal of Psychiatric Research</i> , <b>2000</b> , 34, 105-13	5.2	21
158	Psychosocial disability during the long-term course of unipolar major depressive disorder. <i>Archives of General Psychiatry</i> , <b>2000</b> , 57, 375-80		420
157	Multiple recurrences of major depressive disorder. American Journal of Psychiatry, 2000, 157, 229-33	11.9	517
156	Family history and symptom levels during treatment for bipolar I affective disorder. <i>Biological Psychiatry</i> , <b>2000</b> , 47, 1034-42	7.9	39
155	Augmentation Strategies for Inadequate Antidepressant Response: A Review of Placebo-Controlled Studies. <i>Annals of Clinical Psychiatry</i> , <b>2000</b> , 12, 141-146	1.4	9
154	Course of treatment received by depressed patients. <i>Journal of Psychiatric Research</i> , <b>1999</b> , 33, 233-42	5.2	13
153	Long-term prognosis of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>1999</b> , 99, 110-9	6.5	69
152	The 35% CO2 inhalation procedure: test-retest reliability. <i>Biological Psychiatry</i> , <b>1999</b> , 45, 923-7	7.9	30
151	Persistence of depressive symptoms and cardiovascular death among patients with affective disorder. <i>Psychosomatic Medicine</i> , <b>1999</b> , 61, 755-61	3.7	18
150	Cigarette Smoking and Psychiatric Disorder in a Community Sample. <i>Annals of Clinical Psychiatry</i> , <b>1999</b> , 11, 129-136	1.4	52
149	Polarity sequence, depression, and chronicity in bipolar I disorder. <i>Journal of Nervous and Mental Disease</i> , <b>1999</b> , 187, 181-7	1.8	30
148	Failure to demonstrate parent-of-origin effect in transmission of bipolar II disorder. <i>Journal of Affective Disorders</i> , <b>1998</b> , 50, 135-41	6.6	16
147	Maintenance strategies for unipolar depression: an observational study of levels of treatment and recurrence. <i>Journal of Affective Disorders</i> , <b>1998</b> , 49, 31-44	6.6	36
146	Bipolar I affective disorder: predictors of outcome after 15 years. <i>Journal of Affective Disorders</i> , <b>1998</b> , 50, 109-16	6.6	104
145	Alcoholism and drug abuse in three groupsbipolar I, unipolars and their acquaintances. <i>Journal of Affective Disorders</i> , <b>1998</b> , 50, 81-9	6.6	112
144	Major depressive disorder: a prospective study of residual subthreshold depressive symptoms as predictor of rapid relapse. <i>Journal of Affective Disorders</i> , <b>1998</b> , 50, 97-108	6.6	449
143	A prospective 12-year study of subsyndromal and syndromal depressive symptoms in unipolar major depressive disorders. <i>Archives of General Psychiatry</i> , <b>1998</b> , 55, 694-700		577
142	Lithium discontinuation and subsequent effectiveness. <i>American Journal of Psychiatry</i> , <b>1998</b> , 155, 895-8	3 11.9	42

141	Haloperidol plasma levels and dose optimization. American Journal of Psychiatry, 1998, 155, 48-53	11.9	37
140	Lithium and recurrence in a long-term follow-up of bipolar affective disorder. <i>Psychological Medicine</i> , <b>1997</b> , 27, 281-9	6.9	38
139	Hypersensitivity to carbon dioxide as a disease-specific trait marker. <i>Biological Psychiatry</i> , <b>1997</b> , 41, 259	- <del>6</del> 3 <sub>9</sub>	69
138	Do psychotic, minor and intermittent depressive disorders exist on a continuum?. <i>Journal of Affective Disorders</i> , <b>1997</b> , 45, 75-83	6.6	24
137	The Effects of Major Depression on Alcoholism. <i>American Journal on Addictions</i> , <b>1996</b> , 5, 144-155	3.7	1
136	Personality traits in subjects with bipolar I disorder in remission. <i>Journal of Affective Disorders</i> , <b>1996</b> , 40, 41-8	6.6	45
135	Schizophrenia and affective disorderdistinct entities or continuum?: an analysis based on a prospective 6-year follow-up. <i>Comprehensive Psychiatry</i> , <b>1996</b> , 37, 77-87	7.3	17
134	The Effects of Major Depression on Alcoholism:Five-Year Course. <i>American Journal on Addictions</i> , <b>1996</b> , 5, 144-155	3.7	36
133	Five-year course of major depression: effects of comorbid alcoholism. <i>Journal of Affective Disorders</i> , <b>1996</b> , 41, 63-70	6.6	90
132	Familial alcoholism in manic-depressive (bipolar) disease. <i>American Journal of Medical Genetics Part A</i> , <b>1996</b> , 67, 197-201		31
132 131			31 46
	A, 1996, 67, 197-201  Parent-of-origin effect in transmission of bipolar disorder. American Journal of Medical Genetics	2.6	
131	A, 1996, 67, 197-201  Parent-of-origin effect in transmission of bipolar disorder. American Journal of Medical Genetics Part A, 1996, 67, 546-50  Course and outcome of conversion and somatization disorders. A four-year follow-up.	2.6	46
131	A, 1996, 67, 197-201  Parent-of-origin effect in transmission of bipolar disorder. American Journal of Medical Genetics Part A, 1996, 67, 546-50  Course and outcome of conversion and somatization disorders. A four-year follow-up. Psychosomatics, 1995, 36, 138-44  The likelihood of recurrence in bipolar affective disorder: the importance of episode recency.	6.6	46
131 130 129	Parent-of-origin effect in transmission of bipolar disorder. American Journal of Medical Genetics Part A, 1996, 67, 546-50  Course and outcome of conversion and somatization disorders. A four-year follow-up. Psychosomatics, 1995, 36, 138-44  The likelihood of recurrence in bipolar affective disorder: the importance of episode recency. Journal of Affective Disorders, 1995, 33, 201-6	6.6	46 57 53
131 130 129 128	Parent-of-origin effect in transmission of bipolar disorder. American Journal of Medical Genetics Part A, 1996, 67, 546-50  Course and outcome of conversion and somatization disorders. A four-year follow-up. Psychosomatics, 1995, 36, 138-44  The likelihood of recurrence in bipolar affective disorder: the importance of episode recency. Journal of Affective Disorders, 1995, 33, 201-6  Affective illness in family members and matched controls. Acta Psychiatrica Scandinavica, 1995, 91, 146- The time course of nonchronic major depressive disorder. Uniformity across episodes and samples. National Institute of Mental Health Collaborative Program on the Psychobiology of	6.6	46 57 53 6
131 130 129 128	Parent-of-origin effect in transmission of bipolar disorder. American Journal of Medical Genetics Part A, 1996, 67, 546-50  Course and outcome of conversion and somatization disorders. A four-year follow-up. Psychosomatics, 1995, 36, 138-44  The likelihood of recurrence in bipolar affective disorder: the importance of episode recency. Journal of Affective Disorders, 1995, 33, 201-6  Affective illness in family members and matched controls. Acta Psychiatrica Scandinavica, 1995, 91, 146-  The time course of nonchronic major depressive disorder. Uniformity across episodes and samples. National Institute of Mental Health Collaborative Program on the Psychobiology of DepressionClinical Studies. Archives of General Psychiatry, 1994, 51, 405-10  Recurrently situational (reactive) depression: a study of course, phenomenology and familial	6.6 -515	<ul><li>46</li><li>57</li><li>53</li><li>6</li><li>79</li></ul>

123	Prognostic effect of the variable course of alcoholism on the 10-year course of depression. <i>American Journal of Psychiatry</i> , <b>1994</b> , 151, 701-6	11.9	130
122	Further distinctions between manic-depressive illness (bipolar disorder) and primary depressive disorder (unipolar depression). <i>American Journal of Psychiatry</i> , <b>1993</b> , 150, 1176-81	11.9	142
121	A method to detect intercenter differences in the application of contemporary diagnostic criteria. Journal of Nervous and Mental Disease, <b>1993</b> , 181, 130-4	1.8	7
120	Bipolar I: a five-year prospective follow-up. <i>Journal of Nervous and Mental Disease</i> , <b>1993</b> , 181, 238-45	1.8	124
119	Comparison of four diagnostic systems for the diagnosis of somatization disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>1993</b> , 88, 311-5	6.5	11
118	Rapidly cycling affective disorder. Demographics, diagnosis, family history, and course. <i>Archives of General Psychiatry</i> , <b>1992</b> , 49, 126-31		188
117	Hypothalamic-pituitary-adrenal axis hyperactivity and psychosis: recovery during an 8-year follow-up. <i>American Journal of Psychiatry</i> , <b>1992</b> , 149, 1033-9	11.9	35
116	Major depression in a nonclinical sample. Demographic and clinical risk factors for first onset. <i>Archives of General Psychiatry</i> , <b>1992</b> , 49, 117-25		91
115	Alcoholism and primary major depression: a family study approach to co-existing disorders. <i>Journal of Affective Disorders</i> , <b>1992</b> , 24, 93-9	6.6	46
114	Familial subtypes of unipolar depression: a prospective study of familial pure depressive disease compared to depression spectrum disease. <i>Biological Psychiatry</i> , <b>1992</b> , 32, 1012-8	7.9	32
113	Association between post-dexamethasone cortisol level and blood pressure in depressed inpatients. <i>Journal of Nervous and Mental Disease</i> , <b>1991</b> , 179, 44-7	1.8	17
112	Follow-up and family study of anxious depression. American Journal of Psychiatry, 1991, 148, 1512-7	11.9	191
111	Somatization and conversion disorders: comorbidity and demographics at presentation. <i>Acta Psychiatrica Scandinavica</i> , <b>1991</b> , 84, 288-93	6.5	82
110	Major depression and personality disorder. <i>Journal of Affective Disorders</i> , <b>1991</b> , 22, 199-210	6.6	50
109	The prognostic significance of HPA-axis disturbance in panic disorder: a three-year follow-up. <i>Biological Psychiatry</i> , <b>1991</b> , 29, 96-102	7.9	24
108	Haloperidol plasma levels and acute clinical change in schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , <b>1990</b> , 10, 397-402	1.7	17
107	Pharmacokinetic Protocol for Predicting Plasma. <i>Journal of Clinical Psychopharmacology</i> , <b>1990</b> , 10, 207?	??32 <del>/</del> 12	6
106	DSM-III personality disorder dimensions. <i>Journal of Nervous and Mental Disease</i> , <b>1990</b> , 178, 686-92	1.8	55

105	Relationship of electroconvulsive therapy to course in affective illness: a collaborative study. <i>European Archives of Psychiatry and Neurological Sciences</i> , <b>1990</b> , 240, 54-9		9
104	Reduced haloperidol plasma concentration and clinical response in acute exacerbations of schizophrenia. <i>Psychopharmacology</i> , <b>1990</b> , 102, 514-20	4.7	15
103	What Happens When ECT Does Not Work? A Prospective Follow-up Study of ECT Failures. <i>Annals of Clinical Psychiatry</i> , <b>1990</b> , 2, 47-51	1.4	3
102	Affective syndromes, psychotic features, and prognosis. II. Mania. <i>Archives of General Psychiatry</i> , <b>1990</b> , 47, 658-62		51
101	Affective syndromes, psychotic features, and prognosis. I. Depression. <i>Archives of General Psychiatry</i> , <b>1990</b> , 47, 651-7		45
100	The influence of cigarette smoking on haloperidol pharmacokinetics. <i>Biological Psychiatry</i> , <b>1990</b> , 28, 52	.9 <i>-</i> 31J	38
99	DST abnormality as a predictor of course in major depression. <i>Journal of Affective Disorders</i> , <b>1990</b> , 19, 163-9	6.6	33
98	Anxiety Secondary to Depression. <i>Psychiatric Clinics of North America</i> , <b>1990</b> , 13, 685-698	3.1	6
97	NIMH Collaborative Program on the Psychobiology of Depression: clinical. <i>Genetic Epidemiology</i> , <b>1989</b> , 6, 179-82	2.6	6
96	HPA axis disturbance in obsessive-compulsive disorder. <i>Psychiatry Research</i> , <b>1989</b> , 30, 243-51	9.9	24
95	Alprazolam for psychotic depression. <i>Biological Psychiatry</i> , <b>1989</b> , 25, 367-9	7.9	3
94	The significance of HPA axis disturbance in panic disorder. <i>Biological Psychiatry</i> , <b>1989</b> , 25, 989-1002	7.9	46
93	Bipolar II illness: course and outcome over a five-year period. <i>Psychological Medicine</i> , <b>1989</b> , 19, 129-41	6.9	153
92	Bipolar affective disorder and high achievement: a familial association. <i>American Journal of Psychiatry</i> , <b>1989</b> , 146, 983-8	11.9	74
91	Dr. Coryell and Mr. Zimmerman Reply. American Journal of Psychiatry, 1989, 146, 1649-1649	11.9	42
90	The Reliability of Personality Disorder Diagnoses in a Nonpatient Sample. Journal of Personality	2.6	27
	Disorders, <b>1989</b> , 3, 53-57	2.0	,
89	Disorders, <b>1989</b> , 3, 53-57  Baseline neuroendocrine function and diagnostic stability among patients with a nonmanic psychosis. European Archives of Psychiatry and Neurological Sciences, <b>1988</b> , 237, 197-9	2.0	9

87	HPA axis disturbance and treatment outcome in panic disorder. <i>Biological Psychiatry</i> , <b>1988</b> , 24, 762-6	7.9	20
86	Diagnosis and outcome in schizo-affective depression: a replication. <i>Journal of Affective Disorders</i> , <b>1988</b> , 15, 21-7	6.6	7
85	Bipolar versus unipolar and primary versus secondary affective disorder: which diagnosis takes precedence?. <i>Journal of Affective Disorders</i> , <b>1988</b> , 15, 69-80	6.6	14
84	Past loss as a symptom formation factor in depression. <i>Journal of Affective Disorders</i> , <b>1988</b> , 14, 235-7	6.6	
83	The heritability of schizophrenia and schizoaffective disorder. A family study. <i>Archives of General Psychiatry</i> , <b>1988</b> , 45, 323-7		83
82	Family history and five-year suicide risk. British Journal of Psychiatry, 1988, 153, 805-9	5.4	7
81	Panic Disorder and Mortality. Psychiatric Clinics of North America, 1988, 11, 433-440	3.1	32
80	The inventory to diagnose depression, lifetime version. <i>Acta Psychiatrica Scandinavica</i> , <b>1987</b> , 75, 495-9	6.5	116
79	The importance of psychotic features to major depression: course and outcome during a 2-year follow-up. <i>Acta Psychiatrica Scandinavica</i> , <b>1987</b> , 75, 78-85	6.5	36
78	The Inventory to Diagnose Depression (IDD): A self-report scale to diagnose major depressive disorder <i>Journal of Consulting and Clinical Psychology</i> , <b>1987</b> , 55, 55-59	6.5	213
77	HPA-axis abnormalities in psychiatrically well controls. <i>Psychiatry Research</i> , <b>1987</b> , 20, 265-73	9.9	18
76	Primary and secondary affective disorders: unipolar patients compared on familial aggregation. <i>Comprehensive Psychiatry</i> , <b>1987</b> , 28, 113-26	7.3	24
75	Schizo-affective disorders: bipolar-unipolar subtyping. Natural history variables: a discriminant analysis approach. <i>Journal of Affective Disorders</i> , <b>1987</b> , 12, 223-32	6.6	43
74	Primary and secondary affective disorders: baseline characteristics of unipolar patients. <i>Journal of Affective Disorders</i> , <b>1987</b> , 13, 249-57	6.6	11
73	Validity of an operational definition for neurotic unipolar major depression. <i>Journal of Affective Disorders</i> , <b>1987</b> , 12, 29-40	6.6	15
72	Outcome in RDC schizo-affective depression: the importance of diagnostic subtyping. <i>Journal of Affective Disorders</i> , <b>1987</b> , 12, 47-56	6.6	8
71	The dexamethasone suppression test in healthy controls. <i>Psychoneuroendocrinology</i> , <b>1987</b> , 12, 245-51	5	29
70	Outcome and Family Studies of Bipolar II Depression. <i>Psychiatric Annals</i> , <b>1987</b> , 17, 28-31	0.5	2

69	Seizures following the withdrawal of alprazolam. <i>Journal of Nervous and Mental Disease</i> , <b>1986</b> , 174, 50-7	21.8	25
68	Outcome at discharge and six months in major depression. The significance of psychotic features. Journal of Nervous and Mental Disease, <b>1986</b> , 174, 92-6	1.8	24
67	Mortality among outpatients with anxiety disorders. American Journal of Psychiatry, 1986, 143, 508-10	11.9	175
66	Evaluation of symptoms of major depressive disorder. Self-report vs. clinician ratings. <i>Journal of Nervous and Mental Disease</i> , <b>1986</b> , 174, 150-3	1.8	49
65	Demographic, historical, and symptomatic features of the nonmanic psychoses. <i>Journal of Nervous and Mental Disease</i> , <b>1986</b> , 174, 585-92	1.8	16
64	An American validation study of the Newcastle scale. III. Course during index hospitalization and six-month prospective follow-up. <i>Acta Psychiatrica Scandinavica</i> , <b>1986</b> , 73, 412-5	6.5	4
63	Dysfunctional Attitudes in endogenous and nonendogenous depressed inpatients. <i>Cognitive Therapy and Research</i> , <b>1986</b> , 10, 339-346	2.7	8
62	The effect of state anxiety on personality measurement. American Journal of Psychiatry, 1986, 143, 760	- <b>3</b> 1.9	131
61	Heterogeneity in psychotic depression. Comprehensive Psychiatry, 1986, 27, 430-8	7.3	7
60	Schizoaffective, psychotic, and nonpsychotic depression: differential familial association. <i>Comprehensive Psychiatry</i> , <b>1986</b> , 27, 1-13	7.3	15
59	DSM-III personality disorders: diagnostic overlap and internal consistency of individual DSM-III criteria. <i>Comprehensive Psychiatry</i> , <b>1986</b> , 27, 21-34	7.3	170
58	Are serial dexamethasone suppression tests useful in electroconvulsive therapy?. <i>Journal of Affective Disorders</i> , <b>1986</b> , 10, 59-66	6.6	12
57	The relationship between age and post-dexamethasone cortisol: a test of three hypotheses. Journal of Affective Disorders, <b>1986</b> , 11, 185-97	6.6	35
56	Body weight and reported versus measured weight loss as confounders of the dexamethasone suppression test. <i>Biological Psychiatry</i> , <b>1986</b> , 21, 931-8	7.9	10
55	Validity of the Hamilton Endogenous Subscale: an independent replication. <i>Psychiatry Research</i> , <b>1986</b> , 18, 209-15	9.9	7
54	The stability of diagnosis with an application to bipolar II disorder. <i>Psychiatry Research</i> , <b>1986</b> , 19, 285-96	9.9	76
53	Outcome after 40 years in DSM-III schizophreniform disorder. <i>Archives of General Psychiatry</i> , <b>1986</b> , 43, 324-8		23
52	Dysfunctional attitudes and attribution style in healthy controls and patients with schizophrenia, psychotic depression, and nonpsychotic depression <i>Journal of Abnormal Psychology</i> , <b>1986</b> , 95, 403-405	7	22

51	Hysterical Conversion Reactions: A Clinical Guide to Diagnosis and Treatment. <i>American Journal of Psychiatry</i> , <b>1985</b> , 142, 772-772	11.9	28
50	Bipolar I, bipolar II, and nonbipolar major depression among the relatives of affectively ill probands. <i>American Journal of Psychiatry</i> , <b>1985</b> , 142, 817-21	11.9	53
49	Phenomenology and family history in DSM-III psychotic depression. <i>Journal of Affective Disorders</i> , <b>1985</b> , 9, 13-8	6.6	36
48	Short-term prognosis in primary and secondary major depression. <i>Journal of Affective Disorders</i> , <b>1985</b> , 9, 265-70	6.6	16
47	Bipolar II. Combine or keep separate?. Journal of Affective Disorders, 1985, 8, 17-28	6.6	179
46	Four definitions of endogenous depression and the dexamethasone suppression test. <i>Journal of Affective Disorders</i> , <b>1985</b> , 8, 37-45	6.6	41
45	Outcome with desipramine therapy in subtypes of nonpsychotic major depression. <i>Journal of Affective Disorders</i> , <b>1985</b> , 9, 149-54	6.6	18
44	The categorical and dimensional models of endogenous depression. <i>Journal of Affective Disorders</i> , <b>1985</b> , 9, 181-6	6.6	4
43	The research diagnostic criteria for endogenous depression and the dexamethasone suppression test: a discriminant function analysis. <i>Psychiatry Research</i> , <b>1985</b> , 14, 197-208	9.9	16
42	Tritiated imipramine binding to platelets is decreased in patients with agoraphobia. <i>Psychiatry Research</i> , <b>1985</b> , 16, 1-9	9.9	60
41	The treatment validity of DSM-III melancholic subtyping. <i>Psychiatry Research</i> , <b>1985</b> , 16, 37-43	9.9	17
40	Iowa Discriminant Index for endogenous depression: family history correlates. <i>Psychiatry Research</i> , <b>1985</b> , 16, 45-50	9.9	2
39	Abnormal escape from dexamethasone suppression in agoraphobia with panic attacks. <i>Psychiatry Research</i> , <b>1985</b> , 15, 301-11	9.9	40
38	Outcome Following Electroconvulsive Therapy: A Comparison of Primary and Secondary Depression. <i>Convulsive Therapy</i> , <b>1985</b> , 1, 10-14		7
37	Outcome in schizoaffective, psychotic, and nonpsychotic depression. Course during a six- to 24-month follow-up. <i>Archives of General Psychiatry</i> , <b>1984</b> , 41, 787-91		89
36	Diagnosing RDC endogenous depression and DSM-III melancholia. <i>Psychiatry Research</i> , <b>1984</b> , 12, 173-6	9.9	4
35	Influence of age on the cortisol response to dexamethasone. <i>Psychiatry Research</i> , <b>1984</b> , 13, 213-20	9.9	70
34	Life Stress: A Companion to the Life Sciences, Vol. III; Psychosocial Aspects of Depression: No Way Out?. <i>American Journal of Psychiatry</i> , <b>1984</b> , 141, 455-456	11.9	9

33	Attribution style, the dexamethasone suppression test, and the diagnosis of melancholia in depressed inpatients <i>Journal of Abnormal Psychology</i> , <b>1984</b> , 93, 373-377	7	16
32	Serial dexamethasone suppression test results during antidepressant therapy: relationship to diagnosis and clinical change. <i>Psychiatry Research</i> , <b>1983</b> , 10, 165-74	9.9	17
31	Dexamethasone suppression test response in major depression: stability across hospitalizations. <i>Psychiatry Research</i> , <b>1983</b> , 8, 179-89	9.9	21
30	Panic disorder and primary unipolar depression. A comparison of background and outcome. <i>Journal of Affective Disorders</i> , <b>1983</b> , 5, 311-7	6.6	46
29	Multiple personality and primary affective disorder. <i>Journal of Nervous and Mental Disease</i> , <b>1983</b> , 171, 388-90	1.8	9
28	"Double depression": two-year follow-up. <i>American Journal of Psychiatry</i> , <b>1983</b> , 140, 689-94	11.9	199
27	Excess mortality in panic disorder. A comparison with primary unipolar depression. <i>Archives of General Psychiatry</i> , <b>1982</b> , 39, 701-3		276
26	Primary unipolar depression and the prognostic importance of delusions. <i>Archives of General Psychiatry</i> , <b>1982</b> , 39, 1181-4		71
25	Suicidal Behavior and the DST: Lack of Association. <i>American Journal of Psychiatry</i> , <b>1982</b> , 139, 1214-1214	411.9	16
24	Early improvement as a predictor of response to amitriptyline and nortriptyline: a comparison of 2 patient samples. <i>Psychological Medicine</i> , <b>1982</b> , 12, 135-9	6.9	28
23	DSM-III schizophreniform disorder. Comparisons with schizophrenia and affective disorder. <i>Archives of General Psychiatry</i> , <b>1982</b> , 39, 66-9		60
22	Hypothalamic-pituitary-adrenal axis abnormality and ECT response. <i>Psychiatry Research</i> , <b>1982</b> , 6, 283-91	9.9	23
21	Dexamethasone nonsuppression predicts the antidepressant effects of sleep deprivation. <i>Psychiatry Research</i> , <b>1982</b> , 6, 61-64	9.9	26
20	Hypomania. <i>Journal of Affective Disorders</i> , <b>1982</b> , 4, 167-71	6.6	10
19	Psychotic features in major depression. Is mood congruence important?. <i>Journal of Affective Disorders</i> , <b>1982</b> , 4, 227-36	6.6	50
18	BriquetB syndrome (somatization disorder) and primary depression: comparison of background and outcome. <i>Comprehensive Psychiatry</i> , <b>1981</b> , 22, 249-56	7.3	31
17	Obsessive-compulsive disorder and primary unipolar depression. Comparisons of background, family history, course, and mortality. <i>Journal of Nervous and Mental Disease</i> , <b>1981</b> , 169, 220-4	1.8	79
16	Diagnosis-specific mortality. Primary unipolar depression and Briquetß syndrome (somatization disorder). <i>Archives of General Psychiatry</i> , <b>1981</b> , 38, 939-42		62

#### LIST OF PUBLICATIONS

15	Psychotropic Drugs <b>P</b> lasma Concentration and Clinical Response: Experimental and Clinical Psychiatry Series, Vol. 4. <i>American Journal of Psychiatry</i> , <b>1981</b> , 138, 1520-1520	11.9	31
14	A blind family history study of Briquetß syndrome. Further validation of the diagnosis. <i>Archives of General Psychiatry</i> , <b>1980</b> , 37, 1266-9		36
13	Mania During Adolescence. Journal of Nervous and Mental Disease, 1980, 168, 611-613	1.8	11
12	Slow tricyclic antidepressant metabolism, polypharmacy, and cardiac arrest. <i>American Journal of Psychiatry</i> , <b>1980</b> , 137, 108-9	11.9	3
11	Diagnostic instability and depression. American Journal of Psychiatry, 1980, 137, 48-51	11.9	10
10	Symptoms as predictors of response to amitriptyline and nortriptyline the plasma level variable. <i>Journal of Affective Disorders</i> , <b>1980</b> , 2, 27-35	6.6	10
9	Should Mon-Feighner schizophrenia Pbe classified with affective disorder?. <i>Journal of Affective Disorders</i> , <b>1979</b> , 1, 3-8	6.6	9
8	Psychosis-induced rhabdomyolysis. <i>Lancet, The</i> , <b>1978</b> , 2, 381-2	40	15
7	Clinical assessment: use of nonphysician interviewers. <i>Journal of Nervous and Mental Disease</i> , <b>1978</b> , 166, 599-606	1.8	34
6	Doxepin kinetics. Clinical Pharmacology and Therapeutics, 1978, 23, 573-9	6.1	45
5	Protriptyline kinetics. Clinical Pharmacology and Therapeutics, 1978, 23, 580-4	6.1	17
4	Psychopharmacology of mood disorders481-497		
3	Phenomenological approaches to the schizoaffective spectrum133-144		
2	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
1	Characterization of Age and Polarity at Onset in Bipolar Disorder		1