

Xia-Xia Luo Mb

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9091251/xia-xia-luo-mb-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25 papers	306 citations	10 h-index	16 g-index
34 ext. papers	374 ext. citations	4.8 avg, IF	2.44 L-index

#	Paper	IF	Citations
25	Incremental prognostic value of multichamber deformation imaging and renal function status to predict adverse outcome in heart failure with reduced ejection fraction. <i>Echocardiography</i> , 2018 , 35, 450-458	1.5	7
24	Does Masked Hypertension Cause Early Left Ventricular Impairment in Youth?. <i>Frontiers in Pediatrics</i> , 2018 , 6, 167	3.4	6
23	Automated left heart chamber volumetric assessment using three-dimensional echocardiography in Chinese adolescents. <i>Journal of Animal Science and Technology</i> , 2017 , 4, 53-61	1.6	7
22	Improvement of long-term survival by cardiac contractility modulation in heart failure patients: A case-control study. <i>International Journal of Cardiology</i> , 2016 , 206, 122-6	3.2	30
21	Importance of chronotropic response and left ventricular long-axis function for exercise performance in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , 2016 , 202, 339-43	3.2	7
20	Detrimental effects of cardiac resynchronization therapy on the non-responders. <i>International Journal of Cardiology</i> , 2015 , 197, 203-5	3.2	1
19	Advantageous effect of biventricular pacing on cardiac function and coronary flow: A case report. <i>International Journal of Cardiology</i> , 2015 , 190, 236-8	3.2	1
18	Deterioration of left ventricular systolic function in extended Pacing to Avoid Cardiac Enlargement (PACE) trial: the predictive value of early systolic dyssynchrony. <i>Europace</i> , 2015 , 17 Suppl 2, ii47-53	3.9	2
17	Left ventricular long-axis performance during exercise is an important prognosticator in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , 2015 , 178, 131-5	3.2	34
16	Cardiac Resynchronisation Therapy and Heart Failure: Persepctive from 5P Medicine. <i>Cardiac Failure Review</i> , 2015 , 1, 35-37	4.2	2
15	What can three-dimensional speckle-tracking echocardiography contribute to evaluate global left ventricular systolic performance in patients with heart failure?. <i>International Journal of Cardiology</i> , 2014 , 172, 132-7	3.2	22
14	Sunday, 31 August 2014. <i>European Heart Journal</i> , 2014 , 35, 173-512	9.5	10
13	Three-dimensional speckle strain echocardiography is more accurate and efficient than 2D strain in the evaluation of left ventricular function. <i>International Journal of Cardiology</i> , 2014 , 176, 360-6	3.2	36
12	Left anterior descending coronary artery flow impaired by right ventricular apical pacing: the role of systolic dyssynchrony. <i>International Journal of Cardiology</i> , 2014 , 176, 80-5	3.2	6
11	Long-term follow-up results of the pacing to avoid cardiac enlargement (PACE) trial. <i>European Journal of Heart Failure</i> , 2014 , 16, 1016-25	12.3	32
10	Poster session 3: Thursday 4 December 2014, 14:00-18:00 * Location: Poster area. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, ii109-ii136	4.1	2
9	Changes of ventricular and peripheral performance in patients with heart failure and normal ejection fraction: insights from ergometry stress echocardiography. <i>European Journal of Heart Failure</i> , 2014 , 16, 888-97	12.3	14

8	Quantification of left ventricular performance in different heart failure phenotypes by comprehensive ergometry stress echocardiography. <i>International Journal of Cardiology</i> , 2013 , 169, 311-5 ^{3.2}	5
7	Improved coronary artery blood flow following the correction of systolic dyssynchrony with cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2013 , 167, 2167-71	3.2 27
6	Variation in right ventricular volumes assessment by real-time three-dimensional echocardiography between dilated and normal right ventricle: comparison with cardiac magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2013 , 168, 4391-3	3.2 6
5	Characterization of mid-term atrial geometrical and electrical remodeling following device closure of atrial septal defects in adults. <i>International Journal of Cardiology</i> , 2013 , 168, 467-71	3.2 13
4	Wednesday, 29 August 2012. <i>European Heart Journal</i> , 2012 , 33, 941-1105	9.5 2
3	Sunday, 26 August 2012. <i>European Heart Journal</i> , 2012 , 33, 19-338	9.5 9
2	Prevalence and determinants of incomplete right atrial reverse remodeling after device closure of atrial septal defects. <i>American Journal of Cardiology</i> , 2011 , 108, 114-9	3 15
1	Sunday, 28 August 2011. <i>European Heart Journal</i> , 2011 , 32, 1-312	9.5 6