

Jean-Claude Lecron

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9091591/jean-claude-lecron-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25
papers

3,177
citations

17
h-index

25
g-index

25
ext. papers

3,492
ext. citations

5.5
avg, IF

4.02
L-index

#	Paper	IF	Citations
25	Phenotype and cytokine profile description in a TRAPS Syndrome family with TNFRSF1A p.(Thr79Met): association with sacro-iliitis.. <i>Joint Bone Spine</i> , 2022 , 105411	2.9	
24	Cytokine Signature in Schnitzler Syndrome: Proinflammatory Cytokine Production Associated to Th Suppression. <i>Frontiers in Immunology</i> , 2020 , 11, 588322	8.4	1
23	RAC1 expression and role in IL-1 β production and oxidative stress generation in familial Mediterranean fever (FMF) patients. <i>European Cytokine Network</i> , 2018 , 29, 127-135	3.3	2
22	Modulation by Polymyxin-B Hemoperfusion of Inflammatory Response Related to Severe Peritonitis. <i>Shock</i> , 2017 , 47, 93-99	3.4	17
21	Cytokine signatures in hereditary fever syndromes (HFS). <i>Cytokine and Growth Factor Reviews</i> , 2017 , 33, 19-34	17.9	6
20	Interleukin-17A-induced production of acute serum amyloid A by keratinocytes contributes to psoriasis pathogenesis. <i>PLoS ONE</i> , 2017 , 12, e0181486	3.7	18
19	Foreskin-isolated keratinocytes provide successful extemporaneous autologous paediatric skin grafts. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016 , 10, 252-60	4.4	11
18	Study of the association of IL-1 β and IL-1RA gene polymorphisms with occurrence and severity of Familial Mediterranean fever. <i>European Journal of Medical Genetics</i> , 2015 , 58, 668-73	2.6	6
17	Study of proliferation and 3D epidermal reconstruction from foreskin, auricular and trunk keratinocytes in children. <i>Burns</i> , 2015 , 41, 352-8	2.3	1
16	IMQ-induced skin inflammation in mice is dependent on IL-1R1 and MyD88 signaling but independent of the NLRP3 inflammasome. <i>European Journal of Immunology</i> , 2015 , 45, 2847-57	6.1	45
15	Ex vivo PBMC cytokine profile in familial Mediterranean fever patients: Involvement of IL-1 β /IL-1 α and Th17-associated cytokines and decrease of Th1 and Th2 cytokines. <i>Cytokine</i> , 2014 , 69, 248-54	4	20
14	Brief Report: Involvement of TNFRSF11A molecular defects in autoinflammatory disorders. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2621-7	9.5	22
13	Epidermal healing in burns: autologous keratinocyte transplantation as a standard procedure: update and perspective. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2014 , 2, e218	1.2	47
12	Inhibition of keratinocyte differentiation by the synergistic effect of IL-17A, IL-22, IL-1 β /TNF α and oncostatin M. <i>PLoS ONE</i> , 2014 , 9, e101937	3.7	66
11	Role of interleukin-1 β in NLRP12-associated autoinflammatory disorders and resistance to anti-interleukin-1 therapy. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2142-8		72
10	Skin Inflammation Induced by the Synergistic Action of IL-17A, IL-22, Oncostatin M, IL-1 α , and TNF- α Recapitulates Some Features of Psoriasis. <i>Journal of Immunology</i> , 2010 , 184, 5263-5270	5.3	208
9	Functional consequences of a germline mutation in the leucine-rich repeat domain of NLRP3 identified in an atypical autoinflammatory disorder. <i>Arthritis and Rheumatism</i> , 2010 , 62, 1176-85		24

8	Specific increase in caspase-1 activity and secretion of IL-1 family cytokines: a putative link between mevalonate kinase deficiency and inflammation. <i>European Cytokine Network</i> , 2009 , 20, 101-7	3-3	36
7	Pharmacological inhibitors of the mevalonate pathway activate pro-IL-1 processing and IL-1 release by human monocytes. <i>European Cytokine Network</i> , 2009 , 20, 112-20	3-3	23
6	Development, cytokine profile and function of human interleukin 17-producing helper T cells. <i>Nature Immunology</i> , 2007 , 8, 950-7	19-1	1601
5	Oncostatin M secreted by skin infiltrating T lymphocytes is a potent keratinocyte activator involved in skin inflammation. <i>Journal of Immunology</i> , 2007 , 178, 4615-22	5-3	133
4	IL-22 inhibits epidermal differentiation and induces proinflammatory gene expression and migration of human keratinocytes. <i>Journal of Immunology</i> , 2005 , 174, 3695-702	5-3	627
3	The enlarging clinical, genetic, and population spectrum of tumor necrosis factor receptor-associated periodic syndrome. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2181-8		147
2	Familial Mediterranean Fever: association of elevated IgD plasma levels with specific MEFV mutations. <i>European Journal of Human Genetics</i> , 2001 , 9, 849-54	5-3	30
1	Sensitive ELISA for Human Immunoglobulin D Measurement in Neonate, Infant, and Adult Sera. <i>Clinical Chemistry</i> , 2000 , 46, 876-878	5-5	14