
Sung Ki Cho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/909214/publications.pdf Version: 2024-02-01



SUNC KI CHO

#	Article	IF	CITATIONS
1	Arteriovenous Malformations of the Body and Extremities: Analysis of Therapeutic Outcomes and Approaches According to a Modified Angiographic Classification. Journal of Endovascular Therapy, 2006, 13, 527-538.	1.5	234
2	Balloon-Occluded Retrograde Transvenous Obliteration of Gastric Varices: Outcomes and Complications in 49 Patients. American Journal of Roentgenology, 2007, 189, W365-W372.	2.2	116
3	Multidisciplinary approach is associated with improved survival of hepatocellular carcinoma patients. PLoS ONE, 2019, 14, e0210730.	2.5	64
4	Peripheral Arteriovenous Malformations with a Dominant Outflow Vein: Results of Ethanol Embolization. Korean Journal of Radiology, 2008, 9, 258.	3.4	63
5	Perfusion MR Imaging: Clinical Utility for the Differential Diagnosis of Various Brain Tumors. Korean Journal of Radiology, 2002, 3, 171.	3.4	50
6	Combination therapy of transarterial chemoembolization (TACE) and radiofrequency ablation (RFA) for small hepatocellular carcinoma: comparison with TACE or RFA monotherapy. Abdominal Radiology, 2019, 44, 2283-2292.	2.1	47
7	Transarterial chemoembolization versus resection for intermediate-stage (BCLC B) hepatocellular carcinoma. Clinical and Molecular Hepatology, 2016, 22, 250-258.	8.9	42
8	Clinical outcome and predictors of treatment response in foam sodium tetradecyl sulfate sclerotherapy of venous malformations. European Radiology, 2016, 26, 1301-1310.	4.5	35
9	Ischemic liver injuries after hepatic artery embolization in patients with delayed postoperative hemorrhage following hepatobiliary pancreatic surgery. Acta Radiologica, 2011, 52, 393-400.	1.1	33
10	Early Stage Hepatocellular Carcinomas Not Feasible for Ultrasound-Guided Radiofrequency Ablation: Comparison of Transarterial Chemoembolization Alone and Combined Therapy with Transarterial Chemoembolization and Radiofrequency Ablation. CardioVascular and Interventional Radiology, 2016, 39, 417-425.	2.0	32
11	The Short-Term Effects of Balloon-Occluded Retrograde Transvenous Obliteration, for Treating Gastric Variceal Bleeding, on Portal Hypertensive Changes: a CT Evaluation. Korean Journal of Radiology, 2007, 8, 520.	3.4	31
12	Transcatheter arterial chemoembolization and radiation therapy for treatment-naÃ ⁻ ve patients with locally advanced hepatocellular carcinoma. Radiation Oncology Journal, 2014, 32, 14.	1.5	28
13	Treatment of Small Hepatocellular Carcinoma (â‰⊉Âcm) in the Caudate Lobe with Sequential Transcatheter Arterial Chemoembolization and Radiofrequency Ablation. CardioVascular and Interventional Radiology, 2016, 39, 1015-1022.	2.0	27
14	Diaphragmatic Weakness after Transcatheter Arterial Chemoembolization of Inferior Phrenic Artery for Treatment of Hepatocellular Carcinoma. Radiology, 2006, 241, 581-588.	7.3	26
15	Development of Thrombus in the Major Systemic and Portal Veins after Balloon-Occluded Retrograde Transvenous Obliteration for Treating Gastric Variceal Bleeding: Its Frequency and Outcome Evaluation with CT. Journal of Vascular and Interventional Radiology, 2008, 19, 529-538.	0.5	24
16	Stent Graft Placement for Postsurgical Hemorrhage from the Hepatic Artery: Clinical Outcome and CT Findings. Journal of Vascular and Interventional Radiology, 2014, 25, 1539-1548.	0.5	24
17	Novel Albumin–Bilirubin Grade-Based Risk Prediction Model for Patients with Hepatocellular Carcinoma Undergoing Chemoembolization. Digestive Diseases and Sciences, 2018, 63, 1062-1071.	2.3	23
18	Endovascular treatment results and risk factors for complications of body and extremity arteriovenous malformations. Journal of Vascular Surgery, 2019, 69, 1207-1218.	1.1	22

SUNG KI CHO

#	Article	IF	CITATIONS
19	Use of the Right External Jugular Vein as the Preferred Access Site When the Right Internal Jugular Vein Is Not Usable. Journal of Vascular and Interventional Radiology, 2006, 17, 823-829.	0.5	21
20	Portal Vein Stenting for Delayed Jejunal Varix Bleeding Associated with Portal Venous Occlusion after Hepatobiliary and Pancreatic Surgery. Korean Journal of Radiology, 2017, 18, 828.	3.4	18
21	Transarterial chemoembolization as first-line therapy for hepatocellular carcinomas infeasible for ultrasound-guided radiofrequency ablation: a retrospective cohort study of 116 patients. Acta Radiologica, 2015, 56, 70-77.	1.1	17
22	Aggressive Intrasegmental Recurrence of Hepatocellular Carcinoma After Combined Transarterial Chemoembolization and Radiofrequency Ablation. American Journal of Roentgenology, 2016, 207, 1122-1127.	2.2	16
23	Combined transarterial chemoembolization and radiofrequency ablation for small treatment-naÃ ⁻ ve hepatocellular carcinoma infeasible for ultrasound-guided radiofrequency ablation: long-term outcomes. Acta Radiologica, 2018, 59, 773-781.	1.1	14
24	Long-term clinical outcomes after endovascular management of ruptured pseudoaneurysm in patients undergoing pancreaticoduodenectomy. Annals of Surgical Treatment and Research, 2019, 96, 237.	1.0	14
25	The role of scheduled second TACE in early-stage hepatocellular carcinoma with complete response to initial TACE. Clinical and Molecular Hepatology, 2017, 23, 42-50.	8.9	13
26	Changes in Arterioportal Shunts in Hepatocellular Carcinoma Patients with Portal Vein Thrombosis Who Were Treated with Chemoembolization Followed by Radiotherapy. Cancer Research and Treatment, 2015, 47, 251-258.	3.0	13
27	Percutaneous Treatment of Failed Native Dialysis Fistulas: Use of Pulse-Spray Pharmacomechanical Thrombolysis as the Primary Mode of Therapy. Korean Journal of Radiology, 2006, 7, 180.	3.4	12
28	Subclassification and Treatment Results of Ethanol Embolotherapy of Type II Arteriovenous Malformations of the Extremity and Body. Journal of Vascular and Interventional Radiology, 2019, 30, 1443-1451.	0.5	12
29	Combination treatment with transarterial chemoembolization, radiotherapy, and hyperthermia (CERT) for hepatocellular carcinoma with portal vein tumor thrombosis: Final results of a prospective phase Il trial. Oncotarget, 2017, 8, 52651-52664.	1.8	12
30	Effect of Hyperbilirubinemia on Hepatic Hypertrophy after Portal Vein Embolization andÂLiver Failure after Hepatectomy in Primary Biliary Malignancy. Journal of Vascular and Interventional Radiology, 2019, 30, 31-37.	0.5	10
31	Long-term outcomes after stent insertion in patients with early and late hepatic vein outflow obstruction after living donor liver transplantation. Annals of Surgical Treatment and Research, 2018, 95, 333.	1.0	9
32	Primary aldosteronism subtyping in the setting of partially successful adrenal vein sampling. Therapeutic Advances in Endocrinology and Metabolism, 2021, 12, 204201882198923.	3.2	9
33	A novel, ring-connected stent versus conventional GI stents: comparative study of physical properties and migration rates in a canine colon obstruction model. Gastrointestinal Endoscopy, 2015, 81, 1433-1438.	1.0	7
34	Combined transarterial chemoembolization of the right inferior phrenic artery and radiofrequency ablation for small hepatocellular carcinoma near the diaphragm: its efficacy and safety. Abdominal Radiology, 2018, 43, 2851-2858.	2.1	7
35	Radiologic and clinical results of transarterial ethanol embolization for renal angiomyolipoma. European Radiology, 2021, 31, 6568-6577.	4.5	7
36	Risk factors of radiation dose in patients undergoing peripherally-inserted central catheter procedure using conventional angiography equipment and flat panel detector-based mobile C-arm fluoroscopy. Acta Radiologica, 2014, 55, 1234-1238.	1.1	6

Sung Ki Cho

#	Article	IF	CITATIONS
37	Efficacy of RECIST and mRECIST criteria as prognostic factors in patients undergoing repeated iodized oil chemoembolization of intermediate stage hepatocellular carcinoma. Acta Radiologica, 2015, 56, 1437-1445.	1.1	6
38	Combination treatment of trans-arterial chemo-embolisation, radiotherapy and hyperthermia (CERT) for hepatocellular carcinoma with portal vein tumour thrombosis: Interim analysis of prospective phase II trial. International Journal of Hyperthermia, 2016, 32, 331-338.	2.5	6
39	Subintimal Angioplasty in the Treatment of Chronic Lower Limb Ischemia. Korean Journal of Radiology, 2006, 7, 131.	3.4	5
40	Comparison of the Effectiveness of Preoperative Portal Vein Embolization in Patients with Chronic Liver Disease: Gelfoam versus Gelfoam-Coil Combination. Journal of the Korean Society of Radiology, 2015, 72, 335.	0.2	5
41	Therapeutic outcomes of embolotherapy of extremity bone intraosseous arteriovenous malformation with ethanol, coils, and n-butyl cyanoacrylate. Journal of Vascular Surgery, 2021, 73, 2090-2097.e5.	1.1	5
42	A novel animal model of gastrointestinal obstruction for the development of stent. Journal of Surgical Research, 2014, 187, 445-449.	1.6	3
43	Iodized Oil Transarterial Chemoembolization and Radiofrequency Ablation for Small Periportal Hepatocellular Carcinoma: Comparison with Nonperiportal Hepatocellular Carcinoma. CardioVascular and Interventional Radiology, 2018, 41, 120-129.	2.0	3
44	Combined therapy with bronchial artery embolization and tranexamic acid for hemoptysis. Acta Radiologica, 2021, 62, 610-618.	1.1	3
45	Long term clinical outcomes of portal vein stenting for symptomatic portal vein stenosis after pancreaticoduodenectomy. Medicine (United States), 2021, 100, e27264.	1.0	3
46	Factors associated with the development of post-thrombotic syndrome in patients with iliofemoral deep venous thrombosis who underwent catheter-directed thrombolysis. Phlebology, 2020, 35, 672-678.	1.2	2
47	Percutaneous radiologic gastrostomy with single gastropexy: outcomes in 636 patients. European Radiology, 2021, 31, 6531-6538.	4.5	2
48	Single bolus regional chemotherapy with doxorubicin versus chemoembolization in a rabbit vx2 tumor model. Diagnostic and Interventional Radiology, 2010, 17, 374-80.	1.5	2
49	Diffusion MR Imaging in Patients with Intracranial Tumors. Journal of the Korean Radiological Society, 2000, 43, 387.	0.0	1
50	Combined transarterial chemoembolization and radiofrequency ablation for subphrenic versus nonsubphrenic hepatocellular carcinoma: a propensity score matched study. Abdominal Radiology, 2021, 46, 5735-5745.	2.1	1
51	Guidewire-catheter induced hydrodissection to assist radiofrequency ablation for subcapsular hepatocellular carcinoma with iodized oil retention in patients with failed artificial ascites due to perihepatic adhesion. , 2021, 27, 746-753.		1
52	A Novel Foam Contrast Agent Suitable for Fluoroscopic Interventional Procedure: Comparative Study of Physical Properties and Experimental Intervention in Animal Model. BioMed Research International, 2015, 2015, 1-6.	1.9	0
53	Feasibility and efficacy of primary tractography during percutaneous catheter drainage. Acta Radiologica, 2016, 57, 210-214.	1.1	0
54	Balloon-Occluded Retrograde Transvenous Obliteration: Emergence as a Treatment for Gastric Varices and Medically Refractory Hepatic Encephalopathy. Digestive Disease Interventions, 2017, 01, 286-292.	0.2	0

#	Article	IF	CITATIONS
55	Selective Versus Non-selective Transarterial Chemoembolization via the Intercostal Artery for the Treatment of Hepatocellular Carcinoma. CardioVascular and Interventional Radiology, 2020, 43, 587-596.	2.0	0
56	Early Detection of Hyperacute Cerebral Infarction in Dogs: Comparison of Unenhanced CT, Diffusion-weighted,Spin-echo T2 - weighted, and Fast FLAIR MR Imaging. Journal of the Korean Radiological Society, 1999, 41, 17.	0.0	0
57	Interventional Radiologic Placement of Tunneled Central Venous Catheters: Results and Complications in 557Cases. Journal of the Korean Radiological Society, 1999, 40, 845.	0.0	0