## Ana-Maria Vranceanu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9093557/publications.pdf

Version: 2024-02-01

142 papers 4,056 citations

30 h-index 55 g-index

153 all docs 153 docs citations

153 times ranked 2781 citing authors

#	Article	IF	CITATIONS
1	Psychological Factors Predict Disability and Pain Intensity After Skeletal Trauma. Journal of Bone and Joint Surgery - Series A, 2014, 96, e20.	3.0	247
2	Psychosocial Aspects of Disabling Musculoskeletal Pain. Journal of Bone and Joint Surgery - Series A, 2009, 91, 2014-2018.	3.0	235
3	Risk Factors for Continued Opioid Use One to Two Months After Surgery for Musculoskeletal Trauma. Journal of Bone and Joint Surgery - Series A, 2014, 96, 495-499.	3.0	212
4	Predictors of Pain Intensity and Disability After Minor Hand Surgery. Journal of Hand Surgery, 2010, 35, 956-960.	1.6	195
5	Contribution of Kinesophobia and Catastrophic Thinking to Upper-Extremity-Specific Disability. Journal of Bone and Joint Surgery - Series A, 2013, 95, 76-81.	3.0	184
6	The Development of a Patient-Centered Program Based on the Relaxation Response: The Relaxation Response Resiliency Program (3RP). Psychosomatics, 2013, 54, 165-174.	2.5	154
7	Correlation of DASH and QuickDASH With Measures of Psychological Distress. Journal of Hand Surgery, 2009, 34, 1499-1505.	1.6	98
8	What Factors Are Associated With Disability After Upper Extremity Injuries? A Systematic Review. Clinical Orthopaedics and Related Research, 2018, 476, 2190-2215.	1.5	92
9	What Is the Most Useful Questionnaire for Measurement of Coping Strategies in Response to Nociception?. Clinical Orthopaedics and Related Research, 2015, 473, 3511-3518.	1.5	85
10	Mind–body therapy via videoconferencing in patients with neurofibromatosis. Neurology, 2016, 87, 806-814.	1.1	82
11	Quality of life among adult patients with neurofibromatosis 1, neurofibromatosis 2 and schwannomatosis: a systematic review of the literature. Journal of Neuro-Oncology, 2013, 114, 257-262.	2.9	81
12	Preventing Chronic Emotional Distress in Stroke Survivors and Their Informal Caregivers. Neurocritical Care, 2019, 30, 581-589.	2.4	75
13	A preliminary RCT of a mind body skills based intervention addressing mood and coping strategies in patients with acute orthopaedic trauma. Injury, 2015, 46, 552-557.	1.7	74
14	Integrating Patient Values into Evidence-Based Practice: Effective Communication for Shared Decision-Making. Hand Clinics, 2009, 25, 83-96.	1.0	65
15	Feasibility and Efficacy of a Resiliency Intervention for the Prevention of Chronic Emotional Distress Among Survivor-Caregiver Dyads Admitted to the Neuroscience Intensive Care Unit. JAMA Network Open, 2020, 3, e2020807.	5.9	62
16	Disability and Psychologic Distress in Patients with Nonspecific and Specific Arm Pain. Clinical Orthopaedics and Related Research, 2008, 466, 2820-2826.	1.5	61
17	The relaxation response resiliency program (3RP) in patients with neurofibromatosis 1, neurofibromatosis 2, and schwannomatosis: results from a pilot study. Journal of Neuro-Oncology, 2014, 120, 103-109.	2.9	55
18	Characteristics and Usage Patterns Among 12,151 Paid Subscribers of the Calm Meditation App: Cross-Sectional Survey. JMIR MHealth and UHealth, 2019, 7, e15648.	3.7	52

#	Article	IF	Citations
19	What Is the Relationship of Fear Avoidance to Physical Function and Pain Intensity in Injured Athletes?. Clinical Orthopaedics and Related Research, 2018, 476, 754-763.	1.5	49
20	Results of a feasibility randomized controlled trial (RCT) of the Toolkit for Optimal Recovery (TOR): a live video program to prevent chronic pain in at-risk adults with orthopedic injuries. Pilot and Feasibility Studies, 2019, 5, 30.	1.2	49
21	Early Psychological and Social Factors Explain the Recovery Trajectory After Distal Radial Fracture. Journal of Bone and Joint Surgery - Series A, 2020, 102, 788-795.	3.0	48
22	Quality of life among children and adolescents with neurofibromatosis 1: a systematic review of the literature. Journal of Neuro-Oncology, 2015, 122, 219-228.	2.9	47
23	The Future of Orthopaedic Care: Promoting Psychosocial Resiliency in Orthopaedic Surgical Practices. Journal of Bone and Joint Surgery - Series A, 2018, 100, e89.	3.0	47
24	Review: Post-Intensive Care Syndrome: Unique Challenges in the Neurointensive Care Unit. Neurocritical Care, 2019, 31, 534-545.	2.4	46
25	A Mind-Body Physical Activity Program for Chronic Pain With or Without a Digital Monitoring Device: Proof-of-Concept Feasibility Randomized Controlled Trial. JMIR Formative Research, 2020, 4, e18703.	1.4	46
26	Mindfulness and Coping Are Inversely Related to Psychiatric Symptoms in Patients and Informal Caregivers in the Neuroscience ICU: Implications for Clinical Care. Critical Care Medicine, 2016, 44, 2028-2036.	0.9	44
27	<p>Development And Early Feasibility Testing Of A Mind-Body Physical Activity Program For Patients With Heterogeneous Chronic Pain; The GetActive Study</p> . Journal of Pain Research, 2019, Volume 12, 3279-3297.	2.0	44
28	Abbreviated Psychologic Questionnaires Are Valid in Patients With Hand Conditions. Clinical Orthopaedics and Related Research, 2013, 471, 4037-4044.	1.5	43
29	Testing a mindfulness meditation mobile app for the treatment of sleep-related symptoms in adults with sleep disturbance: A randomized controlled trial. PLoS ONE, 2021, 16, e0244717.	2.5	42
30	Correspondence of Patient Word Choice with Psychologic Factors in Patients With Upper Extremity Illness. Clinical Orthopaedics and Related Research, 2012, 470, 3180-3186.	1.5	40
31	Psychosocial resiliency is associated with lower emotional distress among dyads of patients and their informal caregivers in the neuroscience intensive care unit. Journal of Critical Care, 2016, 36, 154-159.	2.2	39
32	Do Previsit Expectations Correlate With Satisfaction of New Patients Presenting for Evaluation With an Orthopaedic Surgical Practice?. Clinical Orthopaedics and Related Research, 2015, 473, 716-721.	1.5	35
33	Does a Brief Mindfulness Exercise Improve Outcomes in Upper Extremity Patients? A Randomized Controlled Trial. Clinical Orthopaedics and Related Research, 2018, 476, 790-798.	1.5	35
34	Mind-Body Treatment for International English-Speaking Adults With Neurofibromatosis via Live Videoconferencing: Protocol for a Single-Blind Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e11008.	1.0	35
35	Pain Catastrophizing and Limiting Behavior Mediate the Association Between Anxiety and Postconcussion Symptoms. Psychosomatics, 2020, 61, 49-55.	2.5	30
36	Recovering together: building resiliency in dyads of stroke patients and their caregivers at risk for chronic emotional distress; a feasibility study. Pilot and Feasibility Studies, 2020, 6, 75.	1,2	30

#	Article	IF	Citations
37	Early Risk and Resiliency Factors Predict Chronic Posttraumatic Stress Disorder in Caregivers of Patients Admitted to a Neuroscience ICU. Critical Care Medicine, 2018, 46, 713-719.	0.9	29
38	Anxiety and Depressive Symptoms Among Two Seriously Medically Ill Populations and Their Family Caregivers: A Comparison and Clinical Implications. Neurocritical Care, 2017, 27, 180-186.	2.4	28
39	Physical functioning and mindfulness skills training in chronic pain: a systematic review. Journal of Pain Research, 2019, Volume 12, 179-189.	2.0	28
40	Is Social Support Associated With Upper Extremity Disability?. Clinical Orthopaedics and Related Research, 2016, 474, 1830-1836.	1.5	27
41	Rapid Progression of Knee Pain and Osteoarthritis Biomarkers Greatest for Patients with Combined Obesity and Depression: Data from the Osteoarthritis Initiative. Cartilage, 2020, 11, 38-46.	2.7	27
42	A mindfulness meditation mobile app improves depression and anxiety in adults with sleep disturbance: Analysis from a randomized controlled trial. General Hospital Psychiatry, 2021, 73, 30-37.	2.4	27
43	The impact of a mind–body program on multiple dimensions of resiliency among geographically diverse patients with neurofibromatosis. Journal of Neuro-Oncology, 2018, 137, 321-329.	2.9	26
44	Baseline Resilience and Posttraumatic Symptoms in Dyads of Neurocritical Patients and Their Informal Caregivers: A Prospective Dyadic Analysis. Psychosomatics, 2020, 61, 135-144.	2.5	25
45	Exploring the Effectiveness of a Modified Comprehensive Mind-Body Intervention for Medical and Psychologic Symptom Relief. Psychosomatics, 2014, 55, 386-391.	2.5	24
46	Cognitive intrusion of pain and catastrophic thinking independently explain interference of pain in the activities of daily living. Journal of Psychiatric Research, 2017, 91, 156-163.	3.1	24
47	Pain Catastrophizing Mediates the Effect of Psychological Inflexibility on Pain Intensity and Upper Extremity Physical Function in Patients with Upper Extremity Illness. Pain Practice, 2017, 17, 129-140.	1.9	24
48	Resiliency is independently associated with greater quality of life among informal caregivers to neuroscience intensive care unit patients. General Hospital Psychiatry, 2018, 52, 27-33.	2.4	24
49	Depressive symptoms and momentary affect: the role of social interaction variables. Depression and Anxiety, 2009, 26, 464-470.	4.1	22
50	The Relationship Between Catastrophic Thinking and Hand Diagram Areas. Journal of Hand Surgery, 2015, 40, 2440-2446.e5.	1.6	22
51	Feasibility Trial of a Mind–Body Activity Pain Management Program for Older Adults With Cognitive Decline. Gerontologist, The, 2021, 61, 1326-1337.	3.9	22
52	The role of social isolation in physical and emotional outcomes among patients with chronic pain. General Hospital Psychiatry, 2021, 69, 50-54.	2.4	22
53	Health Concerns and Somatic Symptoms Explain Perceived Disability and Idiopathic Hand and Arm Pain in an Orthopedics Surgical Practice: A Path-Analysis Model. Psychosomatics, 2010, 51, 330-337.	2.5	21
54	The Emotive Impact of Orthopedic Words. Journal of Hand Therapy, 2011, 24, 112-117.	1.5	21

#	Article	IF	Citations
55	The Impact of Resilience Factors and Anxiety During Hospital Admission on Longitudinal Anxiety Among Dyads of Neurocritical Care Patients Without Major Cognitive Impairment and Their Family Caregivers. Neurocritical Care, 2020, 33, 468-478.	2.4	21
56	Bidirectional mediation of depression and pain intensity on their associations with upper extremity physical function. Journal of Behavioral Medicine, 2018, 41, 309-317.	2.1	20
57	What Role Does Positive Psychology Play in Understanding Pain Intensity and Disability Among Patients with Hand and Upper Extremity Conditions?. Clinical Orthopaedics and Related Research, 2019, 477, 1769-1776.	1.5	20
58	Baseline resilience and depression symptoms predict trajectory of depression in dyads of patients and their informal caregivers following discharge from the Neuro-ICU. General Hospital Psychiatry, 2020, 62, 87-92.	2.4	20
59	<p>Psychosocial Correlates of Objective, Performance-Based, and Patient-Reported Physical Function Among Patients with Heterogeneous Chronic Pain</p> . Journal of Pain Research, 2020, Volume 13, 2255-2265.	2.0	20
60	Understanding barriers and facilitators to implementation of psychosocial care within orthopedic trauma centers: a qualitative study with multidisciplinary stakeholders from geographically diverse settings. Implementation Science Communications, 2021, 2, 102.	2.2	20
61	What Are Orthopaedic Healthcare Professionals' Attitudes Toward Addressing Patient Psychosocial Factors? A Mixed-Methods Investigation. Clinical Orthopaedics and Related Research, 2022, 480, 248-262.	1.5	19
62	Virtual mind-body treatment for adolescents with neurofibromatosis: Study protocol for a single-blind randomized controlled trial. Contemporary Clinical Trials, 2020, 95, 106078.	1.8	17
63	In It Together: A Qualitative Meta-Synthesis of Common and Unique Psychosocial Stressors and Adaptive Coping Strategies of Persons With Young-Onset Dementia and Their Caregivers. Gerontologist, The, 2020, , .	3.9	17
64	Building Resiliency in Dyads of Patients Admitted to the Neuroscience Intensive Care Unit and Their Family Caregivers: Lessons Learned From William and Laura. Cognitive and Behavioral Practice, 2020, 27, 321-335.	1.5	17
65	Associations between posttraumatic stress symptoms and quality of life in cardiac arrest survivors and informal caregivers: A pilot survey study. Resuscitation Plus, 2021, 5, 100085.	1.7	17
66	The Stony Brook Health Enhancement Program: The development of an active control condition for mind–body interventions. Journal of Health Psychology, 2020, 25, 2129-2140.	2.3	16
67	Virtual mind-body treatment for geographically diverse youth with neurofibromatosis: A pilot randomized controlled trial. General Hospital Psychiatry, 2020, 62, 72-78.	2.4	16
68	Thematic Analysis of Dyadic Coping in Couples With Young-Onset Dementia. JAMA Network Open, 2021, 4, e216111.	5.9	16
69	A Call for Interdisciplinary Collaboration to Promote Musculoskeletal Health: The Creation of the International Musculoskeletal Mental and Social Health Consortium (I-MESH). Journal of Clinical Psychology in Medical Settings, 2022, 29, 709-715.	1.4	15
70	Factors Associated With Met Expectations in Patients With Hand and Upper Extremity Disorders: A Pilot Study. Psychosomatics, 2016, 57, 401-408.	2.5	14
71	First report of quality of life in adults with neurofibromatosis 2 who are deafened or have significant hearing loss: results of a live-video randomized control trial. Journal of Neuro-Oncology, 2019, 143, 505-513.	2.9	14
72	Psychosocial Stressors and Adaptive Coping Strategies in Couples After a Diagnosis of Young-Onset Dementia. Gerontologist, The, 2022, 62, 262-275.	3.9	14

#	Article	IF	CITATIONS
73	Idiopathic Hand and Arm Pain: Delivering Cognitive Behavioral Therapy as Part of a Multidisciplinary Team in a Surgical Practice. Cognitive and Behavioral Practice, 2008, 15, 244-254.	1.5	13
74	First use of patient reported outcomes measurement information system (PROMIS) measures in adults with neurofibromatosis. Journal of Neuro-Oncology, 2017, 131, 413-419.	2.9	13
75	Development of a Novel Mind–Body Activity and Pain Management Program for Older Adults With Cognitive Decline. Gerontologist, The, 2021, 61, 449-459.	3.9	13
76	Live Video Adaptations to a Mind-Body Activity Program for Chronic Pain and Cognitive Decline: Protocol for the Virtual Active Brains Study. JMIR Research Protocols, 2021, 10, e25351.	1.0	13
77	Cognitive–Behavioral Therapy for Hand and Arm Pain. Journal of Hand Therapy, 2011, 24, 124-131.	1.5	12
78	The Relaxation Response Resiliency Enhancement Program in the Management of Chronic Refractory Temporomandibular Joint Disorder: Results from a Pilot Study. Journal of Musculoskeletal Pain, 2013, 21, 224-230.	0.3	12
79	Use of the Consumer-Based Meditation App Calm for Sleep Disturbances: Cross-Sectional Survey Study. JMIR Formative Research, 2020, 4, e19508.	1.4	12
80	A qualitative meta-synthesis of common and unique preferences for supportive services among persons with young onset dementia and their caregivers. Dementia, 2022, 21, 519-539.	2.0	12
81	The Relaxation Response Resiliency Program (3RP) in Patients with Headache and Musculoskeletal Pain: A Retrospective Analysis of Clinical Data. Pain Management Nursing, 2019, 20, 70-74.	0.9	11
82	Mind-Body Activity Program for Chronic Pain: Exploring Mechanisms of Improvement in Patient-Reported, Performance-Based and Ambulatory Physical Function. Journal of Pain Research, 2021, Volume 14, 359-368.	2.0	11
83	Current Recommendations for Patient-Reported Outcome Measures Assessing Domains of Quality of Life in Neurofibromatosis Clinical Trials. Neurology, 2021, 97, S50-S63.	1.1	11
84	Effects of a mind-body program on symptoms of depression and perceived stress among adults with neurofibromatosis type 2 who are deaf: A live-video randomized controlled trial. Complementary Therapies in Medicine, 2021, 56, 102581.	2.7	10
85	Development of a mind body program for obese knee osteoarthritis patients with comorbid depression. Contemporary Clinical Trials Communications, 2021, 21, 100720.	1.1	10
86	Psychological resiliency explains the relationship between emotional distress and quality of life in neurofibromatosis. Journal of Neuro-Oncology, 2021, 155, 125-132.	2.9	10
87	Health Concerns and Somatic Symptoms Explain Perceived Disability and Idiopathic Hand and Arm Pain in an Orthopedics Surgical Practice: A Path-Analysis Model. Psychosomatics, 2010, 51, 330-337.	2.5	10
88	Together from the start: A transdiagnostic framework for early dyadic interventions for neurodegenerative diseases. Journal of the American Geriatrics Society, 2022, 70, 1850-1862.	2.6	10
89	First report of factors associated with satisfaction in patients with neurofibromatosis. American Journal of Medical Genetics, Part A, 2017, 173, 671-677.	1.2	9
90	Type D personality in patients with upper extremity musculoskeletal illness: Internal consistency, structural validity and relationship to pain interference. General Hospital Psychiatry, 2018, 50, 38-44.	2.4	9

#	Article	IF	CITATIONS
91	Relationship Between Magnitude of Limitations and Patient Experience During Recovery from Upper-Extremity Fracture. JBJS Open Access, 2019, 4, e0002.	1.5	9
92	Gender Differences in Longitudinal Associations Between Intimate Care, Resiliency, and Depression Among Informal Caregivers of Patients Surviving the Neuroscience Intensive Care Unit. Neurocritical Care, 2020, 32, 512-521.	2.4	9
93	Feasibility Randomized Controlled Trial of a Mind–Body Activity Program for Older Adults With Chronic Pain and Cognitive Decline: The Virtual "Active Brains―Study. Gerontologist, The, 2022, 62, 1082-1094.	3.9	9
94	Mechanisms of change in depression and anxiety within a mind-body activity intervention for chronic pain. Journal of Affective Disorders, 2021, 292, 534-541.	4.1	9
95	Can a meditation app help my sleep? A cross-sectional survey of Calm users. PLoS ONE, 2021, 16, e0257518.	2.5	9
96	Challenges associated with parenting youth with neurofibromatosis: A qualitative investigation. American Journal of Medical Genetics, Part A, 2018, 176, 959-968.	1.2	8
97	Improvement in resiliency factors among adolescents with neurofibromatosis who participate in a virtual mind–body group program. Journal of Neuro-Oncology, 2020, 147, 451-457.	2.9	8
98	My Healthy Brain: a multimodal lifestyle program to promote brain health. Aging and Mental Health, 2022, 26, 980-991.	2.8	8
99	Impact of the coronavirus pandemic on mental health and health care in adults with neurofibromatosis: Patient perspectives from an online survey. American Journal of Medical Genetics, Part A, 2022, 188, 71-82.	1.2	8
100	First Use of a Brief 60-second Mindfulness Exercise in an Orthopedic Surgical Practice; Results from a Pilot Study. Archives of Bone and Joint Surgery, 2017, 5, 400-405.	0.2	8
101	Association Between Coping Strategies and Pain-Related Outcomes Among Individuals with Chronic Orofacial Pain. Journal of Pain Research, 2022, Volume 15, 431-442.	2.0	8
102	The Strategies for Quantitative and Qualitative Remote Data Collection: Lessons From the COVID-19 Pandemic. JMIR Formative Research, 2022, 6, e30055.	1.4	8
103	Health literacy assessment in adults with neurofibromatosis: electronic and short-form measurement using FCCHL and Health LiTT. Journal of Neuro-Oncology, 2018, 136, 335-342.	2.9	7
104	Cultivating resiliency in patients with neurofibromatosis 2 who are deafened or have severe hearing loss: a liveâ€'video randomized control trial. Journal of Neuro-Oncology, 2019, 145, 561-569.	2.9	7
105	Depression explains the association between pain intensity and pain interference among adults with neurofibromatosis. Journal of Neuro-Oncology, 2021, 154, 257-263.	2.9	7
106	Cognitive Coping Predicts Pain Intensity and Disability in Patients with Upper Extremity Musculoskeletal Pain. Journal of Musculoskeletal Pain, 2014, 22, 373-377.	0.3	6
107	A Live Video Mind-Body Treatment to Prevent Persistent Symptoms Following Mild Traumatic Brain Injury: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2021, 10, e25746.	1.0	6
108	A Live Video Program to Prevent Chronic Pain and Disability in At-Risk Adults With Acute Orthopedic Injuries (Toolkit for Optimal Recovery): Protocol for a Multisite Feasibility Study. JMIR Research Protocols, 2021, 10, e28155.	1.0	6

#	Article	IF	CITATIONS
109	Psychosocial treatment preferences of persons living with young-onset dementia and their partners. Dementia, 2022, 21, 41-60.	2.0	6
110	Emotional distress in neuro-ICU survivor–caregiver dyads: The recovering together randomized clinical trial Health Psychology, 2022, 41, 268-277.	1.6	6
111	Psychosocial Predictors of Chronic Musculoskeletal Pain Outcomes and their Contextual Determinants Among Black Individuals: A Narrative Review. Journal of Pain, 2022, 23, 1697-1711.	1.4	6
112	Mental and physical health outcomes following the Relaxation Response Resiliency Program (3RP) in a clinical practice setting. European Journal of Integrative Medicine, 2016, 8, 756-761.	1.7	5
113	Associations Between Gender, Resiliency Factors, and Anxiety in Neuro-ICU Caregivers: a Prospective Study. International Journal of Behavioral Medicine, 2020, 27, 677-686.	1.7	5
114	Associations Between Baseline Total PTSD Symptom Severity, Specific PTSD Symptoms, and 3-Month Quality of Life in Neurologically Intact Neurocritical Care Patients and Informal Caregivers. Neurocritical Care, 2021, 34, 54-63.	2.4	5
115	The Role of Mindfulness and Relaxation in Improved Sleep Quality Following a Mind–Body and Activity Program for Chronic Pain. Mindfulness, 2021, 12, 2672-2680.	2.8	5
116	Editorial Comment: Papers from the International Consortium for Mental and Social Health in Musculoskeletal Care. Clinical Orthopaedics and Related Research, 2022, 480, 246-247.	1.5	5
117	OUP accepted manuscript. Gerontologist, The, 2022, , .	3.9	5
118	Mind–Body Therapy via Videoconferencing in Patients With Neurofibromatosis: Analyses of 1-Year Follow-up. Annals of Behavioral Medicine, 2021, 55, 77-81.	2.9	4
119	Usage Patterns of the Calm Meditation App Among People with Cardiovascular Disease. Mindfulness, 2021, 12, 983-993.	2.8	4
120	Can a Dyadic Resiliency Program Improve Quality of Life in Cognitively Intact Dyads of Neuro-ICU Survivors and Informal Caregivers? Results from a Pilot RCT. Neurocritical Care, 2021, 35, 756-766.	2.4	4
121	Sustainability of Improvements in Physical and Emotional Function Following a Mind–Body Physical Activity Program for Chronic Pain. Journal of Alternative and Complementary Medicine, 2021, 27, 360-364.	2.1	4
122	Adaptation of a Live Video Mind–Body Program to a Web-Based Platform for English-Speaking Adults With Neurofibromatosis: Protocol for the NF-Web Study. JMIR Research Protocols, 2021, 10, e27526.	1.0	4
123	A qualitative investigation of activity measurement and change following a mind-body activity program for chronic pain. Complementary Therapies in Clinical Practice, 2021, 44, 101410.	1.7	4
124	Orthopedic Providers' Preferences for Education and Training on Psychosocial Clinical Research Initiatives: A Qualitative Investigation. Journal of Patient Experience, 2022, 9, 237437352210925.	0.9	4
125	Burnout and Resiliency Among Neurocritical Care Staff; Potential Solutions to A Growing Problem. Neurocritical Care, 2019, 31, 251-252.	2.4	3
126	Can we prevent chronic posttraumatic stress disorder in caregivers of critical care patients?. Journal of Emergency and Critical Care Medicine, 2019, 3, 2-2.	0.7	3

#	Article	IF	CITATIONS
127	CORR Insights®: Does Intolerance of Uncertainty Affect the Magnitude of Limitations or Pain Intensity?. Clinical Orthopaedics and Related Research, 2020, 478, 389-391.	1.5	3
128	Stopping to Listen: Using Qualitative Methods to Inform a Web-Based Platform for Adults With Neurofibromatosis. Journal of Patient Experience, 2021, 8, 237437352110496.	0.9	3
129	Optimizing the implementation of a multisite feasibility trial of a mind–body program in acute orthopedic trauma. Translational Behavioral Medicine, 2022, , .	2.4	3
130	Live Video Mind-Body Program for Patients With Knee Osteoarthritis, Comorbid Depression, and Obesity: Development and Feasibility Pilot Study. JMIR Formative Research, 2022, 6, e34654.	1.4	3
131	Resilient youth with neurofibromatosis: Less perceived stress and greater life satisfaction after an 8-week virtual mind–body intervention. Journal of Psychosocial Oncology, 2021, 39, 680-685.	1.2	2
132	Mindfulness is inversely associated with psychological symptoms in long-term cardiac arrest survivors. Journal of Behavioral Medicine, 2022, , 1.	2.1	2
133	Getting Active Mindfully: Rationale and Case Illustration of a Group Mind-body and Activity Program for Chronic Pain. Journal of Clinical Psychology in Medical Settings, 2021, 28, 706-719.	1.4	1
134	Psychosocial profiles of risk and resiliency in neurofibromatoses: a person-centered analysis of illness adaptation. Journal of Neuro-Oncology, 2022, 156, 519-527.	2.9	1
135	Adaptation and virtual feasibility pilot of a mindfulness-based lifestyle program targeting modifiable dementia risk factors in older adults. Aging and Mental Health, 2023, 27, 695-707.	2.8	1
136	Sustainability of Improvements in Adaptive Coping Following Mind–Body and Activity Training for Chronic Pain. International Journal of Behavioral Medicine, 2021, 28, 820-826.	1.7	0
137	Letter to the Editor: Editor's Spotlight/Take 5: Do Relaxation Exercises Decrease Pain After Arthroscopic Rotator Cuff Repair? A Randomized Controlled Trial. Clinical Orthopaedics and Related Research, 2021, 479, 1869-1870.	1.5	0
138	Understanding the interplay between lifestyle factors and emotional distress for hemorrhagic stroke survivors and their informal caregivers: Protocol for a mixed methods dyadic natural history study. PLoS ONE, 2022, 17, e0261635.	2.5	0
139	My Healthy Brain: Rationale and Case Report of a Virtual Group Lifestyle Program Targeting Modifiable Risk Factors for Dementia. Journal of Clinical Psychology in Medical Settings, 2022, , 1.	1.4	O
140	"Practice Makes Perfect� Associations Between Home Practice and Physical and Emotional Function Outcomes Among Patients with Chronic Pain Enrolled in a Mind–Body Program. , 2022, , .		0
141	CORR Insights®: Do Unhelpful Thoughts or Confidence in Problem Solving Have Stronger Associations with Musculoskeletal Illness?. Clinical Orthopaedics and Related Research, 2021, Publish Ahead of Print, .	1.5	0
142	Mindfulness Facets Associated with Orofacial Pain Outcomes. , 0, , .		0