## Naoki Mori

## List of Publications by Citations

Source: https://exaly.com/author-pdf/9095435/naoki-mori-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

2,077
h-index

93
ext. papers

2,077
h-index

44
g-index

4.2
avg, IF

L-index

#	Paper	IF	Citations
83	Bay 11-7082 inhibits transcription factor NF-kappaB and induces apoptosis of HTLV-I-infected T-cell lines and primary adult T-cell leukemia cells. <i>Blood</i> , <b>2002</b> , 100, 1828-34	2.2	250
82	Transcriptional activation of survivin through the NF-kappaB pathway by human T-cell leukemia virus type I tax. <i>International Journal of Cancer</i> , <b>2005</b> , 115, 967-74	7.5	132
81	Fucoidan extracted from Cladosiphon okamuranus Tokida induces apoptosis of human T-cell leukemia virus type 1-infected T-cell lines and primary adult T-cell leukemia cells. <i>Nutrition and Cancer</i> , <b>2005</b> , 52, 189-201	2.8	102
80	Helicobacter pylori induces matrix metalloproteinase-9 through activation of nuclear factor kappaB. <i>Gastroenterology</i> , <b>2003</b> , 124, 983-92	13.3	97
79	Rapid tumor formation of human T-cell leukemia virus type 1-infected cell lines in novel NOD-SCID/gammac(null) mice: suppression by an inhibitor against NF-kappaB. <i>Journal of Virology</i> , <b>2003</b> , 77, 5286-94	6.6	94
78	Helicobacter pylori-mediated transcriptional regulation of the human beta-defensin 2 gene requires NF-kappaB. <i>Cellular Microbiology</i> , <b>2001</b> , 3, 115-23	3.9	78
77	Human T-cell leukemia virus type I tax protein induces the expression of anti-apoptotic gene Bcl-xL in human T-cells through nuclear factor-kappaB and c-AMP responsive element binding protein pathways. <i>Virus Genes</i> , <b>2001</b> , 22, 279-87	2.3	71
76	Curcumin (diferuloylmethane) inhibits constitutive active NF-kappaB, leading to suppression of cell growth of human T-cell leukemia virus type I-infected T-cell lines and primary adult T-cell leukemia cells. <i>International Journal of Cancer</i> , <b>2006</b> , 118, 765-72	7.5	69
75	Tax-Independent Constitutive I <b>B</b> Kinase Activation in Adult T-Cell Leukemia Cells. <i>Neoplasia</i> , <b>2004</b> , 6, 266-278	6.4	66
74	Efficient intervention of growth and infiltration of primary adult T-cell leukemia cells by an HIV protease inhibitor, ritonavir. <i>Blood</i> , <b>2006</b> , 107, 716-24	2.2	64
73	Human T-cell leukemia virus type 1 tax protein activates transcription through AP-1 site by inducing DNA binding activity in T cells. <i>Virology</i> , <b>2001</b> , 279, 38-46	3.6	60
72	Apoptosis induced by the histone deacetylase inhibitor FR901228 in human T-cell leukemia virus type 1-infected T-cell lines and primary adult T-cell leukemia cells. <i>Journal of Virology</i> , <b>2004</b> , 78, 4582-9	o <sup>6.6</sup>	55
71	Human T-cell leukemia virus type I Tax transactivates the matrix metalloproteinase-9 gene: potential role in mediating adult T-cell leukemia invasiveness. <i>Blood</i> , <b>2002</b> , 99, 1341-9	2.2	55
70	Cytotoxic effects of fucoidan nanoparticles against osteosarcoma. <i>Marine Drugs</i> , <b>2013</b> , 11, 4267-78	6	49
69	Dengue virus-induced apoptosis in hepatic cells is partly mediated by Apo2 ligand/tumour necrosis factor-related apoptosis-inducing ligand. <i>Journal of General Virology</i> , <b>2005</b> , 86, 1055-1065	4.9	45
68	Curcumin suppresses constitutive activation of AP-1 by downregulation of JunD protein in HTLV-1-infected T-cell lines. <i>Leukemia Research</i> , <b>2006</b> , 30, 313-21	2.7	44
67	Activation of cyclin D1 and D2 promoters by human T-cell leukemia virus type I tax protein is associated with IL-2-independent growth of T cells. <i>International Journal of Cancer</i> , <b>2002</b> , 99, 378-85	7.5	43

66	Fucoidan therapy decreases the proviral load in patients with human T-lymphotropic virus type-1-associated neurological disease. <i>Antiviral Therapy</i> , <b>2011</b> , 16, 89-98	1.6	38	
65	Activation of hypoxia-inducible factor 1 in human T-cell leukaemia virus type 1-infected cell lines and primary adult T-cell leukaemia cells. <i>Biochemical Journal</i> , <b>2007</b> , 406, 317-23	3.8	36	
64	Elevated expression of CD30 in adult T-cell leukemia cell lines: possible role in constitutive NF-kappaB activation. <i>Retrovirology</i> , <b>2005</b> , 2, 29	3.6	35	
63	Elevated expression of CCL5/RANTES in adult T-cell leukemia cells: possible transactivation of the CCL5 gene by human T-cell leukemia virus type I tax. <i>International Journal of Cancer</i> , <b>2004</b> , 111, 548-57	7.5	32	
62	Honokiol induces cell cycle arrest and apoptosis via inhibition of survival signals in adult T-cell leukemia. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2012</b> , 1820, 879-87	4	30	•
61	Human T-cell leukemia virus type 1 tax dysregulates beta-catenin signaling. <i>Journal of Virology</i> , <b>2006</b> , 80, 10497-505	6.6	29	
60	Activation of oncogenic transcription factor AP-1 in T cells infected with human T cell leukemia virus type 1. <i>AIDS Research and Human Retroviruses</i> , <b>2000</b> , 16, 1603-6	1.6	29	
59	Beneficial effects of fucoidan in patients with chronic hepatitis C virus infection. <i>World Journal of Gastroenterology</i> , <b>2012</b> , 18, 2225-30	5.6	29	
58	Activation of AID by human T-cell leukemia virus Tax oncoprotein and the possible role of its constitutive expression in ATL genesis. <i>Carcinogenesis</i> , <b>2011</b> , 32, 110-9	4.6	28	
57	Repression of Smad-dependent transforming growth factor-beta signaling by Epstein-Barr virus latent membrane protein 1 through nuclear factor-kappaB. <i>International Journal of Cancer</i> , <b>2003</b> , 105, 661-8	7.5	27	
56	Mechanisms of virus immune evasion lead to development from chronic inflammation to cancer formation associated with human papillomavirus infection. <i>Oncology Reviews</i> , <b>2012</b> , 6, e17	4.3	20	
55	Helicobacter pylori induces RANTES through activation of NF-kappa B. <i>Infection and Immunity</i> , <b>2003</b> , 71, 3748-56	3.7	19	
54	Studies on the hepatotoxicity induced by bis (tributyltin) oxide. <i>Archives of Toxicology</i> , <b>1992</b> , 66, 182-7	5.8	19	
53	Evaluation of artesunate for the treatment of adult T-cell leukemia/lymphoma. <i>European Journal of Pharmacology</i> , <b>2020</b> , 872, 172953	5.3	17	
52	Effects of AZD1152, a selective Aurora B kinase inhibitor, on Burkitt's and Hodgkin's lymphomas. <i>Biochemical Pharmacology</i> , <b>2011</b> , 81, 1106-15	6	17	
51	Constitutive expression of the cyclooxygenase-2 gene in T-cell lines infected with human T cell leukemia virus type I. <i>International Journal of Cancer</i> , <b>2001</b> , 94, 813-9	7.5	17	
50	Mitotic kinase PBK/TOPK as a therapeutic target for adult T-cell leukemia/lymphoma. <i>International Journal of Oncology</i> , <b>2018</b> , 53, 801-814	4.4	15	
49	Butein inhibits NF- <b>B</b> , AP-1 and Akt activation in adult T-cell leukemia/lymphoma. <i>International Journal of Oncology</i> , <b>2017</b> , 51, 633-643	4.4	15	

48	Lactacystin activates FLICE (caspase 8) protease and induces apoptosis in Fas-resistant adult T-cell leukemia cell lines. <i>European Journal of Haematology</i> , <b>2000</b> , 64, 315-22	3.8	15
47	NIK-333 inhibits growth of human T-cell leukemia virus type I-infected T-cell lines and adult T-cell leukemia cells in association with blockade of nuclear factor-kappaB signal pathway. <i>Molecular Cancer Therapeutics</i> , <b>2006</b> , 5, 704-12	6.1	14
46	Peridinin, a carotenoid, inhibits proliferation and survival of HTLV-1-infected T-cell lines. <i>International Journal of Oncology</i> , <b>2016</b> , 49, 1713-21	4.4	12
45	Interleukin-1 alpha as an autocrine growth factor for acute lymphoblastic leukaemia cells. <i>British</i> Journal of Haematology, <b>1994</b> , 86, 386-8	4.5	12
44	CD69 overexpression by human T-cell leukemia virus type 1 Tax transactivation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2013</b> , 1833, 1542-52	4.9	11
43	Abundant expression of HMGB1 in human T-cell lymphotropic virus type I-infected T-cell lines and high plasma levels of HMGB1 in patients with adult T-cell leukemia. <i>Oncology Letters</i> , <b>2014</b> , 7, 1239-124	<b>2</b> <sup>2.6</sup>	11
42	Cell signaling modifiers for molecular targeted therapy in ATLL. <i>Frontiers in Bioscience - Landmark</i> , <b>2009</b> , 14, 1479-89	2.8	11
41	Anti-adult T-cell leukemia/lymphoma activity of cerdulatinib, a dual SYK/JAK kinase inhibitor. <i>International Journal of Oncology</i> , <b>2018</b> , 53, 1681-1690	4.4	10
40	Human T cell leukemia virus type I tax-induced IB-Imodulates tax-dependent and tax-independent gene expression in T cells. <i>Neoplasia</i> , <b>2013</b> , 15, 1110-24	6.4	9
39	Interleukin-4 induces proliferation of adult T-cell leukemia cells. <i>European Journal of Haematology</i> , <b>1993</b> , 50, 133-40	3.8	9
38	Interleukin-1 alpha produced by human T-cell leukaemia virus type I-infected T cells induces intercellular adhesion molecule-1 expression on lung epithelial cells. <i>Journal of Medical Microbiology</i> , <b>2011</b> , 60, 1750-1761	3.2	9
37	Rearranged NF-kappa B2 gene in an adult T-cell leukemia cell line. <i>Cancer Science</i> , <b>2008</b> , 99, 792-8	6.9	9
36	Induction of I <b>B</b> -Iby Epstein-Barr virus latent membrane protein-1 and CD30. <i>International Journal of Oncology</i> , <b>2015</b> , 47, 2197-207	4.4	8
35	Effects of dietary zinc deficiency on protein secretory functions of the mouse testis. <i>Archives of Histology and Cytology</i> , <b>1991</b> , 54, 401-10		8
34	Enhancing effect of interleukin-2 on production of parathyroid hormone-related protein by adult T-cell leukemia cells. <i>Japanese Journal of Cancer Research</i> , <b>1993</b> , 84, 425-30		8
33	High levels of the DNA-binding activity of E2F in adult T-cell leukemia and human T-cell leukemia virus type I-infected cells: possible enhancement of DNA-binding of E2F by the human T-cell leukemia virus I transactivating protein, Tax. <i>European Journal of Haematology</i> , <b>1997</b> , 58, 114-20	3.8	7
32	Corneal edema induced by bis (tributyltin) oxide. Archives of Toxicology, 1991, 65, 651-5	5.8	7
31	In vitro and in vivo anti-primary effusion lymphoma activities of fucoidan extracted from Cladosiphon okamuranus Tokida. <i>Oncology Reports</i> , <b>2017</b> , 38, 3197-3204	3.5	6

## (2011-1995)

30	Interleukin-4 inhibits the production of interleukin-1 by adult T-cell leukemia cells. <i>European Journal of Haematology</i> , <b>1995</b> , 55, 121-5	3.8	6
29	Pathogenesis of Metastatic Calcification and Acute Pancreatitis in Adult T-Cell Leukemia under Hypercalcemic State. <i>Leukemia Research and Treatment</i> , <b>2012</b> , 2012, 128617		6
28	Effects of NVP-BEZ235, a dual phosphatidylinositol 3-kinase/mammalian target of rapamycin inhibitor, on HTLV-1-infected T-cell lines. <i>Oncology Letters</i> , <b>2018</b> , 15, 5311-5317	2.6	6
27	MALT-1 as a novel therapeutic target for adult T-cell leukemia. <i>European Journal of Haematology</i> , <b>2020</b> , 105, 460-467	3.8	5
26	Activation of PKC-lin HTLV-1-infected T cells. International Journal of Oncology, 2015, 46, 1609-18	4.4	5
25	Interleukin-2-dependent but not independent T-cell lines infected with human T-cell leukemia virus type 1 selectively express CD45RO, a marker for persistent infection in vivo. <i>Virus Genes</i> , <b>2001</b> , 23, 263-	7 <sup>2.3</sup>	5
24	Efficiency of AUY922 in mice with adult T-cell leukemia/lymphoma. Oncology Letters, 2016, 12, 387-392	2.6	4
23	Expression and significance of Pim-3 kinase in adult T-cell leukemia. <i>European Journal of Haematology</i> , <b>2017</b> , 99, 495-504	3.8	4
22	Characterization and regulation of interleukin-4 receptor in adult T-cell leukemia cells. <i>European Journal of Haematology</i> , <b>1996</b> , 56, 241-7	3.8	4
21	Acquired hemophilia A in a patient with essential thrombocythemia. <i>Acta Haematologica</i> , <b>2012</b> , 127, 170-2	2.7	4
20	Angiotropic lymphoma of paranasal sinuses with initial symptoms of oculomotor nerve palsy. <i>Internal Medicine</i> , <b>1993</b> , 32, 237-42	1.1	4
19	Constitutive expression of IRF-5 in HTLV-1-infected T cells. <i>International Journal of Oncology</i> , <b>2015</b> , 47, 361-9	4.4	3
18	Interleukin-15 stimulates the proliferation of peripheral blood leukemic cells from adult T-cell leukemia patients. <i>European Journal of Haematology</i> , <b>1998</b> , 61, 278-9	3.8	3
17	Protein phosphatase 2A as a potential target for treatment of adult T cell leukemia. <i>Current Cancer Drug Targets</i> , <b>2013</b> , 13, 829-42	2.8	3
16	Retraction: Curcumin targets Akt cell survival signaling pathway in HTLV-I-infected T-cell lines. <i>Cancer Science</i> , <b>2011</b> , 102, 498	6.9	2
15	Induction of CD69 expression by cagPAI-positive Helicobacter pylori infection. <i>World Journal of Gastroenterology</i> , <b>2011</b> , 17, 3691-9	5.6	2
14	The role of CUDC-907, a dual phosphoinositide-3 kinase and histone deacetylase inhibitor, in inhibiting proliferation of adult T-cell leukemia. <i>European Journal of Haematology</i> , <b>2020</b> , 105, 763-772	3.8	2
13	Retraction: Anti-adult T-cell leukemia effects of a novel synthetic retinoid, Am80 (Tamibarotene). <i>Cancer Science</i> , <b>2011</b> , 102, 499	6.9	1

12	An HTLV-I carrier who developed CD4+ T-CLL expressed the IL-2 receptor beta chain alone without expressing the alpha chain. <i>British Journal of Haematology</i> , <b>1993</b> , 85, 185-7	4.5	1
11	Importin 🛘 regulates cell growth and survival during adult T cell leukemia/lymphoma therapy.  Investigational New Drugs, 2021, 39, 317-329	4.3	1
10	The antipsychotic drug pimozide is effective against human T-cell leukemia virus type 1-infected T cells. <i>European Journal of Pharmacology</i> , <b>2021</b> , 908, 174373	5.3	1
9	FX1, a BCL6 inhibitor, reactivates BCL6 target genes and suppresses HTLV-1-infected T cells. <i>Investigational New Drugs</i> , <b>2021</b> , 1	4.3	O
8	Heat Shock Protein 90 Inhibitor NVP-AUY922 Has Potent Anti-Tumor Activity With Adult T-Cell Leukemia-Lymphoma Cells. <i>Blood</i> , <b>2013</b> , 122, 1829-1829	2.2	О
7	The anti-malaria agent artesunate exhibits cytotoxic effects in primary effusion lymphoma. <i>Investigational New Drugs</i> , <b>2021</b> , 39, 111-121	4.3	O
6	Exportin-1 is critical for cell proliferation and survival in adult T cell leukemia <i>Investigational New Drugs</i> , <b>2022</b> , 1	4.3	О
5	Retraction: Epstein-Barr virus-encoded latent membrane protein 1 activates Etatenin signaling in B lymphocytes. <i>Cancer Science</i> , <b>2011</b> , 102, 500	6.9	
4	Suppression of Cell Growth and Induction of Apoptosis of HTLV-I-Infected T-Cell Lines and Primary ATL Cells by Galectin-9 <i>Blood</i> , <b>2005</b> , 106, 4810-4810	2.2	
3	Transactivation of CCL20 Gene by CD30 in Hodgkin Lymphoma <i>Blood</i> , <b>2006</b> , 108, 2258-2258	2.2	
2	Human T-Cell Leukemia Virus Type 1 Tax Activates Caveolin-1 Gene Expression. <i>Blood</i> , <b>2008</b> , 112, 2816	-2 <u>8</u> .16	
1	Targeting Bcl-2 Family Proteins in Adult T-Cell Leukemia/Lymphoma: In Vitro and In Vivo Effects of a Novel Bcl-2 Family Inhibitor ABT-737 <i>Blood</i> , <b>2009</b> , 114, 1685-1685	2.2	