Hesham Soliman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9096154/publications.pdf

Version: 2024-02-01

516710 526287 31 792 16 27 citations h-index g-index papers 32 32 32 1071 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Metronidazole Topically Immobilized Electrospun Nanofibrous Scaffold: Novel Secondary Intention Wound Healing Accelerator. Polymers, 2022, 14, 454.	4.5	32
2	Preparation and characterization of layered-double hydroxides decorated on graphene oxide for dye removal from aqueous solution. Journal of Materials Research and Technology, 2022, 17, 2782-2795.	5 . 8	21
3	Fabrication and Characterization of Effective Biochar Biosorbent Derived from Agricultural Waste to Remove Cationic Dyes from Wastewater. Polymers, 2022, 14, 2587.	4.5	17
4	A novel method for highly effective removal and determination of binary cationic dyes in aqueous media using a cotton–graphene oxide composite. RSC Advances, 2020, 10, 7791-7802.	3.6	16
5	Adsorption of Methylene Blue Dye on Hydrothermally Prepared Tungsten Oxide Nanosheets. Egyptian Journal of Chemistry, 2020, 63, 483-498.	0.2	7
6	Development of sponge/graphene oxide composite as eco-friendly filter to remove methylene blue from aqueous media. Applied Surface Science, 2019, 496, 143676.	6.1	29
7	Evaluation of graphene oxide-activated carbon as effective composite adsorbent toward the removal of cationic dyes: Composite preparation, characterization and adsorption parameters. Journal of Molecular Liquids, 2019, 279, 530-539.	4.9	93
8	Decontamination of organic pollutants from aqueous media using cotton fiber–graphene oxide composite, utilizing batch and filter adsorption techniques: a comparative study. RSC Advances, 2019, 9, 5770-5785.	3.6	19
9	Effect of reducing agent strength on the growth and thermoelectric performance of nanocrystalline bismuth telluride. Materials Research Express, 2018, 5, 035033.	1.6	7
10	Thermo-and pH-sensitive hydrogel membranes composed of poly(N-isopropylacrylamide)-hyaluronan for biomedical applications: Influence of hyaluronan incorporation on the membrane properties. International Journal of Biological Macromolecules, 2018, 106, 158-167.	7.5	37
11	Graphene oxide: Follow the oxidation mechanism and its application in water treatment. Journal of Molecular Liquids, 2018, 265, 226-237.	4.9	41
12	Electrodeposited cobalt oxide nanoparticles modified carbon nanotubes as a non-precious catalyst electrode for oxygen reduction reaction. Journal of Applied Electrochemistry, 2017, 47, 183-195.	2.9	22
13	Protein-Repellence PES Membranes Using Bio-grafting of Ortho-aminophenol. Polymers, 2016, 8, 306.	4. 5	0
14	Hydraulic classifier system for fractionation of nano CaCO3 particles. Applied Nanoscience (Switzerland), 2015, 5, 379-391.	3.1	1
15	Impact of Congo red dye in nano-porous silicon as pH-sensor. Sensors and Actuators B: Chemical, 2015, 216, 279-285.	7.8	18
16	Effect of reaction time and Sb doping ratios on the architecturing of ZnO nanomaterials for gas sensor applications. Applied Surface Science, 2013, 277, 73-82.	6.1	44
17	Fabrication of nano-porous silicon using alkali etching process. Materials Letters, 2013, 100, 184-187.	2.6	16
18	CdSe Quantum Dots for Solar Cell Devices. International Journal of Photoenergy, 2012, 2012, 1-7.	2.5	19

#	Article	IF	Citations
19	Low temperature synthesis of cubic phase zinc sulfide quantum dots. Open Chemistry, 2012, 10, 54-58.	1.9	13
20	Electrochemical Deposition and Optimization of Thermoelectric Nanostructured Bismuth Telluride Thick Films. Engineering, 2011, 03, 659-667.	0.8	23
21	Preparation and characterization of DC sputtered molybdenum thin films. AEJ - Alexandria Engineering Journal, 2011, 50, 57-63.	6.4	27
22	Preparation and characterizations of tungsten oxide electrochromic nanomaterials. Journal of Materials Science: Materials in Electronics, 2010, 21, 1313-1321.	2.2	30
23	Seebeck coefficient of nanostructured phosphorus-alloyed bismuth telluride thick films. Journal of Alloys and Compounds, 2009, 471, 278-281.	5. 5	19
24	Synthesis and Seebeck coefficient of nanostructured phosphorusâ€alloyed bismuth telluride thick films. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 3453-3457.	0.8	6
25	Effects of Annealing and Doping on Nanostructured Bismuth Telluride Thick Films. Chemistry of Materials, 2008, 20, 4403-4410.	6.7	72
26	Fabrication of Nanostructured Thermoelectric Bismuth Telluride Thick Films by Electrochemical Deposition. Chemistry of Materials, 2006, 18, 3627-3633.	6.7	122
27	The use of rotating cylinder electrode to study the effect of 1,3-dihydroxypropane on the production of copper powder. Journal of the Brazilian Chemical Society, 2006, 17, 705-714.	0.6	18
28	The Use of Rotating Cylinder Electrode to Study the Effect of 1,3-Dihydroxypropane on Copper Electrorefining. Portugaliae Electrochimica Acta, 2006, 24, 415-440.	1.1	0
29	Formalin solution and acetone as organic additives in electrodeposition of copper. Applied Surface Science, 2002, 195, 155-165.	6.1	16
30	Structure evaluation of bismuth telluride (Bi ₂ Te ₃) nanoparticles with enhanced Seebeck coefficient and low thermal conductivity. Materials Research Innovations, 0, , 1-9.	2.3	6
31	Fouling-resistant brush-like oligomers of poly(3-aminophenol). , 0, 73, 237-248.		1