

Boming Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9096804/boming-zhang-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

2,824
citations

30
h-index

51
g-index

137
ext. papers

3,699
ext. citations

5.1
avg, IF

5.61
L-index

#	Paper	IF	Citations
111	Combined Heat and Power Dispatch Considering Pipeline Energy Storage of District Heating Network. <i>IEEE Transactions on Sustainable Energy</i> , 2016 , 7, 12-22	8.2	363
110	Transmission-Constrained Unit Commitment Considering Combined Electricity and District Heating Networks. <i>IEEE Transactions on Sustainable Energy</i> , 2016 , 7, 480-492	8.2	227
109	Adjustable Robust Real-Time Power Dispatch With Large-Scale Wind Power Integration. <i>IEEE Transactions on Sustainable Energy</i> , 2015 , 6, 357-368	8.2	121
108	Robust Restoration Method for Active Distribution Networks. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 4005-4015	7	106
107	Rapid-Charging Navigation of Electric Vehicles Based on Real-Time Power Systems and Traffic Data. <i>IEEE Transactions on Smart Grid</i> , 2014 , 5, 1969-1979	10.7	99
106	Cyber-Physical Modeling and Cyber-Contingency Assessment of Hierarchical Control Systems. <i>IEEE Transactions on Smart Grid</i> , 2015 , 6, 2375-2385	10.7	94
105	A Robust Wind Power Optimization Method for Look-Ahead Power Dispatch. <i>IEEE Transactions on Sustainable Energy</i> , 2014 , 5, 507-515	8.2	94
104	Decentralized Multiarea Robust Generation Unit and Tie-Line Scheduling Under Wind Power Uncertainty. <i>IEEE Transactions on Sustainable Energy</i> , 2015 , 6, 1377-1388	8.2	85
103	Decentralized Multi-Area Dynamic Economic Dispatch Using Modified Generalized Benders Decomposition. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 526-538	7	71
102	Dynamic Economic Dispatch Using Lagrangian Relaxation With Multiplier Updates Based on a Quasi-Newton Method. <i>IEEE Transactions on Power Systems</i> , 2013 , 28, 4516-4527	7	67
101	Development and Analysis of Applicability of a Hybrid Transient Simulation Platform Combining TSA and EMT Elements. <i>IEEE Transactions on Power Systems</i> , 2013 , 28, 357-366	7	59
100	Mixed-integer second-order cone programming model for VAR optimisation and network reconfiguration in active distribution networks. <i>IET Generation, Transmission and Distribution</i> , 2016 , 10, 1938-1946	2.5	59
99	An Improved Approach for AC-DC Power Flow Calculation With Multi-Infeed DC Systems. <i>IEEE Transactions on Power Systems</i> , 2011 , 26, 862-869	7	58
98	A branch-estimation-based state estimation method for radial distribution systems. <i>IEEE Transactions on Power Delivery</i> , 2002 , 17, 1057-1062	4.3	58
97	Fully distributed multi-area economic dispatch method for active distribution networks. <i>IET Generation, Transmission and Distribution</i> , 2015 , 9, 1341-1351	2.5	55
96	. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 1392-1400	4.3	54
95	Power System Operation Risk Assessment Using Credibility Theory. <i>IEEE Transactions on Power Systems</i> , 2008 , 23, 1309-1318	7	53

94	An Exact Linearization Method for OLTC of Transformer in Branch Flow Model. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 2475-2476	7	52
93	Reducing Generation Uncertainty by Integrating CSP With Wind Power: An Adaptive Robust Optimization-Based Analysis. <i>IEEE Transactions on Sustainable Energy</i> , 2015 , 6, 583-594	8.2	49
92	Adaptive Robust Tie-Line Scheduling Considering Wind Power Uncertainty for Interconnected Power Systems. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 2701-2713	7	47
91	Distributed Robust Bilinear State Estimation for Power Systems with Nonlinear Measurements. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 499-509	7	46
90	A Method to Evaluate Total Supply Capability of Distribution Systems Considering Network Reconfiguration and Daily Load Curves. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 2096-2104	7	45
89	Data-Driven DG Capacity Assessment Method for Active Distribution Networks. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 3946-3957	7	44
88	A Mixed Integer Quadratic Programming Model for Topology Identification in Distribution Network. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 823-824	7	43
87	Robust reactive power optimisation and voltage control method for active distribution networks via dual time-scale coordination. <i>IET Generation, Transmission and Distribution</i> , 2017 , 11, 1461-1471	2.5	40
86	Robust Capacity Assessment of Distributed Generation in Unbalanced Distribution Networks Incorporating ANM Techniques. <i>IEEE Transactions on Sustainable Energy</i> , 2018 , 9, 651-663	8.2	38
85	Analytical Reliability Assessment Method for Complex Distribution Networks Considering Post-Fault Network Reconfiguration. <i>IEEE Transactions on Power Systems</i> , 2020 , 35, 1457-1467	7	34
84	Coordinated Multi-Area Economic Dispatch via Critical Region Projection. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 3736-3746	7	33
83	Decentralized Contingency-Constrained Tie-Line Scheduling for Multi-Area Power Grids. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 354-367	7	31
82	Study on wind-EV complementation in transmission grid side 2011 ,		30
81	Hierarchical Multi-Area State Estimation via Sensitivity Function Exchanges. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 442-453	7	27
80	Robust generation maintenance scheduling considering wind power and forced outages. <i>IET Renewable Power Generation</i> , 2016 , 10, 634-641	2.9	27
79	Optimal Voltage Control of PJM Smart Transmission Grid: Study, Implementation, and Evaluation. <i>IEEE Transactions on Smart Grid</i> , 2013 , 4, 1665-1674	10.7	27
78	Distributed optimal residential demand response considering operational constraints of unbalanced distribution networks. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 1970-1979	2.5	26
77	Applying blockchain technology to decentralized operation in future energy internet 2017 ,		25

76	Loop-analysis-based continuation power flow algorithm for distribution networks. <i>IET Generation, Transmission and Distribution</i> , 2014 , 8, 1284-1292	2.5	24
75	Robust Look-Ahead Power Dispatch With Adjustable Conservativeness Accommodating Significant Wind Power Integration. <i>IEEE Transactions on Sustainable Energy</i> , 2015 , 6, 781-790	8.2	21
74	Dynamic reactive power optimal allocation to decrease wind power curtailment in a large-scale wind power integration area. <i>IET Renewable Power Generation</i> , 2017 , 11, 1667-1678	2.9	16
73	Autonomous Voltage Security Regions to Prevent Cascading Trip Faults in Wind Turbine Generators. <i>IEEE Transactions on Sustainable Energy</i> , 2016 , 7, 1306-1316	8.2	15
72	Kullback-Leibler divergence-based distributionally robust optimisation model for heat pump day-ahead operational schedule to improve PV integration. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 3136-3144	2.5	15
71	Information Masking Theory for Data Protection in Future Cloud-Based Energy Management. <i>IEEE Transactions on Smart Grid</i> , 2018 , 9, 5664-5676	10.7	14
70	A Distributed Multi-Control-Center Dynamic Power Flow Algorithm Based on Asynchronous Iteration Scheme. <i>IEEE Transactions on Power Systems</i> , 2018 , 33, 1716-1724	7	14
69	An improved sequential method for AC/MTDC power system state estimation. <i>IEEE Transactions on Power Systems</i> , 2001 , 16, 506-512	7	14
68	An Improved Real-Time Short-Term Voltage Stability Monitoring Method Based on Phase Rectification. <i>IEEE Transactions on Power Systems</i> , 2018 , 33, 1068-1070	7	13
67	An Efficient State Estimation Algorithm Considering Zero Injection Constraints. <i>IEEE Transactions on Power Systems</i> , 2013 , 28, 2651-2659	7	13
66	Analog-Digital Power System State Estimation Based on Information Theory Part I: Theory. <i>IEEE Transactions on Smart Grid</i> , 2013 , 4, 1640-1646	10.7	13
65	A Reliability-Constrained Expansion Planning Model for Mesh Distribution Networks. <i>IEEE Transactions on Power Systems</i> , 2021 , 36, 948-960	7	13
64	A Static Voltage Security Region for Centralized Wind Power Integration Part II: Applications. <i>Energies</i> , 2014 , 7, 444-461	3.1	12
63	Development and applications of system-wide automatic voltage control system in China 2009 ,		12
62	Dynamic reactive power reserve optimisation in wind power integration areas. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 507-517	2.5	11
61	Dynamic queuing approach to power system short term economic and security dispatch. <i>IEEE Transactions on Power Systems</i> , 1998 , 13, 280-285	7	11
60	Coordinated state-estimation method for air-conditioning loads to provide primary frequency regulation service. <i>IET Generation, Transmission and Distribution</i> , 2017 , 11, 3381-3388	2.5	10
59	A Spinning Reserve Allocation Method for Power Generation Dispatch Accommodating Large-Scale Wind Power Integration. <i>Energies</i> , 2013 , 6, 5357-5381	3.1	10

58	Multivariate statistical analysis-based power-grid-partitioning method. <i>IET Generation, Transmission and Distribution</i> , 2016 , 10, 1023-1031	2.5	9
57	A Static Voltage Security Region for Centralized Wind Power Integration Part I: Concept and Method. <i>Energies</i> , 2014 , 7, 420-443	3.1	9
56	Multi-time interval power system state estimation incorporating phasor measurements 2015 ,		8
55	Research on architecture of ITS based Smart Charging Guide System 2011 ,		8
54	Feeder-corridor-based distribution network planning model with explicit reliability constraints. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 5310-5318	2.5	8
53	Robust Voltage Control Strategy for Hybrid AC/DC Sending-Side Systems to Prevent Cascading Trip Failures. <i>IEEE Transactions on Sustainable Energy</i> , 2019 , 10, 1319-1329	8.2	7
52	A novel preventive control approach for mitigating voltage collapse 2006 ,		7
51	Voltage security regions considering wind power curtailment to prevent cascading trip faults in wind power integration areas. <i>IET Renewable Power Generation</i> , 2017 , 11, 54-62	2.9	6
50	Applications and extension of CIM standard in chinese electrical power control centers 2009 ,		6
49	Family of energy management system for smart grid 2012 ,		6
48	An artificial neural network-based expert system for network topological error identification		6
47	A Semidefinite Programming Model for Passivity Enforcement of Frequency-Dependent Network Equivalents. <i>IEEE Transactions on Power Delivery</i> , 2016 , 31, 397-399	4.3	5
46	A Fast Solution for the Lagrange Multiplier-Based Electric Power Network Parameter Error Identification Model. <i>Energies</i> , 2014 , 7, 1288-1299	3.1	5
45	Substation three-phase nonlinear state estimation based on KCL 2011 ,		5
44	A Two-Level Distributed Approach to Power Network Modeling. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 1496-1504	4.3	4
43	A fully distributed active power control method with minimum generation cost in grid-connected microgrids 2015 ,		4
42	Continuation power flow based on a novel local geometric parameterisation approach. <i>IET Generation, Transmission and Distribution</i> , 2014 , 8, 811-818	2.5	4
41	Optimal residential demand response considering the operational constraints of unbalanced distribution networks 2017 ,		4

40	Supplemental control for enhancing primary frequency response of DFIG-based wind farm considering security of wind turbines 2014 ,		4
39	PGFB: A hybrid feature selection method based on mutual information 2010 ,		4
38	Multiple time-scale coordinated power control system to accommodate significant wind power penetration and its real application 2012 ,		4
37	Capacity guaranteed control method for air conditioning cluster joining power grid frequency regulation. <i>Journal of Engineering</i> , 2018 , 2018, 1884-1888	0.7	4
36	Hexagon raster-based method for distribution network planning considering line routes and pole locations. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 1420-1429	2.5	3
35	A Generation-Interval-Based Mechanism for Managing the Power Generation Uncertainties of Variable Generation. <i>IEEE Transactions on Sustainable Energy</i> , 2016 , 7, 1060-1070	8.2	3
34	A decoupled interface method for electromagnetic and electromechanical simulation 2011 ,		3
33	A Multi-Agent based distributed computing platform for new generation of EMS 2009 ,		3
32	A new generation of EMS implemented in Chinese electric power control centers 2008 ,		3
31	A two-level hierarchical discrete-device control method for power networks with integrated wind farms. <i>Journal of Modern Power Systems and Clean Energy</i> , 2019 , 7, 88-98	4	3
30	Abductive identification of bad data: methodology and field test. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 150-159	2.5	2
29	A robust bilinear three-phase state estimation method for power systems 2016 ,		2
28	Security evaluation for distribution power system using improved MIQCP based restoration strategy 2014 ,		2
27	Distributed newton method for primary voltage control in Islanded DC microgrid 2017 ,		2
26	Compacting and partitioning-based simulation solution for frequency-dependent network equivalents in real-time digital simulator. <i>IET Generation, Transmission and Distribution</i> , 2015 , 9, 2526-2533 ⁵		2
25	Generator random outage model for risk-based monthly maintenance scheduling 2010 ,		2
24	Distributed power flow calculation for whole networks including transmission and distribution 2008 ,		2
23	PMU based voltage stability analysis for transmission corridors 2008 ,		2

22	Design of a hierarchical network remodeling system based on IEC61970 for electrical power control centers in China 2008 ,		2
21	A supporting platform for new generation of EMS based on PC cluster 2008 ,		2
20	Network reconfiguration in unbalanced distribution systems for service restoration and loss reduction		2
19	A robust approach for active distribution network restoration based on scenario techniques considering load and DG uncertainties 2016 ,		1
18	Development of an RTDS-TSA hybrid transient simulation platform with frequency dependent network equivalents 2013 ,		1
17	Cooperative game-based method to determine the weights of load forecasting solution incorporated with various algorithms. <i>Journal of Engineering</i> , 2017 , 2017, 1312-1315	0.7	1
16	Energy and ancillary service joint dispatch of power system integrated with dynamic heating system 2017 ,		1
15	Parameter identifiability analysis of power system transient models based on profile likelihood 2014 ,		1
14	Real-time local voltage stability monitoring based on PMU and recursive least square method with variable forgetting factors 2012 ,		1
13	A sensitivity based simplified model for security constrained optimal power flow 2012 ,		1
12	Distributed Automatic Voltage Control framework for large-scale wind integration in China 2012 ,		1
11	A hybrid simulation method for EVsVoperation considering power grid and traffic information 2013 ,		1
10	An efficient security assessment system based on PC cluster for power system daily operation planning validation 2010 ,		1
9	Study of system-wide Automatic Voltage Control on PJM system 2010 ,		1
8	Modeling, simulating and online setting-checking for protective relay 2009 ,		1
7	An online intelligent alarm-processing system based on abductive reasoning network 2012 ,		1
6	PMU measurements and EMS models based transient stability on-line forecasting 2009 ,		1
5	A novel unit commitment method considering various operation constraints		1

4	A novel architecture of distribution management system		1
3	Study on the dynamic reactive power characteristics of MMC-MTDC for wind farm integration. <i>Journal of Engineering</i> , 2017 , 2017, 691-695	0.7	0
2	Robust optimal shunt dispatch method in wind farm integration area. <i>Journal of Engineering</i> , 2017 , 2017, 1829-1832	0.7	0
1	Discussion of positive fraction vector fitting for frequency-dependent network equivalents. <i>Journal of Engineering</i> , 2017 , 2017, 812-815	0.7	