Patrick Blin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9098871/publications.pdf

Version: 2024-02-01

64 1,834 20 40
papers citations h-index g-index

71 71 71 2293
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The national healthcare system claims databases in France, SNIIRAM and EGB: Powerful tools for pharmacoepidemiology. Pharmacoepidemiology and Drug Safety, 2017, 26, 954-962.	0.9	382
2	Pharmacovigilance–ÂThe next chapter. Therapie, 2019, 74, 557-567.	0.6	132
3	Transplantation for Acute Liver Failure in Patients Exposed to NSAIDs or Paracetamol (Acetaminophen). Drug Safety, 2013, 36, 135-144.	1.4	90
4	Using big data from health records from four countries to evaluate chronic disease outcomes: a study in 114 364 survivors of myocardial infarction. European Heart Journal Quality of Care & Clinical Outcomes, 2016, 2, 172-183.	1.8	88
5	Insulin glargine and risk of cancer: a cohort study in the French National Healthcare Insurance Database. Diabetologia, 2012, 55, 644-653.	2.9	84
6	Liver transplant associated with paracetamol overdose: results from the sevenâ€country SALT study. British Journal of Clinical Pharmacology, 2015, 80, 599-606.	1.1	76
7	Does Ibuprofen Worsen COVID-19?. Drug Safety, 2020, 43, 611-614.	1.4	66
8	Usage patterns of †over†the†counter† theactorized-rugs (i>vs). prescription†strength nonsteroidal anti†inflammatory drugs in <scp>F</scp> rance. British Journal of Clinical Pharmacology, 2014, 77, 887-895.	1.1	56
9	NSAIDs and COVID-19: A Systematic Review and Meta-analysis. Drug Safety, 2021, 44, 929-938.	1.4	53
10	Parkinson's disease incidence and prevalence assessment in <scp>F</scp> rance using the national healthcare insurance database. European Journal of Neurology, 2015, 22, 464-471.	1.7	52
11	Pharmacoepidemiology of non-steroidal anti-inflammatory drugs. Therapie, 2019, 74, 271-277.	0.6	42
12	Diagnostic accuracy of the <i>International Classification of Diseases</i> , <i>Tenth Revision</i> , codes of heart failure in an administrative database. Pharmacoepidemiology and Drug Safety, 2019, 28, 194-200.	0.9	41
13	Channelling of COX-2 inhibitors to patients at higher gastrointestinal risk but not at lower cardiovascular risk: the Cox2 inhibitors and tNSAIDs description of users (CADEUS) study. Pharmacoepidemiology and Drug Safety, 2007, 16, 891-900.	0.9	34
14	Usage patterns of paracetamol in France. British Journal of Clinical Pharmacology, 2016, 82, 498-503.	1.1	34
15	Cardiovascular risks associated with low-dose ibuprofen and diclofenac as used OTC. Expert Opinion on Drug Safety, 2014, 13, 167-179.	1.0	33
16	Outcomes in patients after myocardial infarction similar to those of the PEGASUS‶IMI 54 trial: A cohort study in the French national claims database. British Journal of Clinical Pharmacology, 2017, 83, 2056-2065.	1.1	27
17	Choice of the denominator in case population studies: event rates for registration for liver transplantation after exposure to NSAIDs in the SALT study in France. Pharmacoepidemiology and Drug Safety, 2013, 22, 160-167.	0.9	25
18	Hospitalizations for gastrointestinal and cardiovascular events in the CADEUS cohort of traditional or Coxib NSAID users. British Journal of Clinical Pharmacology, 2010, 69, 295-302.	1.1	24

#	Article	IF	Citations
19	A population database study of outcomes associated with vitamin K antagonists in atrial fibrillation before DOAC. British Journal of Clinical Pharmacology, 2016, 81, 569-578.	1.1	23
20	Effectiveness and Safety of Rivaroxaban 15 or 20 mg Versus Vitamin K Antagonists in Nonvalvular Atrial Fibrillation. Stroke, 2019, 50, 2469-2476.	1.0	23
21	Concordance between prescriber―and patient―eported previous medical history and NSAID indication in the CADEUS cohort. Pharmacoepidemiology and Drug Safety, 2010, 19, 474-481.	0.9	22
22	The CADEUS study: burden of nonsteroidal antiâ€inflammatory drug (NSAID) utilization for musculoskeletal disorders in blue collar workers. British Journal of Clinical Pharmacology, 2009, 67, 118-124.	1.1	20
23	Impact of a public media event on the use of statins in the French population. Archives of Cardiovascular Diseases, 2017 , 110 , 91 - 98 .	0.7	20
24	The CADEUS study: methods and logistics. Pharmacoepidemiology and Drug Safety, 2007, 16, 571-580.	0.9	19
25	Outcomes following acute hospitalised myocardial infarction in France: An insurance claims database analysis. International Journal of Cardiology, 2016, 219, 387-393.	0.8	19
26	Effectiveness and safety of 110 or 150Âmg dabigatran vs . vitamin K antagonists in nonvalvular atrial fibrillation. British Journal of Clinical Pharmacology, 2019, 85, 432-441.	1.1	19
27	Impact of Prescriber Nonresponse on Patient Representativeness. Epidemiology, 2008, 19, 186-190.	1.2	18
28	Comparative Effectiveness and Safety of Standard or Reduced Dose Dabigatran vs. Rivaroxaban in Nonvalvular Atrial Fibrillation. Clinical Pharmacology and Therapeutics, 2019, 105, 1439-1455.	2.3	18
29	Use of health insurance claim patterns to identify patients using nonsteroidal antiâ€inflammatory drugs for rheumatoid arthritis. Pharmacoepidemiology and Drug Safety, 2012, 21, 573-583.	0.9	17
30	Incidence and risk of cancer among multiple sclerosis patients: A matched populationâ€based cohort study. European Journal of Neurology, 2022, 29, 1091-1099.	1.7	17
31	Pharmacological treatments of cardiovascular diseases: Evidence from real-life studies. Pharmacological Research, 2017, 118, 43-52.	3.1	15
32	Methodology for a multinational case–population study on liver toxicity risks with NSAIDs: the Study of Acute Liver Transplant (SALT). European Journal of Clinical Pharmacology, 2013, 69, 605-616.	0.8	14
33	Epidemiology of metastatic castration-resistant prostate cancer: A first estimate of incidence and prevalence using the French nationwide healthcare database. Cancer Epidemiology, 2020, 69, 101833.	0.8	14
34	Management and 3-month outcomes of isolated superficial vein thrombosis of the lower limb: A real-world cohort study. Thrombosis Research, 2017, 157, 117-119.	0.8	13
35	Secondary prevention of acute coronary events with antiplatelet agents (SPACE-AA): One-year real-world effectiveness and safety cohort study in the French nationwide claims database. Atherosclerosis, 2019, 281, 98-106.	0.4	13
36	Estimating the Yearly Number of Eyes with Treatable Neovascular Age-Related Macular Degeneration Using a Direct Standardization Method and a Markov Model., 2006, 47, 4270.		12

#	Article	IF	CITATIONS
37	Effectiveness of antibiotics for acute sinusitis in realâ€life medical practice. British Journal of Clinical Pharmacology, 2010, 70, 418-428.	1.1	12
38	Bismuth Concentrations in Patients Treated in Real-Life Practice with a Bismuth Subcitrate-Metronidazole-Tetracycline Preparation: The SAPHARY Study. Drug Safety, 2019, 42, 993-1003.	1.4	12
39	Administrative complexities for a European observational study despite directives harmonising requirements. Pharmacoepidemiology and Drug Safety, 2012, 21, 851-856.	0.9	11
40	Comparative effectiveness of direct oral anticoagulants versus low-molecular weight heparins for the prevention of venous thromboembolism after total hip or knee replacement: A nationwide database cohort study. Pharmacological Research, 2019, 141, 201-207.	3.1	11
41	Coronary Events After Dispensing of Ibuprofen: A Propensity Score-Matched Cohort Study Versus Paracetamol in the French Nationwide Claims Database Sample. Drug Safety, 2018, 41, 1049-1058.	1.4	10
42	Pharmacoepidemiology. Handbook of Experimental Pharmacology, 2019, 260, 433-451.	0.9	10
43	Causality of Drugs Involved in Acute Liver Failure Leading to Transplantation: Results from the Study of Acute Liver Transplant (SALT). Drug Safety, 2013, 36, 757-764.	1.4	9
44	When Patients Report Diseases That Prescribers Seem Unaware of: Discordance Between Patient and Physician Reporting of Risk-Related Previous History in NSAID Users From the CADEUS Study. Clinical Pharmacology and Therapeutics, 2010, 88, 668-675.	2.3	8
45	Intra-database validation of case-identifying algorithms using reconstituted electronic health records from healthcare claims data. BMC Medical Research Methodology, 2021, 21, 95.	1.4	8
46	Comparative Real-Life Effectiveness and Safety of Dabigatran or Rivaroxaban vs. Vitamin K Antagonists: A High-Dimensional Propensity Score Matched New Users Cohort Study in the French National Healthcare Data System SNDS. American Journal of Cardiovascular Drugs, 2020, 20, 81-103.	1.0	7
47	The EULEV cohort study: rates of and factors associated with continuation of levetiracetam after 1 year. British Journal of Clinical Pharmacology, 2011, 71, 121-127.	1.1	6
48	Are traditional NSAIDs prescribed appropriately among French elderly with osteoarthritis? Results from the CADEUS cohort. European Journal of Clinical Pharmacology, 2011, 67, 833-838.	0.8	6
49	Relative Risks from Case-Population Data. Epidemiology, 2013, 24, 935-936.	1.2	6
50	An observational cohort study of the use of five-grass-pollen extract sublingual immunotherapy during the 2015 pollen season in France. Allergy, Asthma and Clinical Immunology, 2018, 14, 38.	0.9	6
51	Empirical assessment of caseâ€based methods for drug safety alert identification in the French National Healthcare System database (SNDS): Methodology of the ALCAPONE project. Pharmacoepidemiology and Drug Safety, 2020, 29, 993-1000.	0.9	6
52	Patients with stable coronary artery disease and type 2 diabetes but without prior myocardial infarction or stroke and THEMIS-like patients: real-world prevalence and risk of major outcomes from the SNDS French nationwide claims database. Cardiovascular Diabetology, 2021, 20, 229.	2.7	6
53	How to Improve the Clinical Development Paradigm and its Division into Phases I, II and III. Therapie, 2011, 66, 331-334.	0.6	5
54	New oral anticoagulants (NOAC) and liver injury. Journal of Hepatology, 2014, 61, 198-199.	1.8	5

#	Article	IF	CITATIONS
55	Six-year survival study after myocardial infarction: The EOLE prospective cohort study. Long-term survival after MI. Therapie, 2019, 74, 459-468.	0.6	5
56	Empirical assessment of caseâ€based methods for identification of drugs associated with upper gastrointestinal bleeding in the French National Healthcare System database (<scp>SNDS</scp>). Pharmacoepidemiology and Drug Safety, 2020, 29, 890-903.	0.9	5
57	Use of intravenous iron and risk of anaphylaxis: A multinational observational postâ€authorisation safety study in Europe. Pharmacoepidemiology and Drug Safety, 2021, 30, 1447-1457.	0.9	5
58	Empirical assessment of caseâ€based methods for identification of drugs associated with acute liver injury in the French National Healthcare System database (<scp>SNDS</scp>). Pharmacoepidemiology and Drug Safety, 2021, 30, 320-333.	0.9	3
59	Secondary prevention of acute coronary syndrome with antiplatelet agents in real life: A high-dimensional propensity score matched cohort study in the French National claims database. MethodsX, 2020, 7, 100796.	0.7	2
60	National Health Insurance Claims Database in France (SNIRAM), SystÃ"me Nationale des Données de Santé (SNDS) and Health Data Hub (HDH). Springer Series on Epidemiology and Public Health, 2021, , 131-140.	0.5	2
61	Misuse, Abuse, and Diversion of instanyl® (Fentanyl Nasal Spray) in France. Value in Health, 2014, 17, A649.	0.1	1
62	Antihypertensive Drugs, Hypotension, and Ischemic Colitis. American Journal of Cardiovascular Drugs, 2015, 15, 77-79.	1.0	1
63	Survival outcome in patients with metastatic castration-resistant prostate cancer according to first-line treatment Journal of Clinical Oncology, 2020, 38, 5570-5570.	0.8	1
64	Patterns of quadruple therapy use including bismuth for Helicobacter pylori eradication: A cohort study in the French national claims database. Therapie, 2021, 76, 435-440.	0.6	0