

Patrick Blin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9098871/patrick-blin-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

1,246
citations

19
h-index

33
g-index

71
ext. papers

1,571
ext. citations

3.9
avg, IF

4.54
L-index

#	Paper	IF	Citations
61	Patients with stable coronary artery disease and type 2 diabetes but without prior myocardial infarction or stroke and THEMIS-like patients: real-world prevalence and risk of major outcomes from the SNDS French nationwide claims database. <i>Cardiovascular Diabetology</i> , 2021 , 20, 229	8.7	0
60	Patterns of quadruple therapy use including bismuth for Helicobacter pylori eradication: A cohort study in the French national claims database. <i>Therapie</i> , 2021 , 76, 435-440	3.8	
59	Intra-database validation of case-identifying algorithms using reconstituted electronic health records from healthcare claims data. <i>BMC Medical Research Methodology</i> , 2021 , 21, 95	4.7	0
58	Use of intravenous iron and risk of anaphylaxis: A multinational observational post-authorisation safety study in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1447-1457	2.6	2
57	Empirical assessment of case-based methods for identification of drugs associated with acute liver injury in the French National Healthcare System database (SNDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 320-333	2.6	
56	National Health Insurance Claims Database in France (SNIRAM), Syst�me Nationale des Donn�es de Sant� (SNDS) and Health Data Hub (HDH). <i>Springer Series on Epidemiology and Public Health</i> , 2021 , 131-140	0.4	0
55	NSAIDs and COVID-19: A Systematic Review and Meta-analysis. <i>Drug Safety</i> , 2021 , 44, 929-938	5.1	19
54	Empirical assessment of case-based methods for identification of drugs associated with upper gastrointestinal bleeding in the French National Healthcare System database (SNDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 890-903	2.6	2
53	Empirical assessment of case-based methods for drug safety alert identification in the French National Healthcare System database (SNDS): Methodology of the ALCAPONE project. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 993-1000	2.6	1
52	Secondary prevention of acute coronary syndrome with antiplatelet agents in real life: A high-dimensional propensity score matched cohort study in the French National claims database. <i>MethodsX</i> , 2020 , 7, 100796	1.9	2
51	Survival outcome in patients with metastatic castration-resistant prostate cancer according to first-line treatment.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 5570-5570	2.2	1
50	Epidemiology of metastatic castration-resistant prostate cancer: A first estimate of incidence and prevalence using the French nationwide healthcare database. <i>Cancer Epidemiology</i> , 2020 , 69, 101833	2.8	3
49	Comparative Real-Life Effectiveness and Safety of Dabigatran or Rivaroxaban vs. Vitamin K Antagonists: A High-Dimensional Propensity Score Matched New Users Cohort Study in the French National Healthcare Data System SNDS. <i>American Journal of Cardiovascular Drugs</i> , 2020 , 20, 81-103	4	5
48	Bismuth Concentrations in Patients Treated in Real-Life Practice with a Bismuth Subcitrate-Metronidazole-Tetracycline Preparation: The SAPHARY Study. <i>Drug Safety</i> , 2019 , 42, 993-1003	5.1	7
47	Effectiveness and Safety of Rivaroxaban 15 or 20 mg Versus Vitamin K Antagonists in Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2019 , 50, 2469-2476	6.7	11
46	Pharmacoepidemiology of non-steroidal anti-inflammatory drugs. <i>Therapie</i> , 2019 , 74, 271-277	3.8	26
45	Pharmacovigilance - The next chapter. <i>Therapie</i> , 2019 , 74, 557-567	3.8	82

44	Six-year survival study after myocardial infarction: The EOLE prospective cohort study. Long-term survival after MI. <i>Therapie</i> , 2019 , 74, 459-468	3.8	3
43	Pharmacoepidemiology. <i>Handbook of Experimental Pharmacology</i> , 2019 , 260, 433-451	3.2	3
42	Comparative effectiveness of direct oral anticoagulants versus low-molecular weight heparins for the prevention of venous thromboembolism after total hip or knee replacement: A nationwide database cohort study. <i>Pharmacological Research</i> , 2019 , 141, 201-207	10.2	7
41	Diagnostic accuracy of the International Classification of Diseases, Tenth Revision, codes of heart failure in an administrative database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 194-200	2.6	22
40	Effectiveness and safety of 110 or 150 mg dabigatran vs. vitamin K antagonists in nonvalvular atrial fibrillation. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 432-441	3.8	15
39	Secondary prevention of acute coronary events with antiplatelet agents (SPACE-AA): One-year real-world effectiveness and safety cohort study in the French nationwide claims database. <i>Atherosclerosis</i> , 2019 , 281, 98-106	3.1	9
38	Comparative Effectiveness and Safety of Standard or Reduced Dose Dabigatran vs. Rivaroxaban in Nonvalvular Atrial Fibrillation. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 105, 1439-1455	6.1	12
37	An observational cohort study of the use of five-grass-pollen extract sublingual immunotherapy during the 2015 pollen season in France. <i>Allergy, Asthma and Clinical Immunology</i> , 2018 , 14, 38	3.2	5
36	Coronary Events After Dispensing of Ibuprofen: A Propensity Score-Matched Cohort Study Versus Paracetamol in the French Nationwide Claims Database Sample. <i>Drug Safety</i> , 2018 , 41, 1049-1058	5.1	8
35	The national healthcare system claims databases in France, SNIIRAM and EGB: Powerful tools for pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 954-962	2.6	227
34	Outcomes in patients after myocardial infarction similar to those of the PEGASUS-TIMI 54 trial: A cohort study in the French national claims database. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2056-2065	3.8	20
33	Management and 3-month outcomes of isolated superficial vein thrombosis of the lower limb: A real-world cohort study. <i>Thrombosis Research</i> , 2017 , 157, 117-119	8.2	4
32	Impact of a public media event on the use of statins in the French population. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 91-98	2.7	16
31	Pharmacological treatments of cardiovascular diseases: Evidence from real-life studies. <i>Pharmacological Research</i> , 2017 , 118, 43-52	10.2	13
30	Outcomes following acute hospitalised myocardial infarction in France: An insurance claims database analysis. <i>International Journal of Cardiology</i> , 2016 , 219, 387-93	3.2	12
29	Using big data from health records from four countries to evaluate chronic disease outcomes: a study in 114 364 survivors of myocardial infarction. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 172-183	4.6	60
28	Usage patterns of paracetamol in France. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 498-503	3.8	22
27	A population database study of outcomes associated with vitamin K antagonists in atrial fibrillation before DOAC. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 569-78	3.8	19

26	Antihypertensive drugs, hypotension, and ischemic colitis. <i>American Journal of Cardiovascular Drugs</i> , 2015 , 15, 77-9	4	1
25	Liver transplant associated with paracetamol overdose: results from the seven-country SALT study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 599-606	3.8	56
24	Parkinson's disease incidence and prevalence assessment in France using the national healthcare insurance database. <i>European Journal of Neurology</i> , 2015 , 22, 464-71	6	35
23	Cardiovascular risks associated with low-dose ibuprofen and diclofenac as used OTC. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 167-79	4.1	27
22	Misuse, Abuse, and Diversion of instanyl [®] (Fentanyl Nasal Spray) in France. <i>Value in Health</i> , 2014 , 17, A649	3.3	1
21	Usage patterns of over-the-counter vs. prescription-strength nonsteroidal anti-inflammatory drugs in France. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 887-95	3.8	46
20	Methodology for a multinational case-population study on liver toxicity risks with NSAIDs: the Study of Acute Liver Transplant (SALT). <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 605-16	2.8	13
19	Causality of Drugs Involved in Acute Liver Failure Leading to Transplantation: Results from the Study of Acute Liver Transplant (SALT). <i>Drug Safety</i> , 2013 , 36, 757-64	5.1	7
18	Transplantation for acute liver failure in patients exposed to NSAIDs or paracetamol (acetaminophen): the multinational case-population SALT study. <i>Drug Safety</i> , 2013 , 36, 135-44	5.1	76
17	Choice of the denominator in case population studies: event rates for registration for liver transplantation after exposure to NSAIDs in the SALT study in France. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 160-7	2.6	23
16	Relative risks from case-population data. <i>Epidemiology</i> , 2013 , 24, 935-6	3.1	6
15	Insulin glargine and risk of cancer: a cohort study in the French National Healthcare Insurance Database. <i>Diabetologia</i> , 2012 , 55, 644-53	10.3	78
14	Administrative complexities for a European observational study despite directives harmonising requirements. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 851-6	2.6	11
13	Use of health insurance claim patterns to identify patients using nonsteroidal anti-inflammatory drugs for rheumatoid arthritis. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 573-83	2.6	15
12	How to improve the clinical development paradigm and its division into phases I, II and III. <i>Therapie</i> , 2011 , 66, 331-4, 327-30	3.8	4
11	The EULEV cohort study: rates of and factors associated with continuation of levetiracetam after 1 year. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 121-7	3.8	4
10	Are traditional NSAIDs prescribed appropriately among French elderly with osteoarthritis? Results from the CADEUS cohort. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 833-8	2.8	4
9	Hospitalizations for gastrointestinal and cardiovascular events in the CADEUS cohort of traditional or Coxib NSAID users. <i>British Journal of Clinical Pharmacology</i> , 2010 , 69, 295-302	3.8	22

8	Effectiveness of antibiotics for acute sinusitis in real-life medical practice. <i>British Journal of Clinical Pharmacology</i> , 2010 , 70, 418-28	3.8	9
7	When patients report diseases that prescribers seem unaware of: discordance between patient and physician reporting of risk-related previous history in NSAID users from the CADEUS study. <i>Clinical Pharmacology and Therapeutics</i> , 2010 , 88, 668-75	6.1	8
6	Concordance between prescriber- and patient-reported previous medical history and NSAID indication in the CADEUS cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 474-81	2.6	14
5	The CADEUS study: burden of nonsteroidal anti-inflammatory drug (NSAID) utilization for musculoskeletal disorders in blue collar workers. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 118-24 ⁸	3.8	16
4	Impact of prescriber nonresponse on patient representativeness. <i>Epidemiology</i> , 2008 , 19, 186-90	3.1	17
3	The CADEUS study: methods and logistics. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 571-80	2.6	17
2	Channelling of COX-2 inhibitors to patients at higher gastrointestinal risk but not at lower cardiovascular risk: the Cox2 inhibitors and tNSAIDs description of users (CADEUS) study. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 891-900	2.6	32
1	Estimating the yearly number of eyes with treatable neovascular age-related macular degeneration using a direct standardization method and a markov model. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 4270-6		10