

Carlos Henrique Xavier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9099385/carlos-henrique-xavier-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

720
citations

14
h-index

24
g-index

81
ext. papers

843
ext. citations

3.2
avg, IF

3.55
L-index

#	Paper	IF	Citations
76	Early postnatal exposure of rat pups to methylglyoxal induces oxidative stress, inflammation and dysmetabolism at adulthood.. <i>Journal of Developmental Origins of Health and Disease</i> , 2022 , 1-9	2.4	1
75	In vivo effect of orally given polyvinyl alcohol/starch nanocomposites containing bioactive peptides from <i>Phaseolus vulgaris</i> beans. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022 , 209, 112213	6	3
74	Maternal postnatal early overfeeding induces sex-related cardiac dysfunction and alters sexually hormones levels in young offspring.. <i>Journal of Nutritional Biochemistry</i> , 2022 , 108969	6.3	1
73	Autonomic response after hemorrhagic stroke in the right insular cortex: What is the common pathophysiology in rat and human?; Reply. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021 , 231, 102772 ²⁻⁴		
72	Medullary Noradrenergic Neurons Mediate Hemodynamic Responses to Osmotic and Volume Challenges. <i>Frontiers in Physiology</i> , 2021 , 12, 649535	4.6	0
71	Heterocyclic Compounds: Pharmacology of Pyrazole Analogs From Rational Structural Considerations. <i>Frontiers in Pharmacology</i> , 2021 , 12, 666725	5.6	13
70	Centrally acting antihypertensives change the psychogenic cardiovascular reactivity. <i>Fundamental and Clinical Pharmacology</i> , 2021 , 35, 892-905	3.1	
69	Tachycardia evoked from insular stroke in rats is dependent on glutamatergic neurotransmission in the dorsomedial hypothalamus. <i>European Journal of Neurology</i> , 2021 , 28, 3640-3649	6	3
68	Both Prelimbic and Infralimbic Noradrenergic Neurotransmissions Modulate Cardiovascular Responses to Restraint Stress in Rats. <i>Frontiers in Physiology</i> , 2021 , 12, 700540	4.6	0
67	Lateral hypothalamus involvement in control of stress response by bed nucleus of the stria terminalis endocannabinoid neurotransmission in male rats. <i>Scientific Reports</i> , 2021 , 11, 16133	4.9	1
66	Oxidant and antioxidant effects of a low molecular weight peptide fraction from hardened bean (<i>Phaseolus vulgaris</i>) on endothelium. <i>Brazilian Journal of Medical and Biological Research</i> , 2021 , 54, e10423	2.8	3
65	Autonomic and cardiovascular consequences resulting from experimental hemorrhagic stroke in the left or right intermediate insular cortex in rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2020 , 227, 102695	2.4	7
64	Antiepileptic effects of long-term intracerebroventricular infusion of angiotensin-(1-7) in an animal model of temporal lobe epilepsy. <i>Clinical Science</i> , 2020 , 134, 2263-2277	6.5	4
63	Cerebral Lipid Dynamics in Chronic Cerebral Hypoperfusion Model by DESI-MS Imaging. <i>Neuroscience</i> , 2020 , 426, 1-12	3.9	5
62	Brain and kidney GHS-R1a underexpression is associated with changes in renal function and hemodynamics during neurogenic hypertension. <i>Molecular and Cellular Endocrinology</i> , 2020 , 518, 110984 ⁴⁻⁴		0
61	Ventromedial medullary pathway mediating cardiac responses evoked from periaqueductal gray. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2020 , 228, 102716	2.4	3
60	Novel choline analog 2-(4-((1-phenyl-1H-pyrazol-4-yl)methyl)piperazin-1-yl)ethan-1-ol produces sympathoinhibition, hypotension, and antihypertensive effects. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019 , 392, 1071-1083	3.4	2

59	Behavioral effects evoked by the beta globin-derived nonapeptide LVV-H6. <i>Peptides</i> , 2019 , 115, 59-68	3.8	2
58	Role of dorsal raphe nucleus GHS-R1a receptors in the regulation of inhibitory avoidance and escape behaviors in rats. <i>Behavioural Brain Research</i> , 2019 , 365, 178-184	3.4	2
57	Postnatal early overfeeding induces cardiovascular dysfunction by oxidative stress in adult male Wistar rats. <i>Life Sciences</i> , 2019 , 226, 173-184	6.8	9
56	Milk restriction or oligosaccharide supplementation in calves improves compensatory gain and digestive tract development without changing hormone levels. <i>PLoS ONE</i> , 2019 , 14, e0214626	3.7	3
55	Behavioral effects of Bj-PRO-7a, a proline-rich oligopeptide from Bothrops jararaca venom. <i>Brazilian Journal of Medical and Biological Research</i> , 2019 , 52, e8441	2.8	1
54	Ghrelin potentiates cardiac reactivity to stress by modulating sympathetic control and beta-adrenergic response. <i>Life Sciences</i> , 2018 , 196, 84-92	6.8	9
53	Involvement of GABAergic and Adrenergic Neurotransmissions on Paraventricular Nucleus of Hypothalamus in the Control of Cardiac Function. <i>Frontiers in Physiology</i> , 2018 , 9, 670	4.6	8
52	Stating asymmetry in neural pathways: methodological trends in autonomic neuroscience. <i>International Journal of Neuroscience</i> , 2018 , 128, 1078-1085	2	4
51	Involvement of median preoptic nucleus and medullary noradrenergic neurons in cardiovascular and sympathetic responses of hemorrhagic rats. <i>Scientific Reports</i> , 2018 , 8, 11276	4.9	3
50	Combination of Diet Quality Score, Plasma Carotenoids, and Lipid Peroxidation to Monitor Oxidative Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 8601028	6.7	9
49	Antioxidant and Neuroprotective Properties of Leaves. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 3250908	6.7	13
48	Median preoptic nucleus excitatory neurotransmitters in the maintenance of hypertensive state. <i>Brain Research Bulletin</i> , 2018 , 142, 207-215	3.9	5
47	Bj-PRO-5a and Bj-PRO 10c Found at C-Type Natriuretic Peptide Precursor of Bothrops jararaca Change Renal Function of Hypertensive Rats. <i>International Journal of Peptide Research and Therapeutics</i> , 2017 , 23, 381-385	2.1	1
46	Asymmetric sympathetic output: The dorsomedial hypothalamus as a potential link between emotional stress and cardiac arrhythmias. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017 , 207, 22-27	2.4	16
45	Nephroprotective effect of Rudgea viburnoides (Cham.) Benth leaves on gentamicin-induced nephrotoxicity in rats. <i>Journal of Ethnopharmacology</i> , 2017 , 201, 100-107	5	9
44	Chronic overexpression of angiotensin-(1-7) in rats reduces cardiac reactivity to acute stress and dampens anxious behavior. <i>Stress</i> , 2017 , 20, 189-196	3	21
43	The hemoglobin derived peptide LVV-hemorphin-7 evokes behavioral effects mediated by oxytocin receptors. <i>Neuropeptides</i> , 2017 , 66, 59-68	3.3	10
42	Functional topography of cardiovascular regulation along the rostrocaudal axis of the rat posterior insular cortex. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2016 , 43, 484-93	3	24

41	Could the retrotrapezoid nucleus neurons tell us something about SUDEP?. <i>Epilepsy and Behavior</i> , 2016 , 61, 86-87	3.2	
40	Angiotensin-(1-7) in the basolateral amygdala attenuates the cardiovascular response evoked by acute emotional stress. <i>Brain Research</i> , 2015 , 1594, 183-9	3.7	24
39	Cardiovascular and behavioral effects produced by administration of liposome-entrapped GABA into the rat central nervous system. <i>Neuroscience</i> , 2015 , 285, 60-9	3.9	13
38	The Nitric oxide/CGMP/KATP pathway mediates systemic and central antinociception induced by resistance exercise in rats. <i>International Journal of Neuroscience</i> , 2015 , 125, 765-73	2	13
37	Differential control of vasomotion by angiotensins in the rostral ventrolateral medulla of hypertensive rats. <i>Neuropeptides</i> , 2015 , 53, 11-8	3.3	5
36	The role of dorsomedial hypothalamus ionotropic glutamate receptors in the hypertensive and tachycardic responses evoked by Tityustoxin intracerebroventricular injection. <i>NeuroToxicology</i> , 2015 , 47, 54-61	4.4	3
35	Emotional stress and sympathetic activity: contribution of dorsomedial hypothalamus to cardiac arrhythmias. <i>Brain Research</i> , 2014 , 1554, 49-58	3.7	36
34	Insights into cardiovascular effects of proline-rich oligopeptide (Bj-PRO-10c) revealed by structure-activity analyses: dissociation of antihypertensive and bradycardic effects. <i>Amino Acids</i> , 2014 , 46, 401-13	3.5	7
33	Median preoptic nucleus mediates the cardiovascular recovery induced by hypertonic saline in hemorrhagic shock. <i>Scientific World Journal, The</i> , 2014 , 2014, 496121	2.2	7
32	High sodium intake during postnatal phases induces an increase in arterial blood pressure in adult rats. <i>British Journal of Nutrition</i> , 2014 , 112, 1923-32	3.6	7
31	Involvement of the median preoptic nucleus in blood pressure control. <i>Neuroscience Letters</i> , 2014 , 558, 91-6	3.3	9
30	Efferent pathways in sodium overload-induced renal vasodilation in rats. <i>PLoS ONE</i> , 2014 , 9, e109620	3.7	3
29	Excitatory amino acid receptors mediate asymmetry and lateralization in the descending cardiovascular pathways from the dorsomedial hypothalamus. <i>PLoS ONE</i> , 2014 , 9, e112412	3.7	7
28	Malnutrition alters the cardiovascular responses induced by central injection of tityustoxin in Fischer rats. <i>Toxicol</i> , 2013 , 76, 343-9	2.8	4
27	Activation of angiotensin-converting enzyme 2/angiotensin-(1-7)/Mas axis attenuates the cardiac reactivity to acute emotional stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013 , 305, H1057-67	5.2	38
26	Asymmetry in the control of cardiac performance by dorsomedial hypothalamus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 304, R664-74	3.2	21
25	A1 noradrenergic neurons lesions reduce natriuresis and hypertensive responses to hypernatremia in rats. <i>PLoS ONE</i> , 2013 , 8, e73187	3.7	11
24	Activation of NMDA receptors results in different autonomic and cardiovascular responses along the rostrocaudal axis of the insular cortex. <i>FASEB Journal</i> , 2013 , 27, 1118.5	0.9	

23	Intracerebroventricular injection of liposome-entrapped GABA attenuates the renal sympathetic nerve activity response evoked by central administration of bicuculline in spontaneously hypertensive rats. <i>FASEB Journal</i> , 2013 , 27, lb852	0.9	
22	Cardiovascular responses evoked by activation or blockade of GABA(A) receptors in the hypothalamic PVN are attenuated in transgenic rats with low brain angiotensinogen. <i>Brain Research</i> , 2012 , 1448, 101-10	3.7	34
21	Renal sympathetic nerve activity is increased in monosodium glutamate induced hyperadipose rats. <i>Neuroscience Letters</i> , 2012 , 522, 118-22	3.3	10
20	Protein malnutrition modifies medullary neuronal recruitment in response to intermittent stimulation of the baroreflex. <i>Brain Research</i> , 2012 , 1483, 20-30	3.7	7
19	Chronic infusion of angiotensin-(1-7) into the lateral ventricle of the brain attenuates hypertension in DOCA-salt rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 303, H393-400	5.2	46
18	Comparison of the cardiovascular responses evoked by activation of NMDA receptors in the right and left insular cortex. <i>FASEB Journal</i> , 2012 , 26, lb791	0.9	
17	The attenuation of the stress evoked tachycardia produced by angiotensin-(1 α) in the basolateral amygdala is reversed by blockade of Mas receptor. <i>FASEB Journal</i> , 2012 , 26, 1091.25	0.9	1
16	Bezold-Jarisch reflex in sino-aortic denervated malnourished rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2011 , 162, 48-53	2.4	9
15	Sympathoinhibition to Bezold-Jarisch reflex is attenuated in protein malnourished rats. <i>Neuroscience Letters</i> , 2011 , 488, 129-32	3.3	7
14	The dorsomedial hypothalamus and the central pathways involved in the cardiovascular response to emotional stress. <i>Neuroscience</i> , 2011 , 184, 64-74	3.9	78
13	BPP-5a produces a potent and long-lasting NO-dependent antihypertensive effect. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2011 , 5, 281-95	3.4	15
12	Comments on Point:Counterpoint: The dominant contributor to systemic hypertension: Chronic activation of the sympathetic nervous system vs. Activation of the intrarenal renin-angiotensin system. Activated intrarenal renin-angiotensin system is correlated with high blood pressure in humans. <i>Journal of Applied Physiology</i> , 2010 , 109, 2002	3.7	1
11	Lateralized changes in renal sympathetic activity evoked by unilateral stimulation of lateral/dorsolateral periaqueductal gray. <i>FASEB Journal</i> , 2010 , 24, 1050.6	0.9	
10	BPP-10c from Bothrops jararaca venom changes behavioral and cardiovascular responses to acute stress exposure. <i>FASEB Journal</i> , 2010 , 24, 811.4	0.9	
9	Peripheral activation of ACE2-Ang-(1 α)-Mas axis reduces the cardiovascular reactivity to acute stress in rats. <i>FASEB Journal</i> , 2010 , 24, 625.6	0.9	
8	DORSOMEDIAL HYPOTHALAMUS AND MEDULLARY RAPHE MEDIATE RESPIRATORY AROUSAL RESPONSES IN RATS. <i>FASEB Journal</i> , 2010 , 24,	0.9	2
7	Cardiac chronotropic and inotropic responses evoked from right or left sides of dorsomedial hypothalamus. <i>FASEB Journal</i> , 2010 , 24, 1019.20	0.9	2
6	BPP-10c isolated from Bothrops jararaca venom has antithrombotic effect in rats. <i>FASEB Journal</i> , 2010 , 24, 589.7	0.9	

5	Functional asymmetry in the descending cardiovascular pathways from dorsomedial hypothalamic nucleus. <i>Neuroscience</i> , 2009 , 164, 1360-8	3.9	34
4	ANGIOTENSIN-(1-7) ICV CHRONIC INFUSION IMPROVES BAROREFLEX CONTROL OF RENAL SYMPATHETIC NERVE ACTIVITY IN DOCA-SALT HYPERTENSIVE RATS. <i>FASEB Journal</i> , 2009 , 23, 610.4	0.9	
3	Central administration of angiotensin-(1-7) markedly reduces the tachycardia evoked by acute psychological stress exposure. <i>FASEB Journal</i> , 2009 , 23, 609.5	0.9	
2	Do the cardiovascular effects of angiotensin-converting enzyme (ACE) I involve ACE-independent mechanisms? new insights from proline-rich peptides of <i>Bothrops jararaca</i> . <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 322, 795-805	4.7	46
1	Hemorphin and hemorphin-like peptides isolated from dog pancreas and sheep brain are able to potentiate bradykinin activity in vivo. <i>Peptides</i> , 2006 , 27, 2957-66	3.8	24