Andreas H Kramer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9100194/publications.pdf

Version: 2024-02-01

61 papers 3,469 citations

218592 26 h-index 56 g-index

77 all docs

77 docs citations

77 times ranked

4207 citing authors

#	Article	IF	CITATIONS
1	Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. Lancet Neurology, The, 2017, 16, 987-1048.	4.9	1,571
2	Complications associated with anemia and blood transfusion in patients with aneurysmal subarachnoid hemorrhage. Critical Care Medicine, 2008, 36, 2070-2075.	0.4	125
3	Optimal glycemic control in neurocritical care patients: a systematic review and meta-analysis. Critical Care, 2012, 16, R203.	2.5	121
4	Anemia and red blood cell transfusion in neurocritical care. Critical Care, 2009, 13, R89.	2.5	117
5	STATIN USE WAS NOT ASSOCIATED WITH LESS VASOSPASM OR IMPROVED OUTCOME AFTER SUBARACHNOID HEMORRHAGE. Neurosurgery, 2008, 62, 422-430.	0.6	100
6	Do Neurocritical Care Units Save Lives? Measuring The Impact of Specialized ICUs. Neurocritical Care, 2011, 14, 329-333.	1,2	94
7	A comparison of 3 radiographic scales for the prediction of delayed ischemia and prognosis following subarachnoid hemorrhage. Journal of Neurosurgery, 2008, 109, 199-207.	0.9	86
8	Relationship Between Hemoglobin Concentrations and Outcomes Across Subgroups of Patients with Aneurysmal Subarachnoid Hemorrhage. Neurocritical Care, 2009, 10, 157-165.	1.2	80
9	Early Ketamine to Treat Refractory Status Epilepticus. Neurocritical Care, 2012, 16, 299-305.	1.2	66
10	Neurocritical care. Current Opinion in Critical Care, 2014, 20, 174-181.	1.6	63
11	Computed Tomography Angiography in the Diagnosis Of Brain Death: A Systematic Review and Meta-Analysis. Neurocritical Care, 2014, 21, 539-550.	1.2	60
12	Do Endothelin-Receptor Antagonists Prevent Delayed Neurological Deficits and Poor Outcomes After Aneurysmal Subarachnoid Hemorrhage?. Stroke, 2009, 40, 3403-3406.	1.0	52
13	Fluid Balance, Complications, and Brain Tissue Oxygen Tension Monitoring Following Severe Traumatic Brain Injury. Neurocritical Care, 2010, 13, 47-56.	1.2	51
14	Red blood cell transfusion in patients with subarachnoid hemorrhage: a multidisciplinary North American survey. Critical Care, 2011, 15, R30.	2.5	51
15	Intraventricular Hemorrhage Volume Predicts Poor Outcomes But Not Delayed Ischemic Neurological Deficits Among Patients With Ruptured Cerebral Aneurysms. Neurosurgery, 2010, 67, 1044-1053.	0.6	50
16	Statins in the Management of Patients with Aneurysmal Subarachnoid Hemorrhage: A Systematic Review and Meta-analysis. Neurocritical Care, 2010, 12, 285-296.	1.2	49
17	Locally-administered Intrathecal Thrombolytics Following Aneurysmal Subarachnoid Hemorrhage: A Systematic Review and Meta-analysis. Neurocritical Care, 2011, 14, 489-499.	1,2	47
18	Overlapping Features of Eclampsia and Postpartum Angiopathy. Neurocritical Care, 2009, 11, 199-209.	1.2	46

#	Article	IF	Citations
19	Viral Encephalitis in the ICU. Critical Care Clinics, 2013, 29, 621-649.	1.0	42
20	Neurologic Prognostication After Cardiac Arrest Using Brain Biomarkers. JAMA Neurology, 2022, 79, 390.	4.5	40
21	Imaging for Neuroprognostication After Cardiac Arrest: Systematic Review and Meta-analysis. Neurocritical Care, 2020, 32, 206-216.	1.2	38
22	Decompressive Craniectomy in Patients with Traumatic Brain Injury: Are the Usual Indications Congruent with Those Evaluated in Clinical Trials?. Neurocritical Care, 2016, 25, 10-19.	1.2	37
23	Continuous Assessment of "Optimal―Cerebral Perfusion Pressure in Traumatic Brain Injury: A Cohort Study of Feasibility, Reliability, and Relation to Outcome. Neurocritical Care, 2019, 30, 51-61.	1.2	35
24	Incidence of neurologic death among patients with brain injury: a cohort study in a Canadian health region. Cmaj, 2013, 185, E838-E845.	0.9	34
25	Intraventricular Tissue Plasminogen Activator in Subarachnoid Hemorrhage Patients: A Prospective, Randomized, Placebo-Controlled Pilot Trial. Neurocritical Care, 2014, 21, 275-284.	1.2	30
26	The CAnadian High-Resolution Traumatic Brain Injury (CAHR-TBI) Research Collaborative. Canadian Journal of Neurological Sciences, 2020, 47, 551-556.	0.3	29
27	Intraventricular Fibrinolysis with Tissue Plasminogen Activator is Associated with Transient Cerebrospinal Fluid Inflammation: A Randomized Controlled Trial. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 1241-1248.	2.4	28
28	Declining mortality in neurocritical care patients: a cohort study in Southern Alberta over eleven years. Canadian Journal of Anaesthesia, 2013, 60, 966-975.	0.7	27
29	Neurocritical care of patients with central nervous system infections. Current Infectious Disease Reports, 2007, 9, 308-314.	1.3	21
30	Red Blood Cell Transfusion and Transfusion Alternatives in Traumatic Brain Injury. Current Treatment Options in Neurology, 2012, 14, 150-163.	0.7	21
31	Cytokine Responses in Severe Traumatic Brain Injury: Where There Is Smoke, Is There Fire?. Neurocritical Care, 2019, 30, 22-32.	1.2	21
32	Implications of Early Versus Late Bilateral Pulmonary Infiltrates in Patients with Aneurysmal Subarachnoid Hemorrhage. Neurocritical Care, 2009, 10, 20-7.	1.2	20
33	Epileptiform Activity in Neurocritical Care Patients. Canadian Journal of Neurological Sciences, 2012, 39, 328-337.	0.3	19
34	Time trends in organ donation after neurologic determination of death: a cohort study. CMAJ Open, 2017, 5, E19-E27.	1.1	18
35	Septic shock in chronic dialysis patients: clinical characteristics, antimicrobial therapy and mortality. Intensive Care Medicine, 2016, 42, 222-232.	3.9	14
36	Prevention of Hypoxemia During Apnea Testing: A Comparison of Oxygen Insufflation And Continuous Positive Airway Pressure. Neurocritical Care, 2017, 27, 60-67.	1.2	13

#	Article	IF	CITATIONS
37	Quantitative Continuous EEG: Bridging the Gap Between the ICU Bedside and the EEG Interpreter. Neurocritical Care, 2019, 30, 499-504.	1.2	12
38	Statins in the Management of Aneurysmal Subarachnoid Hemorrhageâ€"Not (Yet) a Standard of Care. Stroke, 2009, 40, e80-1; author reply e82.	1.0	11
39	Premortem Heparin Administration and Location of Withdrawal of Life-Sustaining Interventions in DCD. Transplantation, 2016, 100, e102-e103.	0.5	11
40	Variability in deceased donor care in Canada: a report of the Canada-DONATE cohort study. Canadian Journal of Anaesthesia, 2020, 67, 992-1004.	0.7	11
41	Pharmacokinetics and Pharmacodynamics of Tissue Plasminogen Activator Administered Through an External Ventricular Drain. Neurocritical Care, 2015, 23, 386-393.	1.2	9
42	Multimodal brain monitoring following traumatic brain injury: A primer for intensive care practitioners. Journal of the Intensive Care Society, 0, , 175114372098027.	1.1	9
43	Statins in the Management of Aneurysmal Subarachnoid Hemorrhage: An Overview of Animal Research, Observational Studies, Randomized Controlled Trials and Meta-analyses., 2011, 110, 193-201.		8
44	Canada-DONATE study protocol: a prospective national observational study of the medical management of deceased organ donors. BMJ Open, 2017, 7, e018858.	0.8	8
45	Red blood cell transfusion in critically ill patients with traumatic brain injury: an international survey of physicians' attitudes. Canadian Journal of Anaesthesia, 2019, 66, 1038-1048.	0.7	8
46	Development of a national minimum data set to monitor deceased organ donation performance in Canada. Canadian Journal of Anaesthesia, 2019, 66, 422-431.	0.7	8
47	Neurocritical Care: A Growing International Collaborative. Neurocritical Care, 2020, 32, 80-83.	1.2	8
48	Donation after circulatory determination of death in western Canada: a multicentre study of donor characteristics and critical care practices. Canadian Journal of Anaesthesia, 2020, 67, 521-531.	0.7	8
49	Potentiel des dons d'organes après décès au CanadaÂ: un compte rendu de décès consécutifs en Alb Canadian Journal of Anaesthesia, 2019, 66, 1347-1355.	perta. 0.7	7
50	Neurological Determination of Death Following Infratentorial Stroke: A Population-Based Cohort Study. Canadian Journal of Neurological Sciences, 2022, 49, 553-559.	0.3	6
51	Effect of age of transfused red blood cells on neurologic outcome following traumatic brain injury (ABLE-tbi Study): a nested study of the Age of Blood Evaluation (ABLE) trial. Canadian Journal of Anaesthesia, 2019, 66, 696-705.	0.7	5
52	Structure and Outcomes of Educational Programs for Training Non-electroencephalographers in Performing and Screening Adult EEG: A Systematic Review. Neurocritical Care, 2021, 35, 894-912.	1.2	4
53	Donation after Circulatory Determination of Death: We Need to Respect and Protect Brain-injured Patients. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 504-505.	2.5	3
54	The variable impact of the overdose crisis on organ donation among five Canadian provinces: a retrospective study. Canadian Journal of Anaesthesia, 2021, 68, 846-854.	0.7	3

#	Article	lF	Citations
55	Status Myoclonus: A Nuanced Predictor of Poor Outcome Post Cardiac Arrest. Neurocritical Care, 2022, 36, 346-349.	1.2	3
56	Is A Hemoglobin Concentration As Low As 7 g/dL Adequate For All Critically Ill Patients With Sepsis? Legitimate Doubts Remain!*. Critical Care Medicine, 2017, 45, 2101-2102.	0.4	2
57	Donation After Cardiocirculatory Determination of Death Requires "Timely―Rather Than "Early― Referral. Critical Care Medicine, 2018, 46, e170.	0.4	2
58	What is the Role of Continuous Electroencephalography in Acute Ischemic Stroke and the Relevance of the "lctal-Interictal Continuum�. Neurocritical Care, 2020, 32, 687-690.	1.2	2
59	Critical ICP in Subarachnoid Hemorrhage: How High and How Long?. Neurocritical Care, 2021, 34, 714-716.	1.2	2
60	Findings Predictive of Poor Outcome in Grade 5 Subarachnoid Hemorrhage: A Cohort Study. Canadian Journal of Neurological Sciences, 2021, , 1-10.	0.3	1
61	Exploratory Evaluation of the Relationship Between iNKT Cells and Systemic Cytokine Profiles of Critically III Patients with Neurological Injury. Neurocritical Care, 2021, , 1.	1.2	1