Quaisar Ali

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/910151/quaisar-ali-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22 602 16 22 g-index

22 703 5.8 4.02 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
22	Stem cell-derived extracellular vesicles mitigate ageing-associated arterial stiffness and hypertension. <i>Journal of Extracellular Vesicles</i> , 2020 , 9, 1783869	16.4	21
21	Prevention of lipopolysaccharide-induced CD11b immune cell infiltration in the kidney: role of AT receptors. <i>Bioscience Reports</i> , 2019 , 39,	4.1	6
20	Supervised learning reveals circulating biomarker levels diagnostic of hepatocellular carcinoma in a clinically relevant model of non-alcoholic steatohepatitis; An OAD to NASH. <i>PLoS ONE</i> , 2018 , 13, e01989	9 3 7	16
19	Angiotensin II Type 2 Receptor and Receptor Mas Are Colocalized and Functionally Interdependent in Obese Zucker Rat Kidney. <i>Hypertension</i> , 2017 , 70, 831-838	8.5	29
18	Activation of SIRT1 Attenuates Klotho Deficiency-Induced Arterial Stiffness and Hypertension by Enhancing AMP-Activated Protein Kinase Activity. <i>Hypertension</i> , 2016 , 68, 1191-1199	8.5	85
17	Angiotensin type 2 receptor null mice express reduced levels of renal angiotensin II type 2 receptor/angiotensin (1-7)/Mas receptor and exhibit greater high-fat diet-induced kidney injury. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2016, 17,	3	14
16	Angiotensin II Type 2-Receptor Agonist C21 Reduces Proteinuria and Oxidative Stress in Kidney of High-Salt-Fed Obese Zucker Rats. <i>Hypertension</i> , 2016 , 67, 906-15	8.5	25
15	Monocrotaline-Induced Pulmonary Hypertension Involves Downregulation of Antiaging Protein Klotho and eNOS Activity. <i>Hypertension</i> , 2016 , 68, 1255-1263	8.5	30
14	Chronic angiotensin AT2R activation prevents high-fat diet-induced adiposity and obesity in female mice independent of estrogen. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 814-25	12.7	23
13	Angiotensin AT2 receptor agonist prevents salt-sensitive hypertension in obese Zucker rats. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, F1379-85	4.3	35
12	Angiotensin AT2 Receptor Agonist Prevents Salt-Sensitive Hypertension in Obese Zucker Rats. <i>FASEB Journal</i> , 2015 , 29, 960.19	0.9	
11	Estimation of angiotensin peptides in biological samples by LC/MS method. <i>Analytical Methods</i> , 2014 , 6, 215-222	3.2	21
10	Chronic AT2 receptor activation increases renal ACE2 activity, attenuates AT1 receptor function and blood pressure in obese Zucker rats. <i>Kidney International</i> , 2013 , 84, 931-9	9.9	64
9	Proximal tubule angiotensin AT2 receptors mediate an anti-inflammatory response via interleukin-10: role in renoprotection in obese rats. <i>Hypertension</i> , 2013 , 61, 1218-26	8.5	67
8	AT2 receptor non-peptide agonist C21 promotes natriuresis in obese Zucker rats. <i>Hypertension Research</i> , 2012 , 35, 654-60	4.7	38
7	AT receptor: Its role in obesity associated hypertension 2012 , 1, 15-19		1
6	Activation of AT2 receptors reduces renal AT1 receptor function and enhances ACE2 activity in obese Zucker rats. <i>FASEB Journal</i> , 2012 , 26, 885.8	0.9	

LIST OF PUBLICATIONS

5	Role of the angiotensin II AT2 receptor in inflammation and oxidative stress: opposing effects in lean and obese Zucker rats. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 300, F700-6	4.3	53
4	High glucose up-regulates angiotensin II subtype 2 receptors via interferon regulatory factor-1 in proximal tubule epithelial cells. <i>Molecular and Cellular Biochemistry</i> , 2010 , 344, 65-71	4.2	16
3	Differential regulation of kidney RAS genes by high sodium intake in lean and obese Zucker rats. <i>FASEB Journal</i> , 2010 , 24, lb705	0.9	
2	Protective role of angiotensin II subtype 2 receptor in blood pressure increase in obese Zucker rats. <i>Hypertension</i> , 2009 , 53, 256-61	8.5	37
1	Suppression of the lethality of high light to a quadruple HLI mutant by the inactivation of the regulatory protein PfsR in Synechocystis PCC 6803. <i>Journal of Biological Chemistry</i> , 2006 , 281, 30865-74	5.4	21