
Giin-Yu Amy Tan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/910155/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Enhanced primary treatment for net energy production from sewage – The genetic clarification of substrate-acetate-methane pathway in anaerobic digestion. Chemical Engineering Journal, 2022, 431, 133416.	6.6	28
2	Combined Effect of Activated Carbon Particles and Non-Adsorptive Spherical Beads as Fluidized Media on Fouling, Organic Removal and Microbial Communities in Anaerobic Membrane Bioreactor. Membranes, 2021, 11, 365.	1.4	8
3	Genomic driven factors enhance biocatalyst-related cellulolysis potential in anaerobic digestion. Bioresource Technology, 2021, 333, 125148.	4.8	10
4	Topological tuning of Two-Dimensional polytriazine imides by halide anions for selective lead removal from wastewater. Separation and Purification Technology, 2021, 278, 119595.	3.9	5
5	Use of polymeric scouring agent as fluidized media in anaerobic fluidized bed membrane bioreactor for wastewater treatment: System performance and microbial community. Journal of Membrane Science, 2020, 606, 118121.	4.1	25
6	Metatranscriptomic evidence for classical and RuBisCO-mediated CO2 reduction to methane facilitated by direct interspecies electron transfer in a methanogenic system. Scientific Reports, 2019, 9, 4116.	1.6	30
7	Two-stage microbial conversion of crude glycerol to 1,3-propanediol and polyhydroxyalkanoates after pretreatment. Journal of Environmental Management, 2019, 232, 615-624.	3.8	25
8	Shaping microbial consortia in coupling glycerol fermentation and carboxylate chain elongation for Co-production of 1,3-propanediol and caproate: Pathways and mechanisms. Water Research, 2019, 148, 281-291.	5.3	30
9	Insights into the roles of anammox bacteria in post-treatment of anaerobically-treated sewage. Critical Reviews in Environmental Science and Technology, 2018, 48, 655-684.	6.6	23
10	Upgrading lignocellulosic ethanol for caproate production via chain elongation fermentation. International Biodeterioration and Biodegradation, 2018, 135, 103-109.	1.9	28
11	Microbial removal of carboxylic acids from 1,3-propanediol in glycerol anaerobic digestion effluent by PHAs-producing consortium. Biochemical Engineering Journal, 2016, 112, 269-276.	1.8	9
12	One for all, and all for one: Exploiting microbial mutualism for a new renaissance in anaerobic digestion. Waste Management, 2016, 53, 1-2.	3.7	3
13	Microbiology and potential applications of aerobic methane oxidation coupled to denitrification (AME-D) process: A review. Water Research, 2016, 90, 203-215.	5.3	131
14	Determination of monomeric composition in polyhydroxyalkanoates by liquid chromatography coupled with on-line mass spectrometry and off-line nuclear magnetic resonance. Talanta, 2016, 146, 107-113.	2.9	5
15	Bioconversion of Styrene to Poly(hydroxyalkanoate) (PHA) by the New Bacterial Strain <i>Pseudomonas putida</i> NBUS12. Microbes and Environments, 2015, 30, 76-85.	0.7	28
16	Enhanced styrene recovery from waste polystyrene pyrolysis using response surface methodology coupled with Box–Behnken design. Waste Management, 2014, 34, 763-769.	3.7	51
17	Enhanced gas chromatography-mass spectrometry method for bacterial polyhydroxyalkanoates analysis. Journal of Bioscience and Bioengineering, 2014, 117, 379-382.	1.1	41
18	An HPLC-DAD method for rapid and high resolution analysis of concentrated BTEX and styrene aqueous samples. Analytical Methods, 2012, 4, 3545.	1.3	6

#	Article	IF	CITATIONS
19	Caproate formation in mixed-culture fermentative hydrogen production. Bioresource Technology, 2010, 101, 9550-9559.	4.8	114