

# Consuelo Huerta

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9102227/consuelo-huerta-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49  
papers

2,016  
citations

17  
h-index

44  
g-index

52  
ext. papers

2,303  
ext. citations

3.4  
avg, IF

4.61  
L-index

#	Paper	IF	Citations
49	Use of hydrochlorothiazide and risk of skin cancer in a large nested case-control study in Spain. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 1269-1278	2.6	1
48	Comparing risk of major bleeding between users of different oral anticoagulants in patients with nonvalvular atrial fibrillation. <i>British Journal of Clinical Pharmacology</i> , <b>2021</b> , 87, 988-1000	3.8	3
47	Prescribers' compliance with summary of product characteristics of dabigatran, rivaroxaban and apixaban-A European comparative drug utilization study. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2021</b> , 128, 440-454	3.1	1
46	Drug utilization study on immediate release Fentanyl in Spain. Prevalence, incidence, and indication. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 371-378	2.6	4
45	BIFAP Program: A Data Resource for Pharmacoepidemiological Research in Spain. <i>Springer Series on Epidemiology and Public Health</i> , <b>2021</b> , 165-187	0.4	
44	A strategy for assessment and validation of major bleeding cases in a primary health care database in Spain. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 1696-1702	2.6	
43	Incidence Rates of Autoimmune Diseases in European Healthcare Databases: A Contribution of the ADVANCE Project. <i>Drug Safety</i> , <b>2021</b> , 44, 383-395	5.1	9
42	Age-specific vaccination coverage estimates for influenza, human papillomavirus and measles containing vaccines from seven population-based healthcare databases from four EU countries - The ADVANCE project. <i>Vaccine</i> , <b>2020</b> , 38, 3243-3254	4.1	5
41	ADVANCE database characterisation and fit for purpose assessment for multi-country studies on the coverage, benefits and risks of pertussis vaccinations. <i>Vaccine</i> , <b>2020</b> , 38 Suppl 2, B8-B21	4.1	13
40	Base de Datos para la Investigación Farmacoepidemiológica en Atención Primaria (BIFAP): A data resource for pharmacoepidemiology in Spain. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 1236-1245	2.6	13
39	ADVANCE system testing: Estimating the incidence of adverse events following pertussis vaccination in healthcare databases with incomplete exposure data. <i>Vaccine</i> , <b>2020</b> , 38 Suppl 2, B47-B55	4.1	2
38	ADVANCE system testing: Benefit-risk analysis of a marketed vaccine using multi-criteria decision analysis and individual-level state transition modelling. <i>Vaccine</i> , <b>2020</b> , 38 Suppl 2, B65-B75	4.1	8
37	ADVANCE system testing: Can coverage of pertussis vaccination be estimated in European countries using electronic healthcare databases: An example. <i>Vaccine</i> , <b>2020</b> , 38 Suppl 2, B22-B30	4.1	11
36	Quantifying outcome misclassification in multi-database studies: The case study of pertussis in the ADVANCE project. <i>Vaccine</i> , <b>2020</b> , 38 Suppl 2, B56-B64	4.1	8
35	Advance system testing: Vaccine benefit studies using multi-country electronic health data - The example of pertussis vaccination. <i>Vaccine</i> , <b>2020</b> , 38 Suppl 2, B31-B37	4.1	7
34	Impact of pre-exposure time bias in self-controlled case series when the event conditions the exposure: Hip/femur fracture and use of benzodiazepines as a case study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 388-395	2.6	1
33	ADVANCE system testing: Can safety studies be conducted using electronic healthcare data? An example using pertussis vaccination. <i>Vaccine</i> , <b>2020</b> , 38 Suppl 2, B38-B46	4.1	8

32	An algorithm to identify pregnancies in BIFAP Primary Care database in Spain: Results from a cohort of 155'419 pregnancies. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 57-68	2.6	1
31	Estimation of vaccination coverage from electronic healthcare records; methods performance evaluation - A contribution of the ADVANCE-project. <i>PLoS ONE</i> , <b>2019</b> , 14, e0222296	3.7	5
30	Incidence of direct oral anticoagulant use in patients with nonvalvular atrial fibrillation and characteristics of users in 6 European countries (2008-2015): A cross-national drug utilization study. <i>British Journal of Clinical Pharmacology</i> , <b>2019</b> , 85, 2524-2539	3.8	29
29	The Longitudinal Incidence of Human Papillomavirus Vaccination in Spanish Primary Care in the First 10 Years After Approval. <i>Pharmaceutical Medicine</i> , <b>2019</b> , 33, 519-530	2.3	2
28	The recording of human papillomavirus (HPV) vaccination in BIFAP primary care database: A validation study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2019</b> , 28, 201-208	2.6	7
27	Cessation rate of anti-osteoporosis treatments and risk factors in Spanish primary care settings: a population-based cohort analysis. <i>Archives of Osteoporosis</i> , <b>2017</b> , 12, 39	2.9	12
26	Secular trends of use of anti-osteoporotic treatments in Spain: A population-based cohort study including over 1.5million people and more than 12years of follow-up. <i>Bone</i> , <b>2017</b> , 105, 292-298	4.7	13
25	A new risk of bias checklist applicable to randomized trials, observational studies, and systematic reviews was developed and validated to be used for systematic reviews focusing on drug adverse events. <i>Journal of Clinical Epidemiology</i> , <b>2017</b> , 86, 168-175	5.7	16
24	Case-only designs for studying the association of antidepressants and hip or femur fracture. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 103-13	2.6	10
23	Hip/femur fractures associated with the use of benzodiazepines (anxiolytics, hypnotics and related drugs): a methodological approach to assess consistencies across databases from the PROTECT-EU project. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 66-78	2.6	30
22	Understanding inconsistency in the results from observational pharmacoepidemiological studies: the case of antidepressant use and risk of hip/femur fractures. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 88-102	2.6	21
21	Do case-only designs yield consistent results across design and different databases? A case study of hip fractures and benzodiazepines. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 79-87	2.6	11
20	Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a cross-national descriptive study from the PROTECT-EU Project. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 56-65	2.6	73
19	Prevalence of antibiotic use: a comparison across various European health care data sources. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 11-20	2.6	40
18	Risk of acute liver injury associated with use of antibiotics. Comparative cohort and nested case-control studies using two primary care databases in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 29-38	2.6	14
17	Methodological comparison of marginal structural model, time-varying Cox regression, and propensity score methods: the example of antidepressant use and the risk of hip fracture. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 114-21	2.6	16
16	Antiepileptic drug use in seven electronic health record databases in Europe: a methodologic comparison. <i>Epilepsia</i> , <b>2014</b> , 55, 666-673	6.4	30
15	Oral bisphosphonates are associated with increased risk of subtrochanteric and diaphyseal fractures in elderly women: a nested case-control study. <i>BMJ Open</i> , <b>2013</b> , 3,	3	24

14	Risk of myocardial infarction and overall mortality in survivors of venous thromboembolism. <i>Thrombosis Journal</i> , <b>2008</b> , 6, 10	5.6	8
13	Risk factors and short-term mortality of venous thromboembolism diagnosed in the primary care setting in the United Kingdom. <i>Archives of Internal Medicine</i> , <b>2007</b> , 167, 935-43		282
12	Incidence and risk factors for psoriasis in the general population. <i>Archives of Dermatology</i> , <b>2007</b> , 143, 1559-65		226
11	Nonsteroidal anti-inflammatory drugs and risk of ARF in the general population. <i>American Journal of Kidney Diseases</i> , <b>2005</b> , 45, 531-9	7.4	231
10	Respiratory medications and the risk of cardiac arrhythmias. <i>Epidemiology</i> , <b>2005</b> , 16, 360-6	3.1	66
9	Users of oral steroids are at a reduced risk of developing irritable bowel syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2003</b> , 12, 583-8	2.6	9
8	Risk of acute liver injury in patients with diabetes. <i>Pharmacotherapy</i> , <b>2002</b> , 22, 1091-6	5.8	14
7	Risk of clinical blood dyscrasia in a cohort of antibiotic users. <i>Pharmacotherapy</i> , <b>2002</b> , 22, 630-6	5.8	20
6	Risk of irritable bowel syndrome among asthma patients. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2002</b> , 11, 31-5	2.6	36
5	Are users of lipid-lowering drugs at increased risk of peripheral neuropathy?. <i>European Journal of Clinical Pharmacology</i> , <b>2001</b> , 56, 931-3	2.8	76
4	The risk of obstructive airways disease in a glaucoma population. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2001</b> , 10, 157-63	2.6	11
3	Reduced risk of colorectal cancer among long-term users of aspirin and nonaspirin nonsteroidal antiinflammatory drugs. <i>Epidemiology</i> , <b>2001</b> , 12, 88-93	3.1	296
2	Lipid-lowering drugs and risk of myopathy: a population-based follow-up study. <i>Epidemiology</i> , <b>2001</b> , 12, 565-9	3.1	176
1	Reduced incidence of colorectal adenoma among long-term users of nonsteroidal antiinflammatory drugs: a pooled analysis of published studies and a new population-based study. <i>Epidemiology</i> , <b>2000</b> , 11, 376-81	3.1	114