

# Victor A F Lamme

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9102510/victor-a-f-lamme-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95  
papers

7,269  
citations

43  
h-index

85  
g-index

97  
ext. papers

8,265  
ext. citations

7.5  
avg, IF

6.34  
L-index

#	Paper	IF	Citations
95	Split-Brain: What We Know Now and Why This is Important for Understanding Consciousness. <i>Neuropsychology Review</i> , <b>2020</b> , 30, 224-233	7.7	21
94	Visual Functions Generating Conscious Seeing. <i>Frontiers in Psychology</i> , <b>2020</b> , 11, 83	3.4	13
93	Neural signs and mechanisms of consciousness: Is there a potential convergence of theories of consciousness in sight?. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2020</b> , 118, 568-587	9	39
92	Opportunities and challenges for a maturing science of consciousness. <i>Nature Human Behaviour</i> , <b>2019</b> , 3, 104-107	12.8	28
91	Conscious machines: Defining questions. <i>Science</i> , <b>2018</b> , 359, 400	33.3	17
90	Challenges for theories of consciousness: seeing or knowing, the missing ingredient and how to deal with panpsychism. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2018</b> , 373,	5.8	34
89	Scene complexity modulates degree of feedback activity during object detection in natural scenes. <i>PLoS Computational Biology</i> , <b>2018</b> , 14, e1006690	5	10
88	Split brain: divided perception but undivided consciousness. <i>Brain</i> , <b>2017</b> , 140, 1231-1237	11.2	34
87	The Split-Brain Phenomenon Revisited: A Single Conscious Agent with Split Perception. <i>Trends in Cognitive Sciences</i> , <b>2017</b> , 21, 835-851	14	17
86	Cross-cueing cannot explain unified control in split-brain patients. <i>Brain</i> , <b>2017</b> , 140, e68	11.2	9
85	Conscious visual memory with minimal attention. <i>Journal of Experimental Psychology: General</i> , <b>2017</b> , 146, 214-226	4.7	12
84	No-Report and Report-Based Paradigms Jointly Unravel the NCC: Response to Overgaard and Fazekas. <i>Trends in Cognitive Sciences</i> , <b>2016</b> , 20, 242-243	14	12
83	The time course of natural scene perception with reduced attention. <i>Journal of Neurophysiology</i> , <b>2016</b> , 115, 931-46	3.2	23
82	Pupil size tracks perceptual content and surprise. <i>European Journal of Neuroscience</i> , <b>2015</b> , 41, 1068-78	3.5	87
81	Consciousness is not necessary for visual feature binding. <i>Psychonomic Bulletin and Review</i> , <b>2015</b> , 22, 453-60	4.1	10
80	Neural Correlates of Visual Short-term Memory Dissociate between Fragile and Working Memory Representations. <i>Journal of Cognitive Neuroscience</i> , <b>2015</b> , 27, 2477-90	3.1	23
79	Forgotten but not gone: Retro-cue costs and benefits in a double-cueing paradigm suggest multiple states in visual short-term memory. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , <b>2015</b> , 41, 1755-63	2.2	44

78	No-Report Paradigms: Extracting the True Neural Correlates of Consciousness. <i>Trends in Cognitive Sciences</i> , <b>2015</b> , 19, 757-770	14	243
77	Top-down modulation in human visual cortex predicts the stability of a perceptual illusion. <i>Journal of Neurophysiology</i> , <b>2015</b> , 113, 1063-76	3.2	46
76	Convolutional Neural Networks in the Brain: an fMRI study. <i>Journal of Vision</i> , <b>2015</b> , 15, 371	0.4	4
75	Emotional facial expressions reduce neural adaptation to face identity. <i>Social Cognitive and Affective Neuroscience</i> , <b>2014</b> , 9, 610-4	4	15
74	Seeing without knowing: neural signatures of perceptual inference in the absence of report. <i>Journal of Cognitive Neuroscience</i> , <b>2014</b> , 26, 955-69	3.1	37
73	Consciousness science: real progress and lingering misconceptions. <i>Trends in Cognitive Sciences</i> , <b>2014</b> , 18, 556-7	14	21
72	Opposing dorsal/ventral stream dynamics during figure-ground segregation. <i>Journal of Cognitive Neuroscience</i> , <b>2014</b> , 26, 365-79	3.1	17
71	Parallel development of ERP and behavioural measurements of visual segmentation. <i>Developmental Science</i> , <b>2014</b> , 17, 1-10	4.5	7
70	Latent memory of unattended stimuli reactivated by practice: an FMRI study on the role of consciousness and attention in learning. <i>PLoS ONE</i> , <b>2014</b> , 9, e90098	3.7	1
69	Fragile visual short-term memory is an object-based and location-specific store. <i>Psychonomic Bulletin and Review</i> , <b>2013</b> , 20, 732-9	4.1	52
68	GABA shapes the dynamics of bistable perception. <i>Current Biology</i> , <b>2013</b> , 23, 823-7	6.3	139
67	Does perceptual learning require consciousness or attention?. <i>Journal of Cognitive Neuroscience</i> , <b>2013</b> , 25, 1579-96	3.1	17
66	From image statistics to scene gist: evoked neural activity reveals transition from low-level natural image structure to scene category. <i>Journal of Neuroscience</i> , <b>2013</b> , 33, 18814-24	6.6	70
65	Confuse your illusion: feedback to early visual cortex contributes to perceptual completion. <i>Psychological Science</i> , <b>2013</b> , 24, 63-71	7.9	70
64	NMDA receptor antagonist ketamine impairs feature integration in visual perception. <i>PLoS ONE</i> , <b>2013</b> , 8, e79326	3.7	16
63	Neuronal integration in visual cortex elevates face category tuning to conscious face perception. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 21504-9	11.5	44
62	Two critical periods in early visual cortex during figure-ground segregation. <i>Brain and Behavior</i> , <b>2012</b> , 2, 763-77	3.4	21
61	GABAA agonist reduces visual awareness: a masking-EEG experiment. <i>Journal of Cognitive Neuroscience</i> , <b>2012</b> , 24, 965-74	3.1	24

60	The role of attention in figure-ground segregation in areas V1 and V4 of the visual cortex. <i>Neuron</i> , <b>2012</b> , 75, 143-56	13.9	154
59	A true science of consciousness explains phenomenology: comment on Cohen and Dennett. <i>Trends in Cognitive Sciences</i> , <b>2012</b> , 16, 138-9; author reply 139-40	14	22
58	Unconscious high-level information processing: implication for neurobiological theories of consciousness. <i>Neuroscientist</i> , <b>2012</b> , 18, 287-301	7.6	119
57	Non-attended representations are perceptual rather than unconscious in nature. <i>PLoS ONE</i> , <b>2012</b> , 7, e50042	3.7	17
56	Low-level contrast statistics are diagnostic of invariance of natural textures. <i>Frontiers in Computational Neuroscience</i> , <b>2012</b> , 6, 34	3.5	16
55	Spatially pooled contrast responses predict neural and perceptual similarity of naturalistic image categories. <i>PLoS Computational Biology</i> , <b>2012</b> , 8, e1002726	5	42
54	Magnetic stimulation of the dorsolateral prefrontal cortex dissociates fragile visual short-term memory from visual working memory. <i>Neuropsychologia</i> , <b>2011</b> , 49, 1578-88	3.2	35
53	Manipulations of attention dissociate fragile visual short-term memory from visual working memory. <i>Neuropsychologia</i> , <b>2011</b> , 49, 1559-68	3.2	57
52	Act quickly, decide later: long-latency visual processing underlies perceptual decisions but not reflexive behavior. <i>Journal of Cognitive Neuroscience</i> , <b>2011</b> , 23, 3734-45	3.1	14
51	Pre-SMA graymatter density predicts individual differences in action selection in the face of conscious and unconscious response conflict. <i>Journal of Cognitive Neuroscience</i> , <b>2011</b> , 23, 382-90	3.1	75
50	Dissociable brain mechanisms underlying the conscious and unconscious control of behavior. <i>Journal of Cognitive Neuroscience</i> , <b>2011</b> , 23, 91-105	3.1	101
49	How awareness changes the relative weights of evidence during human decision-making. <i>PLoS Biology</i> , <b>2011</b> , 9, e1001203	9.7	47
48	The flexible nature of unconscious cognition. <i>PLoS ONE</i> , <b>2011</b> , 6, e25729	3.7	22
47	Proline and COMT status affect visual connectivity in children with 22q11.2 deletion syndrome. <i>PLoS ONE</i> , <b>2011</b> , 6, e25882	3.7	22
46	Detailed sensory memory, sloppy working memory. <i>Frontiers in Psychology</i> , <b>2010</b> , 1, 175	3.4	68
45	Unconsciously triggered conflict adaptation. <i>PLoS ONE</i> , <b>2010</b> , 5, e11508	3.7	79
44	Unconscious activation of the prefrontal no-go network. <i>Journal of Neuroscience</i> , <b>2010</b> , 30, 4143-50	6.6	189
43	What introspection has to offer, and where its limits lie. <i>Cognitive Neuroscience</i> , <b>2010</b> , 1, 232-40	1.7	6

42	How neuroscience will change our view on consciousness. <i>Cognitive Neuroscience</i> , <b>2010</b> , 1, 204-20	1.7	207
41	Transcranial magnetic stimulation-induced visual echoes are generated in early visual cortex. <i>Neuroscience Letters</i> , <b>2010</b> , 484, 178-81	3.3	10
40	Brain responses strongly correlate with Weibull image statistics when processing natural images. <i>Journal of Vision</i> , <b>2009</b> , 9, 29.1-15	0.4	85
39	V4 activity predicts the strength of visual short-term memory representations. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 7432-8	6.6	95
38	Unconscious errors enhance prefrontal-occipital oscillatory synchrony. <i>Frontiers in Human Neuroscience</i> , <b>2009</b> , 3, 54	3.3	86
37	Abnormal timing of visual feedback processing in young adults with schizophrenia. <i>Neuropsychologia</i> , <b>2009</b> , 47, 3105-10	3.2	11
36	A new approach to the study of detail perception in Autism Spectrum Disorder (ASD): investigating visual feedforward, horizontal and feedback processing. <i>Vision Research</i> , <b>2009</b> , 49, 1006-16	2.1	20
35	Feedforward and recurrent processing in scene segmentation: electroencephalography and functional magnetic resonance imaging. <i>Journal of Cognitive Neuroscience</i> , <b>2008</b> , 20, 2097-109	3.1	96
34	A neural substrate for atypical low-level visual processing in autism spectrum disorder. <i>Brain</i> , <b>2008</b> , 131, 1013-24	11.2	80
33	Frontal cortex mediates unconsciously triggered inhibitory control. <i>Journal of Neuroscience</i> , <b>2008</b> , 28, 8053-62	6.6	217
32	Coherent versus component motion perception in autism spectrum disorder. <i>Journal of Autism and Developmental Disorders</i> , <b>2008</b> , 38, 941-9	4.6	22
31	Are there multiple visual short-term memory stores?. <i>PLoS ONE</i> , <b>2008</b> , 3, e1699	3.7	257
30	Interactions between higher and lower visual areas improve shape selectivity of higher level neurons-explaining crowding phenomena. <i>Brain Research</i> , <b>2007</b> , 1157, 167-76	3.7	44
29	Boundary assignment in a recurrent network architecture. <i>Vision Research</i> , <b>2007</b> , 47, 1153-65	2.1	59
28	Altered figure-ground perception in monkeys with an extra-striate lesion. <i>Neuropsychologia</i> , <b>2007</b> , 45, 3329-34	3.2	34
27	Sue Ned Block!: Making a better case for P-consciousness. <i>Behavioral and Brain Sciences</i> , <b>2007</b> , 30, 511-512	2.9	3
26	Processing speed in recurrent visual networks correlates with general intelligence. <i>NeuroReport</i> , <b>2007</b> , 18, 39-43	1.7	11
25	The influence of inattention on the neural correlates of scene segmentation. <i>Brain Research</i> , <b>2006</b> , 1076, 106-15	3.7	105

24	Zap! Magnetic tricks on conscious and unconscious vision. <i>Trends in Cognitive Sciences</i> , <b>2006</b> , 10, 193-5	14	26
23	Towards a true neural stance on consciousness. <i>Trends in Cognitive Sciences</i> , <b>2006</b> , 10, 494-501	14	564
22	Figure-ground segregation requires two distinct periods of activity in V1: a transcranial magnetic stimulation study. <i>NeuroReport</i> , <b>2005</b> , 16, 1483-7	1.7	66
21	Repression of unconscious information by conscious processing: evidence from affective blindsight induced by transcranial magnetic stimulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 10747-51	11.5	127
20	Correspondence of presaccadic activity in the monkey primary visual cortex with saccadic eye movements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 3230-5	11.5	48
19	Synchrony and covariation of firing rates in the primary visual cortex during contour grouping. <i>Nature Neuroscience</i> , <b>2004</b> , 7, 982-91	25.5	145
18	The role of figure-ground segregation in change blindness. <i>Psychonomic Bulletin and Review</i> , <b>2004</b> , 11, 254-61	4.1	32
17	Local versus global recurrency commentary on: Cortex, countercurrent context, and dimensional integration of lifetime memory by Bjorn Merker. <i>Cortex</i> , <b>2004</b> , 40, 580-1; discussion 582-3	3.8	1
16	Relationship between change detection and pre-change [corrected] activity in visual area V1. <i>NeuroReport</i> , <b>2004</b> , 15, 2211-4	1.7	20
15	Set size effects in the macaque striate cortex. <i>Journal of Cognitive Neuroscience</i> , <b>2003</b> , 15, 873-82	3.1	21
14	Recurrent corticocortical interactions in neural disease. <i>Archives of Neurology</i> , <b>2003</b> , 60, 178-84		13
13	Internal state of monkey primary visual cortex (V1) predicts figure-ground perception. <i>Journal of Neuroscience</i> , <b>2003</b> , 23, 3407-14	6.6	121
12	Large capacity storage of integrated objects before change blindness. <i>Vision Research</i> , <b>2003</b> , 43, 149-64	2.1	374
11	Figure-ground activity in primary visual cortex (V1) of the monkey matches the speed of behavioral response. <i>Neuroscience Letters</i> , <b>2003</b> , 344, 75-8	3.3	19
10	Figure-ground segregation in a recurrent network architecture. <i>Journal of Cognitive Neuroscience</i> , <b>2002</b> , 14, 525-37	3.1	203
9	Masking interrupts figure-ground signals in V1. <i>Journal of Cognitive Neuroscience</i> , <b>2002</b> , 14, 1044-53	3.1	219
8	Two distinct modes of sensory processing observed in monkey primary visual cortex (V1). <i>Nature Neuroscience</i> , <b>2001</b> , 4, 304-10	25.5	403
7	A neural correlate of working memory in the monkey primary visual cortex. <i>Science</i> , <b>2001</b> , 293, 120-4	33.3	205

6	Attention sheds no light on the origin of phenomenal experience. <i>Behavioral and Brain Sciences</i> , <b>2001</b> , 24, 993-993	0.9	1
5	Which brain mechanism cannot count beyond four?. <i>Behavioral and Brain Sciences</i> , <b>2001</b> , 24, 142-143	0.9	
4	Neuronal synchrony does not represent texture segregation. <i>Nature</i> , <b>1998</b> , 396, 362-6	50.4	116
3	Object-based attention in the primary visual cortex of the macaque monkey. <i>Nature</i> , <b>1998</b> , 395, 376-81	50.4	646
2	Functional connectivity within the visual cortex of the rat shows state changes. <i>European Journal of Neuroscience</i> , <b>1998</b> , 10, 1490-507	3.5	7
1	Contour from motion processing occurs in primary visual cortex. <i>Nature</i> , <b>1993</b> , 363, 541-3	50.4	88