Alex S Cohen

List of Publications by Citations

Source: https://exaly.com/author-pdf/9103147/alex-s-cohen-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 164 4,472 34 h-index g-index citations papers 6.01 5,168 167 4.8 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
164	The structure of negative symptoms within schizophrenia: implications for assessment. <i>Schizophrenia Bulletin</i> , 2006 , 32, 238-45	1.3	457
163	Emotional experience in patients with schizophrenia revisited: meta-analysis of laboratory studies. <i>Schizophrenia Bulletin</i> , 2010 , 36, 143-50	1.3	375
162	Cognition and brain function in schizotypy: a selective review. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S417-26	1.3	143
161	Neuropsychology of the deficit syndrome: new data and meta-analysis of findings to date. <i>Schizophrenia Bulletin</i> , 2007 , 33, 1201-12	1.3	132
160	The state-trait disjunction of anhedonia in schizophrenia: potential affective, cognitive and social-based mechanisms. <i>Clinical Psychology Review</i> , 2011 , 31, 440-8	10.8	125
159	Toward a more psychometrically sound brief measure of schizotypal traits: introducing the SPQ-Brief Revised. <i>Journal of Personality Disorders</i> , 2010 , 24, 516-37	2.6	124
158	Social anhedonia and schizotypy in a community sample: the Maryland longitudinal study of schizotypy. <i>Schizophrenia Bulletin</i> , 2011 , 37, 587-602	1.3	118
157	Mental health problems and interest in marijuana treatment among marijuana-using college students. <i>Addictive Behaviors</i> , 2010 , 35, 826-33	4.2	99
156	A Transdiagnostic Review of Negative Symptom Phenomenology and Etiology. <i>Schizophrenia Bulletin</i> , 2017 , 43, 712-719	1.3	93
155	Looking at the other side of the coin: a meta-analysis of self-reported emotional arousal in people with schizophrenia. <i>Schizophrenia Research</i> , 2012 , 142, 65-70	3.6	86
154	Schizotypy as an organizing framework for social and affective sciences. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S427-35	1.3	75
153	The structure of schizotypal personality traits: a cross-national study. <i>Psychological Medicine</i> , 2018 , 48, 451-462	6.9	71
152	Stability of formal thought disorder and referential communication disturbances in schizophrenia. <i>Journal of Abnormal Psychology</i> , 2003 , 112, 469-475	7	70
151	Quality of life across the schizotypy spectrum: findings from a large nonclinical adult sample. <i>Comprehensive Psychiatry</i> , 2009 , 50, 408-14	7.3	68
150	Computerized measurement of negative symptoms in schizophrenia. <i>Journal of Psychiatric Research</i> , 2008 , 42, 827-36	5.2	61
149	Specific cognitive deficits and differential domains of social functioning impairment in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 81, 227-38	3.6	56
148	On "risk" and reward: investigating state anhedonia in psychometrically defined schizotypy and schizophrenia. <i>Journal of Abnormal Psychology</i> , 2012 , 121, 407-15	7	55

(2016-2013)

Neurocognition in psychometrically defined college Schizotypy samples: we are not measuring the "right stuff". <i>Journal of the International Neuropsychological Society</i> , 2013 , 19, 324-37	3.1	54	
Automated computerized analysis of speech in psychiatric disorders. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 203-9	4.9	53	
The neurocognitive underpinnings of diminished expressivity in schizotypy: what the voice reveals. <i>Schizophrenia Research</i> , 2009 , 109, 38-45	3.6	51	
Speech deficits in serious mental illness: a cognitive resource issue?. <i>Schizophrenia Research</i> , 2014 , 160, 173-9	3.6	49	
Facial emotion recognition in schizotypy: the role of accuracy and social cognitive bias. <i>Journal of the International Neuropsychological Society</i> , 2010 , 16, 474-83	3.1	49	
Affective reactivity of speech and emotional experience in patients with schizophrenia. <i>Schizophrenia Research</i> , 2004 , 69, 7-14	3.6	48	
Life Satisfaction as a Distinguishing Indicator of College Student Functioning: Further Validation of the Two-Continua Model of Mental Health. <i>Social Indicators Research</i> , 2014 , 117, 319-334	2.7	47	
Neuropsychological functioning and social anhedonia: results from a community high-risk study. <i>Schizophrenia Research</i> , 2006 , 85, 132-41	3.6	46	
What do we really know about blunted vocal affect and alogia? A meta-analysis of objective assessments. <i>Schizophrenia Research</i> , 2014 , 159, 533-8	3.6	45	
Schizotypal Personality Questionnaire-Brief Revised: psychometric replication and extension. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2014 , 5, 32-8	4.1	43	
The Network Structure of Schizotypal Personality Traits. Schizophrenia Bulletin, 2018, 44, S468-S479	1.3	41	
The psychiatric symptomatology of deficit schizophrenia: a meta-analysis. <i>Schizophrenia Research</i> , 2010 , 118, 122-7	3.6	41	
Bracing for the worst, but behaving the best: social anxiety, hostility, and behavioral aggression. <i>Journal of Anxiety Disorders</i> , 2010 , 24, 260-8	10.9	41	
Towards a cognitive resource limitations model of diminished expression in schizotypy. <i>Journal of Abnormal Psychology</i> , 2012 , 121, 109-18	7	39	
Diminished emotionality and social functioning in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 796-802	1.8	38	
Investigation of the Montreal Cognitive Assessment (MoCA) as a cognitive screener in severe mental illness. <i>Psychiatry Research</i> , 2014 , 220, 664-8	9.9	36	
A multidimensional assessment of social cognition in psychometrically defined schizotypy. <i>Psychiatry Research</i> , 2013 , 210, 1014-9	9.9	34	
Vocal expression in schizophrenia: Less than meets the ear. Journal of Abnormal Psychology, 2016,			
	Automated computerized analysis of speech in psychiatric disorders. Current Opinion in Psychiatry, 2014, 27, 203-9 The neurocognitive underpinnings of diminished expressivity in schizotypy: what the voice reveals. Schizophrenia Research, 2009, 109, 38-45 Speech deficits in serious mental illness: a cognitive resource issue?. Schizophrenia Research, 2014, 160, 173-9 Facial emotion recognition in schizotypy: the role of accuracy and social cognitive bias. Journal of the International Neuropsychological Society, 2010, 16, 474-83 Affective reactivity of speech and emotional experience in patients with schizophrenia. Schizophrenia Research, 2004, 69, 7-14 Life Satisfaction as a Distinguishing Indicator of College Student Functioning: Further Validation of the Two-Continua Model of Mental Health. Social Indicators Research, 2014, 117, 319-334 Neuropsychological functioning and social anhedonia: results from a community high-risk study. Schizophrenia Research, 2006, 85, 132-41 What do we really know about blunted vocal affect and alogia? A meta-analysis of objective assessments. Schizophrenia Research, 2014, 159, 533-8 Schizotypal Personality Questionnaire-Brief Revised: psychometric replication and extension. Personality Disorders: Theory, Research, and Treatment, 2014, 5, 32-8 The Network Structure of Schizotypal Personality Traits. Schizophrenia Bulletin, 2018, 44, S468-S479 The psychiatric symptomatology of deficit schizophrenia: a meta-analysis. Schizophrenia Research, 2010, 18, 122-7 Bracing for the worst, but behaving the best: social anxiety, hostility, and behavioral aggression. Journal of Anxiety Disorders, 2010, 24, 260-8 Towards a cognitive resource limitations model of diminished expression in schizotypy. Journal of Abnormal Psychology, 2012, 121, 109-18 Diminished emotionality and social functioning in schizophrenia. Journal of Nervous and Mental Disease, 2005, 193, 796-802 Investigation of the Montreal Cognitive Assessment (MoCA) as a cognitive screener in severe mental Illness. Psychiatry	Automated computerized analysis of speech in psychiatric disorders. Current Opinion in Psychiatry, 2014, 27, 203-9 The neurocognitive underpinnings of diminished expressivity in schizotypy: what the voice reveals. Schizophrenia Research, 2009, 109, 38-45 Speech deficits in serious mental illness: a cognitive resource issue?. Schizophrenia Research, 2014, 160, 173-9 Facial emotion recognition in schizotypy: the role of accuracy and social cognitive bias. Journal of the International Neuropsychological Society, 2010, 16, 474-83 Affective reactivity of speech and emotional experience in patients with schizophrenia. Schizophrenia Research, 2004, 69, 7-14 Life Satisfaction as a Distinguishing Indicator of College Student Functioning: Further Validation of the Two-Continua Model of Mental Health. Social Indicators Research, 2014, 117, 319-334 Neuropsychological functioning and social anhedonia: results from a community high-risk study. Schizophrenia Research, 2006, 85, 132-41 What do we really know about blunted vocal affect and alogia? A meta-analysis of objective assessments. Schizophrenia Research, 2014, 159, 533-8 Schizotypal Personality Questionnaire-Brief Revised; psychometric replication and extension. Personality Disorders: Theory, Research, 2014, 159, 533-8 The Network Structure of Schizotypal Personality Traits. Schizophrenia Bulletin, 2018, 44, S468-S479 1.3 The psychiatric symptomatology of deficit schizophrenia: a meta-analysis. Schizophrenia Research, 2010, 118, 122-7 Bracing for the worst, but behaving the best: social anxiety, hostility, and behavioral aggression. Journal of Anxiety Disorders, 2010, 24, 260-8 Towards a cognitive resource limitations model of diminished expression in schizotypy. Journal of Abhormal Psychology, 2012, 121, 109-18 Diminished emotionality and social functioning in schizophrenia. Journal of Nervous and Mental Disease, 2005, 193, 796-802 Investigation of the Montreal Cognitive Assessment (MoCA) as a cognitive screener in severe mental illness. Psychiatry Resea	Automated computerized analysis of speech in psychiatric disorders. Current Opinion in Psychiatry, 2014, 27, 203-9 The neurocognitive underpinnings of diminished expressivity in schizotypy: what the voice reveals. 3.6 51 51 51 51 51 51 51 51 51 51 51 51 51

129	Olfaction, "olfiction," and the schizophrenia-spectrum: an updated meta-analysis on identification and acuity. <i>Schizophrenia Research</i> , 2012 , 135, 152-7	3.6	33
128	On the boundaries of blunt affect/alogia across severe mental illness: implications for Research Domain Criteria. <i>Schizophrenia Research</i> , 2012 , 140, 41-5	3.6	33
127	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018 , 197, 182-19	13.6	33
126	Psychiatric symptom versus neurocognitive correlates of diminished expressivity in schizophrenia and mood disorders. <i>Schizophrenia Research</i> , 2013 , 146, 249-53	3.6	31
125	Affective reactivity of speech disturbances in schizotypy. <i>Journal of Psychiatric Research</i> , 2010 , 44, 99-10	0 5 .2	31
124	Stress and arousability in schizophrenia. <i>Schizophrenia Research</i> , 2004 , 71, 127-35	3.6	31
123	A laboratory-based procedure for measuring emotional expression from natural speech. <i>Behavior Research Methods</i> , 2009 , 41, 204-212	6.1	30
122	Attentional dysfunction, social perception, and social competence: what is the nature of the relationship?. <i>Journal of Abnormal Psychology</i> , 2006 , 115, 408-417	7	30
121	Computerized facial analysis for understanding constricted/blunted affect: initial feasibility, reliability, and validity data. <i>Schizophrenia Research</i> , 2013 , 148, 111-6	3.6	28
120	Emotion word use in the conversational speech of schizophrenia patients. <i>Cognitive Neuropsychiatry</i> , 2008 , 13, 343-56	2	26
119	Deficit versus negative syndrome in schizophrenia: prediction of attentional impairment. <i>Schizophrenia Bulletin</i> , 2004 , 30, 827-35	1.3	26
118	Ambulatory digital phenotyping of blunted affect and alogia using objective facial and vocal analysis: Proof of concept. <i>Schizophrenia Research</i> , 2020 , 220, 141-146	3.6	25
117	Cannabis and psychometrically-defined schizotypy: use, problems and treatment considerations. <i>Journal of Psychiatric Research</i> , 2011 , 45, 548-54	5.2	25
116	Affecting coping: does neurocognition predict approach and avoidant coping strategies within schizophrenia spectrum disorders?. <i>Psychiatry Research</i> , 2013 , 209, 136-41	9.9	24
115	Understanding anhedonia in schizophrenia through lexical analysis of natural speech. <i>Cognition and Emotion</i> , 2009 , 23, 569-586	2.3	24
114	Validating digital phenotyping technologies for clinical use: the critical importance of "resolution". World Psychiatry, 2020 , 19, 114-115	14.4	23
113	Ambulatory vocal acoustics, temporal dynamics, and serious mental illness. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 97-105	7	23
112	Birth characteristics and schizotypy: evidence of a potential "second hit". <i>Journal of Psychiatric Research</i> , 2011 , 45, 955-61	5.2	22

(2019-2010)

111	Understanding emotional expression using prosodic analysis of natural speech: refining the methodology. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010 , 41, 150-7	2.6	22
110	Understanding constricted affect in schizotypy through computerized prosodic analysis. <i>Journal of Personality Disorders</i> , 2011 , 25, 478-91	2.6	22
109	Affective reactivity of language symptoms, startle responding, and inhibition in schizophrenia Journal of Abnormal Psychology, 2001 , 110, 194-198	7	22
108	A psychometric investigation of "macroscopic" speech measures for clinical and psychological science. <i>Behavior Research Methods</i> , 2016 , 48, 475-86	6.1	21
107	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. <i>Schizophrenia Research</i> , 2018 , 199, 128-134	3.6	21
106	Self-reported stress and the deficit syndrome of schizophrenia. <i>Psychiatry (New York)</i> , 2003 , 66, 308-16	1	21
105	Moving psychological assessment out of the controlled laboratory setting: Practical challenges. <i>Psychological Assessment</i> , 2019 , 31, 292-303	5.3	21
104	Geolocation as a Digital Phenotyping Measure of Negative Symptoms and Functional Outcome. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1596-1607	1.3	21
103	Applying speech technologies to assess verbal memory in patients with serious mental illness. <i>Npj Digital Medicine</i> , 2020 , 3, 33	15.7	19
102	Neuropsychological functioning and social anhedonia: three-year follow-up data from a longitudinal community high risk study. <i>Journal of Psychiatric Research</i> , 2012 , 46, 898-904	5.2	19
101	The role of atypical semantic activation and stress in odd speech: implications for individuals with psychometrically defined schizotypy. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1231-6	5.2	19
100	The relationship between atypical semantic activation and odd speech in schizotypy across emotionally evocative conditions. <i>Schizophrenia Research</i> , 2011 , 126, 144-9	3.6	19
99	An examination of the language construct in NIMH's research domain criteria: Time for reconceptualization!. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 904-19	3.5	19
98	Using biobehavioral technologies to effectively advance research on negative symptoms. <i>World Psychiatry</i> , 2019 , 18, 103-104	14.4	18
97	Hedonic capacity and schizotypy: evidence for the criterion validity of the ACIPS. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1455-61	7.3	18
96	The paradox of schizotypy: resemblance to prolonged severe mental illness in subjective but not objective quality of life. <i>Psychiatry Research</i> , 2014 , 217, 185-90	9.9	18
95	Primary and secondary negative schizotypal traits in a large non-clinical sample. <i>Personality and Individual Differences</i> , 2010 , 49, 419-424	3.3	18
94	Exploring the racial diagnostic bias of schizophrenia using behavioral and clinical-based measures. Journal of Abnormal Psychology, 2019 , 128, 263-271	7	18

93	Updating verbal fluency analysis for the 21st century: Applications for psychiatry. <i>Psychiatry Research</i> , 2019 , 273, 767-769	9.9	18
92	The schizophrenia spectrum anhedonia paradox. World Psychiatry, 2018, 17, 221-222	14.4	18
91	Cannabis use and schizotypy: the role of social anxiety and other negative affective states. <i>Psychiatry Research</i> , 2012 , 200, 660-8	9.9	17
90	A framework for understanding experiential deficits in schizophrenia. <i>Psychiatry Research</i> , 2010 , 178, 10-6	9.9	17
89	Clarifying the linguistic signature: measuring personality from natural speech. <i>Journal of Personality Assessment</i> , 2008 , 90, 559-63	2.8	17
88	Thoughts About Disordered Thinking: Measuring and Quantifying the Laws of Order and Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 509-513	1.3	16
87	Can RDoC Help Find Order in Thought Disorder?. Schizophrenia Bulletin, 2017, 43, 503-508	1.3	16
86	Vocal acoustic analysis as a biometric indicator of information processing: implications for neurological and psychiatric disorders. <i>Psychiatry Research</i> , 2015 , 226, 235-41	9.9	16
85	Schizotypal, schizoid and paranoid characteristics in the biological parents of social anhedonics. <i>Psychiatry Research</i> , 2010 , 178, 79-83	9.9	16
84	Attribution biases in schizophrenia: relationship to clinical and functional impairments. <i>Psychopathology</i> , 2009 , 42, 40-6	3.4	16
83	Alterations in facial expressivity in youth at clinical high-risk for psychosis. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 341-351	7	16
82	A latent profile analysis of schizotypal dimensions: Associations with psychopathology and personality. <i>Psychiatry Research</i> , 2017 , 253, 110-115	9.9	15
81	Objective and subjective olfaction across the schizophrenia spectrum. <i>Psychiatry (New York)</i> , 2014 , 77, 57-66	1	14
80	Affective disturbances in psychometrically defined schizotypy across direct, but not indirect assessment modes. <i>Schizophrenia Research</i> , 2011 , 128, 136-42	3.6	14
79	Advancing ambulatory biobehavioral technologies beyond "proof of concept": Introduction to the special section. <i>Psychological Assessment</i> , 2019 , 31, 277-284	5.3	14
78	Digital phenotyping of negative symptoms: the relationship to clinician ratings. <i>Schizophrenia Bulletin</i> , 2021 , 47, 44-53	1.3	14
77	Speech prosody abnormalities and specific dimensional schizotypy features: are relationships limited to male participants?. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 745-51	1.8	13
76	A laboratory study of affectivity in schizotypy: subjective and lexical analysis. <i>Psychiatry Research</i> , 2011 , 189, 233-8	9.9	12

(2010-2011)

75	The comorbidity of psychotic symptoms and posttraumatic stress disorder: evidence for a specifier in DSM-5. <i>Clinical Schizophrenia and Related Psychoses</i> , 2011 , 5, 147-54	1.6	12
74	Effort-cost computation in a transdiagnostic psychiatric sample: Differences among patients with schizophrenia, bipolar disorder, and major depressive disorder. <i>PsyCh Journal</i> , 2020 , 9, 210-222	1.4	12
73	Effects of positive affect on speech disorder in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 839-42	1.8	11
72	Digital phenotyping adherence, feasibility, and tolerability in outpatients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2021 , 138, 436-443	5.2	11
71	Dimensional Structure and Measurement Invariance of the Schizotypal Personality Questionnaire - Brief Revised (SPQ-BR) Scores Across American and Spanish Samples. <i>Journal of Personality Disorders</i> , 2017 , 31, 522-541	2.6	10
70	Symptom-oriented versus syndrome approaches to resolving heterogeneity of neuropsychological functioning in schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2005 , 17, 384-90	2.7	10
69	Using machine learning of computerized vocal expression to measure blunted vocal affect and alogia. <i>NPJ Schizophrenia</i> , 2020 , 6, 26	5.5	10
68	Loneliness and Schizotypy Are Distinct Constructs, Separate from General Psychopathology. <i>Frontiers in Psychology</i> , 2016 , 7, 1018	3.4	10
67	Predictors of Heterogeneity in Cognitive Function: APOE-e4, Sex, Education, Depression, and Vascular Risk. <i>Archives of Clinical Neuropsychology</i> , 2020 , 35, 660-670	2.7	9
66	The Subjective-Objective Disjunction in Psychometrically-Defined Schizotypy: What it is and Why it is Important?. <i>Journal of Experimental Psychopathology</i> , 2017 , 8, 347-363	2.3	9
65	The moderating effects of perceived intentionality: exploring the relationships between ideas of reference, paranoia and social anxiety in schizotypy. <i>Cognitive Neuropsychiatry</i> , 2014 , 19, 527-39	2	9
64	Category fluency in psychometric schizotypy: how altering emotional valence and cognitive load affects performance. <i>Cognitive Neuropsychiatry</i> , 2015 , 20, 542-50	2	9
63	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018 , 44, S460-S467	1.3	9
62	The effects of oxytocin and galantamine on objectively-defined vocal and facial expression: Data from the CIDAR study. <i>Schizophrenia Research</i> , 2017 , 188, 141-143	3.6	8
61	Predicting creativity: the role of psychometric schizotypy and cannabis use in divergent thinking. <i>Psychiatry Research</i> , 2014 , 220, 205-10	9.9	8
60	Smoking topography and outcome expectancies among individuals with schizotypy. <i>Psychiatry Research</i> , 2013 , 205, 205-12	9.9	8
59	The normalities and abnormalities associated with speech in psychometrically-defined schizotypy. <i>Schizophrenia Research</i> , 2014 , 160, 169-72	3.6	8
58	Cigarette smoking across the schizotypy spectrum. <i>Psychiatry Research</i> , 2010 , 179, 113-5	9.9	8

57	Stress and cognitive biases in schizotypy: A two-site study of bias against disconfirmatory evidence and jumping to conclusions. <i>European Psychiatry</i> , 2019 , 62, 20-27	6	7
56	The importance of loneliness in psychotic-like symptoms: Data from three studies. <i>Psychiatry Research</i> , 2019 , 282, 112625	9.9	7
55	Deinstitutionalization of American public hospitals for the mentally ill before and after the introduction of antipsychotic medications. <i>Harvard Review of Psychiatry</i> , 2015 , 23, 176-87	4.1	7
54	The effect of limited cognitive resources on communication disturbances in serious mental illness. <i>Psychiatry Research</i> , 2017 , 248, 98-104	9.9	6
53	Towards a Schizotypy Core: Convergence and Divergence of Two Empirically-Derived Self-Report Measures from a Nonclinical Sample. <i>Journal of Experimental Psychopathology</i> , 2017 , 8, 265-287	2.3	6
52	Understanding heterogeneity in older adults: Latent growth curve modeling of cognitive functioning. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018 , 40, 292-302	2.1	6
51	Semantic coherence in psychometric schizotypy: An investigation using Latent Semantic Analysis. <i>Psychiatry Research</i> , 2018 , 259, 63-67	9.9	6
50	Illusory superiority and schizotypal personality: explaining the discrepancy between subjective/objective psychopathology. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2014 , 5, 413-8	4.1	6
49	Overestimation of close friend drinking problems in the prediction of one's own drinking problems. <i>Addictive Behaviors</i> , 2017 , 64, 107-110	4.2	6
48	Machine learning for suicidology: A practical review of exploratory and hypothesis-driven approaches. <i>Clinical Psychology Review</i> , 2020 , 82, 101940	10.8	6
48			6
	approaches. Clinical Psychology Review, 2020 , 82, 101940		
47	approaches. Clinical Psychology Review, 2020, 82, 101940 Digital Phenotyping Using Multimodal Data. Current Behavioral Neuroscience Reports, 2020, 7, 212-220 Blunted vocal affect and expression is not associated with schizophrenia: A computerized acoustic	1.7	6
47 46	approaches. Clinical Psychology Review, 2020, 82, 101940 Digital Phenotyping Using Multimodal Data. Current Behavioral Neuroscience Reports, 2020, 7, 212-220 Blunted vocal affect and expression is not associated with schizophrenia: A computerized acoustic analysis of speech under ambiguous conditions. Comprehensive Psychiatry, 2018, 83, 84-88 A temporal examination of co-activated emotion valence networks in schizophrenia and schizotypy.	1.7 7·3	5
47 46 45	Digital Phenotyping Using Multimodal Data. <i>Current Behavioral Neuroscience Reports</i> , 2020 , 7, 212-220 Blunted vocal affect and expression is not associated with schizophrenia: A computerized acoustic analysis of speech under ambiguous conditions. <i>Comprehensive Psychiatry</i> , 2018 , 83, 84-88 A temporal examination of co-activated emotion valence networks in schizophrenia and schizotypy. <i>Schizophrenia Research</i> , 2016 , 170, 322-9 Aggressive urges in schizotypy: Preliminary data from an ambulatory study. <i>Schizophrenia Research</i> ,	1.7 7·3 3.6	655
47 46 45 44	Digital Phenotyping Using Multimodal Data. <i>Current Behavioral Neuroscience Reports</i> , 2020 , 7, 212-220 Blunted vocal affect and expression is not associated with schizophrenia: A computerized acoustic analysis of speech under ambiguous conditions. <i>Comprehensive Psychiatry</i> , 2018 , 83, 84-88 A temporal examination of co-activated emotion valence networks in schizophrenia and schizotypy. <i>Schizophrenia Research</i> , 2016 , 170, 322-9 Aggressive urges in schizotypy: Preliminary data from an ambulatory study. <i>Schizophrenia Research</i> , 2018 , 201, 424-425 Self-conscious emotions? role in functional outcomes within clinical populations. <i>Psychiatry</i>	1.7 7·3 3.6 3.6	6555
47 46 45 44 43	Digital Phenotyping Using Multimodal Data. <i>Current Behavioral Neuroscience Reports</i> , 2020 , 7, 212-220 Blunted vocal affect and expression is not associated with schizophrenia: A computerized acoustic analysis of speech under ambiguous conditions. <i>Comprehensive Psychiatry</i> , 2018 , 83, 84-88 A temporal examination of co-activated emotion valence networks in schizophrenia and schizotypy. <i>Schizophrenia Research</i> , 2016 , 170, 322-9 Aggressive urges in schizotypy: Preliminary data from an ambulatory study. <i>Schizophrenia Research</i> , 2018 , 201, 424-425 Self-conscious emotions? role in functional outcomes within clinical populations. <i>Psychiatry Research</i> , 2014 , 216, 17-23 Prevalence and incidence of severe mental illness in the United States: an historical overview.	1.7 7·3 3.6 3.6	6555

(2020-2019)

39	Psychiatric Risk Assessment from the Clinician's Perspective: Lessons for the Future. <i>Community Mental Health Journal</i> , 2019 , 55, 1165-1172	2.1	4
38	Crossing Boundaries in Schizotypy Research: An Introduction to the Special Supplement. <i>Schizophrenia Bulletin</i> , 2018 , 44, S457-S459	1.3	4
37	Cognitive functioning in schizotypy through the lens of the accessibility model. <i>Cognitive Neuropsychiatry</i> , 2017 , 22, 422-435	2	4
36	Conceptualizing schizotypal ambivalence: factor structure and its relationships. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 793-801	1.8	4
35	Alterations in facial expressions of emotion: Determining the promise of ultrathin slicing approaches and comparing human and automated coding methods in psychosis risk. <i>Emotion</i> , 2020 ,	4.1	4
34	Machine learning for ambulatory applications of neuropsychological testing. <i>Intelligence-based Medicine</i> , 2020 , 1-2, 100006	2.7	3
33	Response to Gooding and Plfum, The nature of diminished pleasure in individuals at risk for or affected by schizophrenia: Anticipatory and consummatory pleasure deficits across the schizophrenia spectrum. <i>Psychiatry Research</i> , 2012 , 198, 174-175	9.9	3
32	Modeling Self-Reported and Observed Affect from Speech		3
31	Social anhedonia and clinical outcomes in early adulthood: A three-year follow-up study within a community sample. <i>Schizophrenia Research</i> , 2020 , 223, 213-219	3.6	3
30	Ambulatory audio and video recording for digital phenotyping in schizophrenia: Adherence & data usability <i>Psychiatry Research</i> , 2022 , 311, 114485	9.9	3
29	Social cognition and schizotypy 2019 , 71-88		2
28	Neurocognitive underpinnings of language disorder: Contrasting schizophrenia and mood disorders. <i>Journal of Experimental Psychopathology</i> , 2014 , 5, 492-502	2.3	2
27	Clarifying the nature of olfaction deficits in the schizophrenia-prone: Clinical high-risk state versus Uulnerability (Schizophrenia Research, 2012, 139, 262-263)	3.6	2
26	A three-dimensional typology of delusions. <i>Schizophrenia Research</i> , 2006 , 83, 293-5	3.6	2
25	Computerized analysis of facial expressions in serious mental illness <i>Schizophrenia Research</i> , 2022 , 241, 44-51	3.6	2
24	Machine Learning Identifies Digital Phenotyping Measures Most Relevant to Negative Symptoms in Psychotic Disorders: Implications for Clinical Trials <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
23	Understanding Anhedonia: The Role of Perceived Control 2014 , 23-49		2
22	Tracking Language in Real Time in Psychosis 2020 , 663-685		2

21	The (b)link between amotivation and psychosis: Insights through phasic eye blink rate. <i>Psychiatry Research</i> , 2020 , 294, 113490	9.9	2
20	The impact of leaving a voicemail, environment familiarity, and pedestrian predictability on driving behavior. <i>Transportation Research Part F: Traffic Psychology and Behaviour</i> , 2020 , 74, 487-506	4.5	2
19	Primary Negative Symptoms: Refining the Research Target. Schizophrenia Bulletin, 2021, 47, 1207-1210	1.3	2
18	Emotion Experience and Expressive Suppression Scale: Psychometric properties and relationships with depression and schizotypy. <i>Personality and Individual Differences</i> , 2019 , 142, 145-152	3.3	2
17	Extending the usefulness of the verbal memory test: The promise of machine learning. <i>Psychiatry Research</i> , 2021 , 297, 113743	9.9	2
16	Decoupling implicit measures of pleasant and unpleasant social attitudes. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010 , 41, 24-30	2.6	1
15	Frontal alpha asymmetry in schizotypy: electrophysiological evidence for motivational dysfunction. <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 371-386	2	1
14	Predicting self-injurious thoughts in daily life using ambulatory assessment of state cognition. Journal of Psychiatric Research, 2021 , 138, 335-341	5.2	1
13	Validating Biobehavioral Technologies for Use in Clinical Psychiatry. <i>Frontiers in Psychiatry</i> , 2021 , 12, 503323	5	1
12	Both harmful and (some) helpful behaviours from others are associated with increased expression of schizotypal traits. <i>Psychiatry Research</i> , 2016 , 239, 308-14	9.9	1
11	Validation of accelerometry as a digital phenotyping measure of negative symptoms in schizophrenia. <i>NPJ Schizophrenia</i> , 2022 , 8,	5.5	1
10	Natural Language Processing and Psychosis: On the Need for Comprehensive Psychometric Evaluation. <i>Schizophrenia Bulletin</i> ,	1.3	1
9	Social Closeness and Cognitive Functioning Increase Feelings of Hope For Individuals in Inpatient Treatment. <i>Psychiatry Research Communications</i> , 2021 , 1, 100011		O
8	High Predictive Accuracy of Negative Schizotypy With Acoustic Measures. <i>Clinical Psychological Science</i> ,216770262110178	6	O
7	Negative schizotypy attenuates the effect of momentary stress on social dysfunction related to COVID-19 social distancing <i>Schizophrenia Research</i> , 2022 , 243, 24-31	3.6	O
6	How do social factors relate to blunted facial affect in schizophrenia? A digital phenotyping study using ambulatory video recordings <i>Journal of Psychiatric Research</i> , 2022 , 150, 96-104	5.2	O
5	Improved Operationalization and Measurement Are Central to the Future of Cluster A Personality Disorders: Commentary on Cluster A Personality Disorders 2020 , 217-220		
4	Sharing positive events: Ecological momentary assessment of emotion regulation via social capitalization in schizotypy <i>Psychiatry Research</i> , 2021 , 308, 114377	9.9	

LIST OF PUBLICATIONS

3	Severe Psychopathology. Autism and Child Psychopathology Series, 2016, 301-314	0.2
2	Effects of Talking and Visual Attention Load on Driving Behavior. <i>Journal of Vision</i> , 2017 , 17, 971	0.4
1	A Dynamic Method, Analysis, and Model of Short-Term Memory for Serial Order with Clinical Applications. <i>Psychiatry Research</i> , 2020 , 294, 113494	9.9