Satoko Nakano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9104156/publications.pdf

Version: 2024-02-01

840776 888059 20 702 11 17 citations h-index g-index papers 21 21 21 1046 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Comparison of combination therapy of prednisolone and cyclosporine with corticosteroid pulse therapy in Vogt–Koyanagi–Harada disease. Japanese Journal of Ophthalmology, 2022, 66, 119-129.	1.9	6
2	Association of the CYP39A1 G204E Genetic Variant with Increased Risk of Glaucoma and Blindness in Patients with Exfoliation Syndrome. Ophthalmology, 2022, 129, 406-413.	5.2	4
3	Multiplex Solid-Phase Real-Time Polymerase Chain Reaction without DNA Extraction. Ophthalmology, 2021, 128, 729-739.	5. 2	12
4	Practical use of multiplex and broad-range PCR in ophthalmology. Japanese Journal of Ophthalmology, 2021, 65, 155-168.	1.9	9
5	Association of Rare <i>CYP39A1</i> Variants With Exfoliation Syndrome Involving the Anterior Chamber of the Eye. JAMA - Journal of the American Medical Association, 2021, 325, 753.	7.4	16
6	Effective diagnosis by real-time PCR of herpes simplex diffuse endotheliitis that is similar in appearance to fungal keratitis: case series. Journal of Ophthalmic Inflammation and Infection, 2021, 11, 20.	2.2	6
7	Distinguishing Features of Anterior Uveitis Caused by Herpes Simplex Virus, Varicella-Zoster Virus, and Cytomegalovirus. American Journal of Ophthalmology, 2021, 227, 191-200.	3.3	26
8	Evaluation of a Multiplex Strip PCR Test for Infectious Uveitis: A Prospective Multicenter Study. American Journal of Ophthalmology, 2020, 213, 252-259.	3.3	30
9	Pseudoexfoliation syndrome-associated genetic variants affect transcription factor binding and alternative splicing of LOXL1. Nature Communications, 2017, 8, 15466.	12.8	57
10	Genetic association study of exfoliation syndrome identifies a protective rare variant at LOXL1 and five new susceptibility loci. Nature Genetics, 2017, 49, 993-1004.	21.4	114
11	Establishment of Multiplex Solid-Phase Strip PCR Test for Detection of 24 Ocular Infectious Disease Pathogens., 2017, 58, 1553.		41
12	A Japanese Family With Autosomal Dominant Oculocutaneous Albinism Type 4., 2017, 58, 1008.		8
13	Prognostic Factor Analysis of Intraocular Pressure with Neovascular Glaucoma. Journal of Ophthalmology, 2016, 2016, 1-9.	1.3	11
14	Genome-wide association study identifies five new susceptibility loci for primary angle closure glaucoma. Nature Genetics, 2016, 48, 556-562.	21.4	147
15	A common variant mapping to CACNA1A is associated with susceptibility to exfoliation syndrome. Nature Genetics, 2015, 47, 387-392.	21.4	97
16	Genetic variants and cellular stressors associated with exfoliation syndrome modulate promoter activity of a lncRNA within the <i>LOXL1 < /i>locus. Human Molecular Genetics, 2015, 24, 6552-6563.</i>	2.9	76
17	Commensal Microbiota Contributes to Chronic Endocarditis in TAX1BP1 Deficient Mice. PLoS ONE, 2013, 8, e73205.	2,5	12
18	Vogt–Koyanagi–Harada disease in elderly Japanese patients. International Ophthalmology, 2007, 27, 149-153.	1.4	20

#	Article	IF	CITATIONS
19	Serum dehydroepiandrosterone and DHEA-sulfate in patients with adult T-cell leukemia and human T-lymphotropic virus type I carriers., 1996, 53, 165-168.		7
20	A CASE OF APOCRINE CARCINOMA OF THE BREAST SUGGESTED BY FINE NEEDLE ASPIRATION BIOPSY CYTOLOGY. The Journal of the Japanese Practical Surgeon Society, 1996, 57, 844-849.	0.0	0