

Pamela Pinzani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9104423/publications.pdf>

Version: 2024-02-01

136
papers

4,456
citations

94269

37
h-index

123241

61
g-index

139
all docs

139
docs citations

139
times ranked

6469
citing authors

#	ARTICLE	IF	CITATIONS
1	PRIMERA trial (NCT04188275), early survival results from a prospective trial exploring impact of circulating tumor cell detection in castrate resistant prostate cancer patients undergoing abiraterone or enzalutamide I line treatment.. <i>Journal of Clinical Oncology</i> , 2022, 40, 137-137.	0.8	0
2	Prospective assessment of AR splice variant and multi-biomarker expression on circulating tumor cells of mCRPC patients undergoing androgen receptor targeted agents: interim analysis of PRIMERA trial (NCT04188275). , 2022, 39, .		2
3	Chondroblastoma-like osteosarcoma: a clinicopathological and molecular study of a rare osteosarcoma variant. <i>Histopathology</i> , 2022, 81, 389-401.	1.6	2
4	Supervised learning methods for the recognition of melanoma cell lines through the analysis of their Raman spectra. <i>Journal of Biophotonics</i> , 2021, 14, e202000365.	1.1	11
5	ARTO trial (NCT03449719), a randomized phase II trial enrolling oligometastatic castration-resistant prostate cancer patients treated with first-line abiraterone acetate with or without stereotactic body radiation therapy: Preliminary results comprehensive of biochemical outcomes and circulating tumor cells analysis.. <i>Journal of Clinical Oncology</i> . 2021. 39. 118-118.	0.8	5
6	Updates on liquid biopsy: current trends and future perspectives for clinical application in solid tumors. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1181-1200.	1.4	68
7	Circulating tumour cells and cell-free DNA as a prognostic factor in metastatic colorectal cancer: the OMITERC prospective study. <i>British Journal of Cancer</i> , 2021, 125, 94-100.	2.9	23
8	Prospective assessment of AR splice variant and PSMA detection on circulating tumor cells of mCRPC patients: preliminary analysis of patients enrolled in PRIMERA trial (NCT04188275). <i>Clinical and Experimental Metastasis</i> , 2021, 38, 451-458.	1.7	4
9	The pre-analytical phase of the liquid biopsy. <i>New Biotechnology</i> , 2020, 55, 19-29.	2.4	54
10	Multicenter Evaluation of Circulating Cell-Free DNA Extraction and Downstream Analyses for the Development of Standardized (Pre)analytical Work Flows. <i>Clinical Chemistry</i> , 2020, 66, 149-160.	1.5	100
11	Quantitative Polymerase Chain Reaction Detection of Microchimerism in Female Transplant Renal Recipients. <i>Urologia Internationalis</i> , 2020, 104, 865-870.	0.6	1
12	671P Prospective assessment of AR splice variant and PSMA detection on circulating tumour cells of mCRPC patients: Preliminary results of PRIMERA trial (NCT04188275). <i>Annals of Oncology</i> , 2020, 31, S538-S539.	0.6	0
13	Prognostic and Monitoring Value of Circulating Tumor Cells in Adrenocortical Carcinoma: A Preliminary Monocentric Study. <i>Cancers</i> , 2020, 12, 3176.	1.7	10
14	Blood plasma miRâ€20aâ€5p expression as a potential nonâ€invasive diagnostic biomarker of male infertility: A pilot study. <i>Andrology</i> , 2020, 8, 1256-1264.	1.9	14
15	Detection and Characterization of Circulating Tumor Cells by Quantitative Real-Time PCR. <i>Methods in Molecular Biology</i> , 2020, 2065, 139-151.	0.4	2
16	Early Detection of Fungal Plant Pathogens by Real-Time Quantitative PCR: The Case of <i>Diplodia sapinea</i> on Pine. <i>Methods in Molecular Biology</i> , 2020, 2065, 95-104.	0.4	2
17	Preliminary results of a prospective assessment of androgen receptor splice variants in mCRPC patients undergoing androgen receptor targeted agents.. <i>Journal of Clinical Oncology</i> , 2020, 38, 246-246.	0.8	3
18	Analytical Evaluation of an NGS Testing Method for Routine Molecular Diagnostics on Melanoma Formalin-Fixed, Paraffin-Embedded Tumor-Derived DNA. <i>Diagnostics</i> , 2019, 9, 117.	1.3	6

#	ARTICLE	IF	CITATIONS
19	Evaluation of the liquid biopsy for the detection of BRAFV600E mutation in metastatic melanoma patients. <i>Cancer Biomarkers</i> , 2019, 26, 271-279.	0.8	7
20	Pre-analytical processes in medical diagnostics: New regulatory requirements and standards. <i>New Biotechnology</i> , 2019, 52, 121-125.	2.4	35
21	RNA sequencing reveals <i>PNN</i> and <i>KCNQ1OT1</i> as predictive biomarkers of clinical outcome in stage III colorectal cancer patients treated with adjuvant chemotherapy. <i>International Journal of Cancer</i> , 2019, 145, 2580-2593.	2.3	26
22	Histone 3.3 mutations in giant cell tumor and giant cell-rich sarcomas of bone. <i>Human Pathology</i> , 2017, 68, 128-135.	1.1	39
23	The diagnostic potential of mutation detection from single circulating tumor cells in cancer patients. <i>Expert Review of Molecular Diagnostics</i> , 2017, 17, 975-981.	1.5	11
24	Circulating tumor cells and microemboli can differentiate malignant and benign pulmonary lesions. <i>Journal of Cancer</i> , 2017, 8, 2223-2230.	1.2	22
25	Integrity and Quantity of Total Cell-Free DNA in the Diagnosis of Thyroid Cancer: Correlation with Cytological Classification. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1350.	1.8	48
26	New insights in the clinical and translational relevance of miR483-5p in adrenocortical cancer. <i>Oncotarget</i> , 2017, 8, 65525-65533.	0.8	28
27	Selection and characterization of a human ovarian cancer cell line resistant to auranofin. <i>Oncotarget</i> , 2017, 8, 96062-96078.	0.8	42
28	Mutational analysis of single circulating tumor cells by next generation sequencing in metastatic breast cancer. <i>Oncotarget</i> , 2016, 7, 26107-26119.	0.8	136
29	Urinary carbonic anhydrase IX splicing messenger RNA variants in urogenital cancers. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 292.e9-292.e16.	0.8	17
30	Powerful qPCR assays for the early detection of latent invaders: interdisciplinary approaches in clinical cancer research and plant pathology. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 5189-5204.	1.7	6
31	Single circulating tumor cell sequencing as an advanced tool in cancer management. <i>Expert Review of Molecular Diagnostics</i> , 2016, 16, 51-63.	1.5	23
32	Prevalence and number of circulating tumour cells and microemboli at diagnosis of advanced NSCLC. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 195-200.	1.2	49
33	The potential of proteogenomics in oncology. <i>Translational Cancer Research</i> , 2016, 5, S708-S712.	0.4	0
34	Feasibility of a workflow for the molecular characterization of single cells by next generation sequencing. <i>Biomolecular Detection and Quantification</i> , 2015, 5, 23-29.	7.0	12
35	Immunohistochemistry is highly sensitive and specific for the detection of NRASQ61R mutation in melanoma. <i>Modern Pathology</i> , 2015, 28, 487-497.	2.9	59
36	Heterogeneity of <i>PIK3CA</i> mutational status at the single cell level in circulating tumor cells from metastatic breast cancer patients. <i>Molecular Oncology</i> , 2015, 9, 749-757.	2.1	146

#	ARTICLE	IF	CITATIONS
37	Prospective evaluation of RASSF1A cell-free DNA as a biomarker of pre-eclampsia. <i>Placenta</i> , 2015, 36, 996-1001.	0.7	27
38	KIT genetic alterations in anorectal melanomas. <i>Journal of Clinical Pathology</i> , 2015, 68, 130-134.	1.0	27
39	Implementation of a companion diagnostic in the clinical laboratory: The BRAF example in melanoma. <i>Clinica Chimica Acta</i> , 2015, 439, 128-136.	0.5	5
40	Tumor-Related Methylated Cell-Free DNA and Circulating Tumor Cells in Melanoma. <i>Frontiers in Molecular Biosciences</i> , 2015, 2, 76.	1.6	28
41	Circulating Tumor Cells Detection and Counting in Uveal Melanomas by a Filtration-Based Method. <i>Cancers</i> , 2014, 6, 323-332.	1.7	54
42	Multifaceted roles of BDNF and FGF2 in human striatal primordium development. An in vitro study. <i>Experimental Neurology</i> , 2014, 257, 130-147.	2.0	23
43	Synchronous Occurrence of Medullary and Papillary Carcinoma of the Thyroid in a Patient with Cutaneous Melanoma: Determination of BRAFV600E in Peripheral Blood and Tissues. Report of a Case and Review of the Literature. <i>Endocrine Pathology</i> , 2014, 25, 324-331.	5.2	8
44	Detection of circulating tumor cells in adrenocortical neoplasms. <i>Pathology</i> , 2014, 46, S13-S14.	0.3	0
45	Circulating Cell-Free DNA in Cancer. <i>Methods in Molecular Biology</i> , 2014, 1160, 133-145.	0.4	13
46	Circulating BRAF ^{V600E} in the Diagnosis and Follow-Up of Differentiated Papillary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3359-3365.	1.8	65
47	Cell-free fetal DNA in maternal circulation after chorionic villous sampling. <i>Prenatal Diagnosis</i> , 2013, 33, 695-699.	1.1	5
48	Genetic and epigenetic factors in regulation of microRNA in colorectal cancers. <i>Methods</i> , 2013, 59, 138-146.	1.9	83
49	Detection of Circulating Tumor Cells in Patients With Adrenocortical Carcinoma: A Monocentric Preliminary Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3731-3738.	1.8	36
50	BRAF and KIT somatic mutations are present in amelanotic melanoma. <i>Melanoma Research</i> , 2013, 23, 414-419.	0.6	20
51	A New Microarray Substrate for Ultra-Sensitive Genotyping of KRAS and BRAF Gene Variants in Colorectal Cancer. <i>PLoS ONE</i> , 2013, 8, e59939.	1.1	13
52	Laser microdissection on Norway spruce bark tissue: A suitable protocol for subsequent real-time reverse transcription-polymerase chain reaction (RT-PCR) analysis. <i>Plant Biosystems</i> , 2012, 146, 92-98.	0.8	5
53	A High-Resolution Melting Protocol for Rapid and Accurate Differential Diagnosis of Thyroid Nodules. <i>Journal of Molecular Diagnostics</i> , 2012, 14, 501-509.	1.2	14
54	Androgen receptor (AR) expression in prostate cancer and progression of the tumor: Lessons from cell lines, animal models and human specimens. <i>Steroids</i> , 2012, 77, 996-1001.	0.8	30

#	ARTICLE	IF	CITATIONS
55	<scp>M</scp>arie <scp>M</scp>Ã©nard apples with high polyphenol content and a low-fat diet reduce 1,2-Ã©dimethylhydrazine-induced colon carcinogenesis in rats: Effects on inflammation and apoptosis. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1353-1357.	1.5	20
56	Sustained proliferation and resistance to apoptosis after a cytotoxic insult are early alterations in rat colon carcinogenesis. <i>International Journal of Cancer</i> , 2012, 131, 529-536.	2.3	12
57	Multiparametric Analysis of Cell-Free DNA in Melanoma Patients. <i>PLoS ONE</i> , 2012, 7, e49843.	1.1	60
58	BRAFV600E detection in melanoma is highly improved by COLD-PCR. <i>Clinica Chimica Acta</i> , 2011, 412, 901-905.	0.5	49
59	Circulating cell-free DNA in plasma of melanoma patients: Qualitative and quantitative considerations. <i>Clinica Chimica Acta</i> , 2011, 412, 2141-2145.	0.5	82
60	High-Resolution Melting Analysis: a new molecular approach for the early detection of <i>Diplodia pinea</i> in Austrian pine. <i>Fungal Biology</i> , 2011, 115, 715-723.	1.1	20
61	Atypical Spitzoid melanocytic tumors: A morphological, mutational, and FISH analysis. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 919-935.	0.6	66
62	Circulating Tumor Cells in Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1776-1777.	0.3	3
63	Two Novel H-RAS Mutations Identified in a Child With an Atypical Spitzoid Tumor. <i>Archives of Dermatology</i> , 2011, 147, 514.	1.7	4
64	Tyrosinase mRNA levels in the blood of uveal melanoma patients: correlation with the number of circulating tumor cells and tumor progression. <i>Melanoma Research</i> , 2010, 20, 303-310.	0.6	39
65	Red or white wine assumption and serum antioxidant capacity. <i>Archives of Gerontology and Geriatrics</i> , 2010, 51, e72-e74.	1.4	14
66	Application of a Filtration- and Isolation-by-Size Technique for the Detection of Circulating Tumor Cells in Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2440-2447.	0.3	142
67	Decision criteria for rational selection of homogeneous genotyping platforms for pharmacogenomics testing in clinical diagnostics. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 447-59.	1.4	15
68	Evaluation of a panel of circulating DNA, RNA and protein potential markers for pathologies of pregnancy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 791-794.	1.4	23
69	Circulating Benign Nevus Cells Detected by ISET Technique. <i>Archives of Dermatology</i> , 2010, 146, 1120-4.	1.7	52
70	The Use of COLD-PCR and High-Resolution Melting Analysis Improves the Limit of Detection of KRAS and BRAF Mutations in Colorectal Cancer. <i>Journal of Molecular Diagnostics</i> , 2010, 12, 705-711.	1.2	55
71	Allele specific Taqman-based real-time PCR assay to quantify circulating BRAFV600E mutated DNA in plasma of melanoma patients. <i>Clinica Chimica Acta</i> , 2010, 411, 1319-1324.	0.5	60
72	Circulating nucleic acids in cancer and pregnancy. <i>Methods</i> , 2010, 50, 302-307.	1.9	52

#	ARTICLE	IF	CITATIONS
73	Human striatal neuroblasts develop and build a striatal-like structure into the brain of Huntington's disease patients after transplantation. <i>Experimental Neurology</i> , 2010, 222, 30-41.	2.0	74
74	Centenarians in Tuscany: The role of the environmental factors. <i>Archives of Gerontology and Geriatrics</i> , 2009, 48, 263-266.	1.4	23
75	Tacrolimus causes reduced GLI1 expression and phenotypic changes in the TE 354.T basal cell carcinoma cell line. <i>Journal of Dermatological Science</i> , 2009, 54, 52-54.	1.0	3
76	Cognitive and functional status in the extreme longevity. <i>Archives of Gerontology and Geriatrics</i> , 2008, 46, 245-252.	1.4	24
77	Physical performance and creative activities of centenarians. <i>Archives of Gerontology and Geriatrics</i> , 2008, 46, 253-261.	1.4	14
78	Uncommon clinical presentations of pheochromocytoma and paraganglioma in two different patients affected by two distinct novel VHL germline mutations. <i>Clinical Endocrinology</i> , 2008, 68, 762-768.	1.2	24
79	Circulating tumour cells in colorectal cancer. <i>European Journal of Cancer, Supplement</i> , 2008, 6, 52-59.	2.2	4
80	Prostate-specific antigen mRNA and protein levels in laser microdissected cells of human prostate measured by real-time reverse transcriptase-quantitative polymerase chain reaction and immuno-quantitative polymerase chain reaction. <i>Human Pathology</i> , 2008, 39, 1474-1482.	1.1	14
81	Development of human striatal anlagen after transplantation in a patient with Huntington's disease. <i>Experimental Neurology</i> , 2008, 213, 241-244.	2.0	38
82	Human Gastric Epithelium Produces IL-4 and IL-4Î2 Isoform Only upon <i>Helicobacter Pylori</i> Infection. <i>International Journal of Immunopathology and Pharmacology</i> , 2007, 20, 809-818.	1.0	12
83	Expression of Cyclooxygenase-2 in Osteosarcoma of Bone. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2007, 15, 70-76.	0.6	20
84	Influence of 17q gain and promoter polymorphisms on mRNA expression of somatostatin receptor type 2 in neuroblastoma. <i>Clinica Chimica Acta</i> , 2007, 384, 149-154.	0.5	2
85	Longevity index (LI%) and centenarity index (CI%): New indicators to evaluate the characteristics of aging process in the Italian population. <i>Archives of Gerontology and Geriatrics</i> , 2007, 44, 271-276.	1.4	43
86	Detection of <i>Diplodia pinea</i> in asymptomatic pine shoots and its relation to the Normalized Insolation index. <i>Forest Pathology</i> , 2007, 37, 272-280.	0.5	29
87	Laser-assisted microdissection for real-time PCR sample preparation. <i>Molecular Aspects of Medicine</i> , 2006, 27, 140-159.	2.7	42
88	Isolation by size of epithelial tumor cells in peripheral blood of patients with breast cancer: correlation with real-time reverse transcriptase-polymerase chain reaction results and feasibility of molecular analysis by laser microdissection. <i>Human Pathology</i> , 2006, 37, 711-718.	1.1	157
89	Distribution of Tankyrase-1 mRNA expression in colon cancer and its prospective correlation with progression stage. <i>Oncology Reports</i> , 2006, 16, 1261.	1.2	15
90	Early detection of <i>Biscogniauxia nummularia</i> in symptomless European beech (<i>Fagus sylvatica</i> L.) by TaqManTM quantitative real-time PCR. <i>Letters in Applied Microbiology</i> , 2006, 43, 33-38.	1.0	20

#	ARTICLE	IF	CITATIONS
91	SDH Mutations in Patients Affected by Paraganglioma Syndromes: A Personal Experience. <i>Annals of the New York Academy of Sciences</i> , 2006, 1073, 183-189.	1.8	10
92	Characterization of the functional and growth properties of long-term cell cultures established from a human somatostatinoma. <i>Endocrine-Related Cancer</i> , 2006, 13, 79-93.	1.6	4
93	Distribution of Tankyrase-1 mRNA expression in colon cancer and its prospective correlation with progression stage. <i>Oncology Reports</i> , 2006, 16, 1261-6.	1.2	29
94	Effect of diet and red wine consumption on serum total antioxidant capacity (TAC), dehydroepiandrosterone-sulphate (DHEAS) and insulin-like growth factor-1 (IGF-1) in Italian centenarians. <i>Archives of Gerontology and Geriatrics</i> , 2005, 41, 151-157.	1.4	8
95	Real-time PCR detection of <i>Biscogniauxia mediterranea</i> in symptomless oak tissue. <i>Letters in Applied Microbiology</i> , 2005, 41, 61-68.	1.0	41
96	A Real-Time Quantitative PCR Assay for the Detection of <i>Sphaeropsis sapinea</i> from Inoculated <i>Pinus nigra</i> Shoots. <i>Journal of Phytopathology</i> , 2005, 153, 37-42.	0.5	25
97	Uterine leiomyosarcomas express KIT protein but lack mutation(s) in exon 9 of c-KIT. <i>Gynecologic Oncology</i> , 2005, 98, 334-335.	0.6	31
98	Mucin-depleted foci have β -catenin gene mutations, altered expression of its protein, and are dose- and time-dependent in the colon of 1,2-dimethylhydrazine-treated rats. <i>International Journal of Cancer</i> , 2005, 116, 9-15.	2.3	48
99	Comparison of Pre- and Postsurgical Concentrations of Blood HER-2 mRNA and HER-2 Extracellular Domain Reflects HER-2 Status in Early Breast Cancer. <i>Clinical Chemistry</i> , 2005, 51, 254-256.	1.5	5
100	An Italian program of external quality control for quantitative assays based on real-time PCR with Taq-Man [®] probes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 542-8.	1.4	19
101	Phenotype variability of neural crest derived tumours in six Italian families segregating the same founder SDHD mutation Q109X. <i>Journal of Medical Genetics</i> , 2005, 42, e52-e52.	1.5	45
102	Healthy centenarian subjects: the effect of red wine consumption on liver function tests. <i>Journal of Endocrinological Investigation</i> , 2005, 28, 120-2.	1.8	1
103	c-Kit Expression in Patients with Uterine Leiomyosarcomas. <i>Clinical Cancer Research</i> , 2004, 10, 3500-3503.	3.2	51
104	Measurement of somatostatin receptor subtype 2 mRNA in breast cancer and corresponding normal tissue. <i>Endocrine-Related Cancer</i> , 2004, 11, 323-332.	1.6	32
105	Rapid detection of <i>Oenococcus oeni</i> in wine by real-time quantitative PCR. <i>Letters in Applied Microbiology</i> , 2004, 38, 118-124.	1.0	49
106	Clinical, biochemical and therapeutical aspects of amiodarone-induced hypothyroidism (AIH) in geriatric patients with cardiac arrhythmias. <i>Archives of Gerontology and Geriatrics</i> , 2004, 38, 27-36.	1.4	9
107	Competitive PCR. , 2004, , 292-296.		0
108	External Quality Assurance Program for PCR Amplification of Genomic DNA: An Italian Experience. <i>Clinical Chemistry</i> , 2003, 49, 782-791.	1.5	31

#	ARTICLE	IF	CITATIONS
109	Multidrug Resistance in Ovarian Cancer: Comparing an Immunocytochemical Study and ATP-Tumor Chemosensitivity Assay. <i>Journal of Chemotherapy</i> , 2002, 14, 518-525.	0.7	6
110	The meat in the diet of aged subjects and the antioxidant effects of carnosine. <i>Archives of Gerontology and Geriatrics</i> , 2002, 35, 7-14.	1.4	23
111	Healthy centenarian subjects as living model of "successful aging": A study on fasting glycemia, c-peptide, dehydroepiandrosterone sulphate (DHEAS) and insulin-like growth factor (IGF-1). <i>Archives of Gerontology and Geriatrics</i> , 2002, 35, 273-278.	1.4	2
112	Age-related changes in serum total antioxidant capacity (TAC), dehydroepiandrosterone sulphate (DHEAS), and insulin-like growth factor-1 (IGF-1): evidence in healthy centenarian subjects. <i>Archives of Gerontology and Geriatrics</i> , 2002, 35, 265-271.	1.4	3
113	Quantitative real-time reverse transcription polymerase chain reaction: normalization to rRNA or single housekeeping genes is inappropriate for human tissue biopsies. <i>Analytical Biochemistry</i> , 2002, 309, 293-300.	1.1	502
114	DEVELOPMENT OF ALLERGOLOGY TEST IN MICROPLATE IMMUNOASSAY FORMAT BASED ON CHEMILUMINESCENCE. , 2002, , .		0
115	Serum total antioxidant capacity, DHEAS and IGF-I in healthy centenarian subjects. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 83-4.	1.8	2
116	Type-2 somatostatin receptor mRNA levels in breast and colon cancer determined by a quantitative RT-PCR assay based on dual label fluorogenic probe and the TaqMan® technology. <i>Regulatory Peptides</i> , 2001, 99, 79-86.	1.9	20
117	Luciferase gene as reporter: Comparison with the CAT gene and use in transfection and microinjection of mammalian cells. <i>Methods in Enzymology</i> , 2000, 305, 557-576.	0.4	9
118	Effects of Gemcitabine in Normal and Transformed Human Lung Cell Cultures: Cytotoxicity and Increase in Radiation Sensitivity. <i>Tumori</i> , 1999, 85, 503-507.	0.6	14
119	Quantitative RT-PCR Assay for VEGF Mrna in Human Tumors of the Kidney. <i>International Journal of Biological Markers</i> , 1999, 14, 247-250.	0.7	10
120	Real-Time Quantitative PCR for the Measurement of MYCN Amplification in Human Neuroblastoma with the TaqMan Detection System. <i>Clinical Chemistry</i> , 1999, 45, 1918-1924.	1.5	35
121	Total antioxidant capacity (TAC): is it an effective method to evaluate the oxidative stress in uraemia?. , 1998, 13, 315-319.		14
122	Serum antioxidant capacity in healthy and diabetic subjects as determined by enhanced chemiluminescence. , 1998, 13, 321-325.		15
123	Developments in Quantitative PCR. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 255-69.	1.4	286
124	Evaluation of methotrexate sensitivity in human leukemia cell lines by an adenosine triphosphate bioluminescence assay. <i>Anti-Cancer Drugs</i> , 1997, 8, 767-777.	0.7	4
125	Reduced Serum Antioxidant Capacity In Healthy Centenarians. <i>Clinical Chemistry</i> , 1997, 43, 855a-856.	1.5	15
126	Quantitative polymerase chain reaction-based homogeneous assay with fluorogenic probes to measure c-erbB-2 oncogene amplification. <i>Clinical Chemistry</i> , 1997, 43, 752-758.	1.5	81

#	ARTICLE	IF	CITATIONS
127	Detection of C-ERBB-2 Amplification in Transitional Cell Bladder Carcinoma Using Competitive PCR Technique. <i>Journal of Urology</i> , 1996, 156, 2089-2093.	0.2	30
128	Methotrexate chemosensitivity by ATP luminescence in human leukemia cell lines and in breast cancer primary cultures. <i>Anti-Cancer Drugs</i> , 1995, 6, 398-404.	0.7	32
129	Gene amplification for c-erbB-2, c-myc, epidermal growth factor receptor, int-2, and N-myc measured by quantitative PCR with a multiple competitor template. <i>Clinical Chemistry</i> , 1995, 41, 826-832.	1.5	46
130	Measuring c-erbB-2 oncogene amplification in fresh and paraffin-embedded tumors by competitive polymerase chain reaction. <i>Clinical Chemistry</i> , 1994, 40, 630-636.	1.5	38
131	Image analysis in quantitative PCR. An application for the measurement of c-erbB-2 oncogene amplification in DNA from human tumours. <i>Luminescence</i> , 1994, 9, 223-228.	1.3	14
132	Adenosine triphosphate release by osmotic shock and hemoglobin A1C in diabetic subjects' erythrocytes. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 435-440.	1.5	13
133	Measurement of urinary somatomedin C by a chemiluminescent method. <i>Luminescence</i> , 1989, 3, 47-51.	1.3	0
134	Measurement of estrone-3-glucuronide and pregnanediol-3 β -glucuronide in early morning urine samples to monitor ovarian function. <i>Luminescence</i> , 1989, 4, 567-574.	1.3	5
135	A chemiluminescent immunoassay for the direct measurement of urinary 5 α -androstane-3 β , 17 β -diol-glucuronide in urine. <i>Luminescence</i> , 1989, 4, 575-579.	1.3	2
136	A chemiluminescent method for the measurement of pregnanetriol-3 β -glucuronide in human diluted urine. <i>Luminescence</i> , 1989, 4, 580-586.	1.3	2