
Joan A O'keefe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9105103/publications.pdf Version: 2024-02-01



IOAN A O'KEEEE

#	Article	IF	CITATIONS
1	Validity and Reliability of the Insole3 Instrumented Shoe Insole for Ground Reaction Force Measurement during Walking and Running. Sensors, 2022, 22, 2203.	3.8	12
2	The Effects of Dual Task Cognitive Interference and Fast-Paced Walking on Gait, Turns, and Falls in Men and Women with FXTAS. Cerebellum, 2021, 20, 212-221.	2.5	8
3	Normative database of postural sway measures using inertial sensors in typically developing children and young adults. Gait and Posture, 2021, 90, 112-119.	1.4	8
4	The effects of dual-task cognitive interference on gait and turning in Huntington's disease. PLoS ONE, 2020, 15, e0226827.	2.5	15
5	Prodromal Markers of Upper Limb Deficits in FMR1 Premutation Carriers and Quantitative Outcome Measures for Future Clinical Trials in Fragile Xâ€associated Tremor/Ataxia Syndrome. Movement Disorders Clinical Practice, 2020, 7, 810-819.	1.5	5
6	Open-label pilot clinical trial of citicoline for fragile X-associated tremor/ataxia syndrome (FXTAS). PLoS ONE, 2020, 15, e0225191.	2.5	11
7	Tremorography in fragile X-associated tremor/ataxia syndrome, Parkinson's disease and essential tremor. Clinical Parkinsonism & Related Disorders, 2020, 3, 100040.	0.9	3
8	Gait asymmetry in glucocerebrosidase mutation carriers with Parkinson's disease. PLoS ONE, 2020, 15, e0226494.	2.5	8
9	Normative database of spatiotemporal gait parameters using inertial sensors in typically developing children and young adults. Gait and Posture, 2020, 80, 206-213.	1.4	35
10	The Effects of Dualâ€Task Cognitive Interference and Environmental Challenges on Balance in Huntington's Disease. Movement Disorders Clinical Practice, 2019, 6, 202-212.	1.5	24
11	Long-Term Treatment of Niemann-Pick Type C1 Disease With Intrathecal 2-Hydroxypropyl-β-Cyclodextrin. Pediatric Neurology, 2018, 80, 24-34.	2.1	60
12	Cognitive function impacts gait, functional mobility and falls in fragile X-associated tremor/ataxia syndrome. Gait and Posture, 2018, 66, 288-293.	1.4	24
13	Global cognitive function and processing speed are associated with gait and balance dysfunction in Parkinson's disease. Journal of NeuroEngineering and Rehabilitation, 2016, 13, 94.	4.6	32
14	Fragile X-associated tremor/ataxia syndrome: phenotypic comparisons with other movement disorders. Clinical Neuropsychologist, 2016, 30, 849-900.	2.3	21
15	The Neuropsychiatric and Motor Profile of <i><scp>GBA</scp></i> â€Associated Parkinson's Disease: A Review. Movement Disorders Clinical Practice, 2016, 3, 4-8.	1.5	9
16	Update on the Clinical, Radiographic, and Neurobehavioral Manifestations in FXTAS and FMR1 Premutation Carriers. Cerebellum, 2016, 15, 578-586.	2.5	35
17	X-inactivation in the clinical phenotype of fragile X premutation carrier sisters. Neurology: Genetics, 2016, 2, e45.	1.9	25
18	Gait and Functional Mobility Deficits in Fragile X-Associated Tremor/Ataxia Syndrome. Cerebellum, 2016, 15, 475-482.	2.5	27

JOAN A O'KEEFE

#	Article	IF	CITATIONS
19	Characterization and Early Detection of Balance Deficits in Fragile X Premutation Carriers With and Without Fragile X-Associated Tremor/Ataxia Syndrome (FXTAS). Cerebellum, 2015, 14, 650-662.	2.5	31
20	Implementation of a markerless motion analysis method to quantify hyperkinesis in males with fragile X syndrome. Gait and Posture, 2014, 39, 827-830.	1.4	7
21	Clinical Neurogenetics. Neurologic Clinics, 2013, 31, 1073-1084.	1.8	8
22	Fragile x-associated tremor ataxia syndrome: the expanding clinical picture, pathophysiology, epidemiology, and update on treatment. Tremor and Other Hyperkinetic Movements, 2012, 2, .	2.0	29