

Wonchung Lim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9105130/publications.pdf>

Version: 2024-02-01

19
papers

385
citations

840776

11
h-index

794594

19
g-index

20
all docs

20
docs citations

20
times ranked

612
citing authors

#	ARTICLE	IF	CITATIONS
1	Intertwined Relationship of Mitochondrial Metabolism, Gut Microbiome and Exercise Potential. International Journal of Molecular Sciences, 2022, 23, 2679.	4.1	16
2	Effect of Aerobic Exercise on Oxidative Stress and Inflammatory Response During Particulate Matter Exposure in Mouse Lungs. Frontiers in Physiology, 2021, 12, 773539.	2.8	5
3	Voluntary exercise training improves body weight of leptin-deficient ob/ob mice by altering hepatic stearoyl-CoA desaturase 1 and deleted in breast cancer 1 protein levels. Physical Activity and Nutrition, 2021, 25, 54-58.	0.8	1
4	Dual targeting of RIG-I and MAVS by MARCH5 mitochondria ubiquitin ligase in innate immunity. Cellular Signalling, 2020, 67, 109520.	3.6	27
5	Avenanthramide C suppresses hypoxia-induced cyclooxygenase-2 expression through sirtuin1 activation in non-small-cell lung cancer cells. Animal Cells and Systems, 2020, 24, 79-83.	2.2	10
6	Anti-inflammatory effect of avenanthramides via NF- κ B pathways in C2C12 skeletal muscle cells. Free Radical Biology and Medicine, 2018, 117, 30-36.	2.9	36
7	Data on the mode of binding between avenanthramides and IKK β domains in a docking model. Data in Brief, 2018, 17, 994-997.	1.0	3
8	Role of brown adipose tissue in metabolic syndrome, aging, and cancer cachexia. Frontiers of Medicine, 2018, 12, 130-138.	3.4	47
9	Brown adipose tissue activation by rutin ameliorates polycystic ovary syndrome in rat. Journal of Nutritional Biochemistry, 2017, 47, 21-28.	4.2	59
10	Data on mitochondrial function in skeletal muscle of old mice in response to different exercise intensity. Data in Brief, 2016, 7, 1519-1523.	1.0	5
11	Red ginseng represses hypoxia-induced cyclooxygenase-2 through sirtuin1 activation. Phytomedicine, 2015, 22, 597-604.	5.3	9
12	Subglutinol A, an immunosuppressive β -pyrone diterpenoid from Fusarium subglutinans, acts as an estrogen receptor antagonist. Biochemical and Biophysical Research Communications, 2015, 461, 507-512.	2.1	11
13	Strenuous exercise induces mitochondrial damage in skeletal muscle of old mice. Biochemical and Biophysical Research Communications, 2015, 461, 354-360.	2.1	25
14	Glucocorticoids suppress hypoxia-induced COX-2 and hypoxia inducible factor-1 expression through the induction of glucocorticoid-induced leucine zipper. British Journal of Pharmacology, 2014, 171, 735-745.	5.4	41
15	Prognostic significance of catalase expression and its regulatory effects on hepatitis B virus X protein (HBx) in HBV-related advanced hepatocellular carcinomas. Oncotarget, 2014, 5, 12233-12246.	1.8	21
16	Estrogen receptor beta inhibits transcriptional activity of hypoxia inducible factor-1 through the downregulation of arylhydrocarbon receptor nuclear translocator. Breast Cancer Research, 2011, 13, R32.	5.0	34
17	Hypoxia-inducible factor-1 α activates and is inhibited by unoccupied estrogen receptor β . FEBS Letters, 2009, 583, 1314-1318.	2.8	21
18	Hypertonic sodium chloride and mannitol induces COX-2 via different signaling pathways in mouse cortical collecting duct M-1 cells. Life Sciences, 2007, 80, 2085-2092.	4.3	9

#	ARTICLE	IF	CITATIONS
19	Sodium chloride regulation of the β -epithelial amiloride-sensitive sodium channel (β -ENaC) gene requires syntheses of new protein(s). <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 88, 305-310.	2.5	5