Michael A Rieger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9105944/publications.pdf

Version: 2024-02-01

		1040056	1372567
10	489	9	10
papers	citations	h-index	g-index
12	12	12	899
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Pcdhî±c2 is required for axonal tiling and assembly of serotonergic circuitries in mice. Science, 2017, 356, 406-411.	12.6	121
2	FoxP1 orchestration of ASD-relevant signaling pathways in the striatum. Genes and Development, 2015, 29, 2081-2096.	5.9	91
3	The Disruption of <i>Celf6 </i> , a Gene Identified by Translational Profiling of Serotonergic Neurons, Results in Autism-Related Behaviors. Journal of Neuroscience, 2013, 33, 2732-2753.	3.6	88
4	Sumoylation of FOXP2 Regulates Motor Function and Vocal Communication Through Purkinje Cell Development. Biological Psychiatry, 2017, 81, 220-230.	1.3	43
5	Characterization of early communicative behavior in mouse models of neurofibromatosis type 1. Autism Research, 2018, 11 , 44 -58.	3.8	32
6	Altered social behavior in mice carrying a cortical <i>Foxp2</i> deletion. Human Molecular Genetics, 2019, 28, 701-717.	2.9	31
7	Examining the Reversibility of Long-Term Behavioral Disruptions in Progeny of Maternal SSRI Exposure. ENeuro, 2018, 5, ENEURO.0120-18.2018.	1.9	26
8	Loss of Quaking RNA binding protein disrupts the expression of genes associated with astrocyte maturation in mouse brain. Nature Communications, 2021, 12, 1537.	12.8	19
9	Loss of CELF6 RNA binding protein impairs cocaine conditioned place preference and contextual fear conditioning. Genes, Brain and Behavior, 2019, 18, e12593.	2.2	15
10	CLIP and Massively Parallel Functional Analysis of CELF6 Reveal a Role in Destabilizing Synaptic Gene mRNAs through Interaction with 3′ UTR Elements. Cell Reports, 2020, 33, 108531.	6.4	14