

Jih-Luh Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9106330/publications.pdf>

Version: 2024-02-01

136
papers

5,829
citations

66315

42
h-index

79644

73
g-index

137
all docs

137
docs citations

137
times ranked

7680
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatitis B surface antigen positivity is associated with progression of disease within 24 months in follicular lymphoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 1211-1222.	1.2	4
2	Distinct clinico-biological features in AML patients with low allelic ratio FLT3-ITD: role of allogeneic stem cell transplantation in first remission. <i>Bone Marrow Transplantation</i> , 2022, 57, 95-105.	1.3	8
3	NOVEL-1st: an observational study to assess the safety and efficacy of nilotinib in newly diagnosed patients with Philadelphia chromosome-positive chronic myeloid leukemia in chronic phase in Taiwan. <i>International Journal of Hematology</i> , 2022, , 1.	0.7	3
4	Comparison of clinicopathological features and treatment outcomes in aggressive primary intestinal B- and T/NK-cell lymphomas. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 293-302.	0.8	4
5	Busulfan-containing conditioning regimens in allogeneic hematopoietic stem cell transplantation for acute lymphoblastic leukemia: A Taiwan observational study. <i>Cancer Reports</i> , 2021, , e1488.	0.6	2
6	Bone marrow plasma level of decorin may be associated with improved treatment outcomes in a subset of multiple myeloma patients. <i>Journal of the Formosan Medical Association</i> , 2021, 121, 643-643.	0.8	1
7	Clinical characteristics and treatment outcomes of pulmonary invasive fungal infection among adult patients with hematological malignancy in a medical centre in Taiwan, 2008–2013. <i>Journal of Microbiology, Immunology and Infection</i> , 2020, 53, 106-114.	1.5	24
8	ASXL1 mutation confers poor prognosis in primary myelofibrosis patients with low JAK2V617F allele burden but not in those with high allele burden. <i>Blood Cancer Journal</i> , 2020, 10, 99.	2.8	5
9	Correlative analysis of overall survival with clinical characteristics in 127 patients with mantle cell lymphoma: a multi-institutional cohort in Taiwan. <i>International Journal of Hematology</i> , 2020, 112, 385-394.	0.7	2
10	Cytogenetics and mutations could predict outcome in relapsed and refractory acute myeloid leukemia patients receiving BCL-2 inhibitor venetoclax. <i>Annals of Hematology</i> , 2020, 99, 501-511.	0.8	52
11	Next-Generation Sequencing Minimal Residual Disease of Mantle Cell Lymphoma in Autologous Stem Cell Grafts and Its Implication on Tumor Recurrence. <i>Blood</i> , 2020, 136, 22-23.	0.6	0
12	NOVEL-1st: A Non-Interventional, Multi-Center Observational Study to Assess the Safety and Efficacy of Nilotinib in Newly Diagnosed Patients with Philadelphia Chromosome Positive (Ph+) Chronic Myelogenous Leukemia in Chronic Phase (CML-CP) in Taiwan. <i>Blood</i> , 2020, 136, 2-3.	0.6	0
13	A phase IV, randomized, multicenter, open-label trial comparing efficacy and systemic exposure for a standard weight-based dose versus a fixed dose of plerixafor in combination with G-CSF in patients with Non-Hodgkin's lymphoma weighing ≥ 70 kg. <i>Bone Marrow Transplantation</i> , 2019, 54, 258-264.	1.3	1
14	Incorporation of long non-coding RNA expression profile in the 2017 ELN risk classification can improve prognostic prediction of acute myeloid leukemia patients. <i>EBioMedicine</i> , 2019, 40, 240-250.	2.7	23
15	Long non-coding RNA HOXB-AS3 promotes myeloid cell proliferation and its higher expression is an adverse prognostic marker in patients with acute myeloid leukemia and myelodysplastic syndrome. <i>BMC Cancer</i> , 2019, 19, 617.	1.1	43
16	Clonal sequence tracking reveals TET2-mutated extranodal NK/T-cell lymphoma disseminated independent of Epstein Barr virus. <i>Haematologica</i> , 2019, 104, e489-e492.	1.7	1
17	Advances in hematopoietic stem cell transplantation in the Asia-Pacific region: the second report from APBMT 2005–2015. <i>Bone Marrow Transplantation</i> , 2019, 54, 1973-1986.	1.3	29
18	Genomic landscape and clonal evolution of acute myeloid leukemia with t(8;21): an international study on 331 patients. <i>Blood</i> , 2019, 133, 1140-1151.	0.6	96

#	ARTICLE	IF	CITATIONS
19	The Clinical Association and Prognostic Impact of IL1RAP Expression in Patients with De Novo Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 2705-2705.	0.6	0
20	Safety and efficacy of nilotinib in routine clinical practice in patients with chronic myeloid leukemia in chronic or accelerated phase with resistance or intolerance to imatinib: results from the NOVEL study. <i>Therapeutic Advances in Hematology</i> , 2018, 9, 65-78.	1.1	9
21	Retrospective analysis of frontline treatment efficacy in elderly patients with diffuse large B-cell lymphoma. <i>European Journal of Haematology</i> , 2018, 101, 28-37.	1.1	8
22	Incorporation of mutations in five genes in the revised International Prognostic Scoring System can improve risk stratification in the patients with myelodysplastic syndrome. <i>Blood Cancer Journal</i> , 2018, 8, 39.	2.8	68
23	Hyperleukocytosis is associated with distinct genetic alterations and is an independent poor risk factor in de novo acute myeloid leukemia patients. <i>European Journal of Haematology</i> , 2018, 101, 86-94.	1.1	31
24	Dynamics of DNMT3A mutation and prognostic relevance in patients with primary myelodysplastic syndrome. <i>Clinical Epigenetics</i> , 2018, 10, 42.	1.8	36
25	2016 guideline strategies for the use of antifungal agents in patients with hematological malignancies or hematopoietic stem cell transplantation recipients in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2018, 51, 287-301.	1.5	13
26	Clinically validated machine learning algorithm for detecting residual diseases with multicolor flow cytometry analysis in acute myeloid leukemia and myelodysplastic syndrome. <i>EBioMedicine</i> , 2018, 37, 91-100.	2.7	54
27	GATA2 zinc finger 1 mutations are associated with distinct clinico-biological features and outcomes different from GATA2 zinc finger 2 mutations in adult acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2018, 8, 87.	2.8	34
28	Concomitant WT1 mutations predict poor prognosis in acute myeloid leukemia patients with double mutant CEBPA. <i>Haematologica</i> , 2018, 103, e510-e513.	1.7	29
29	Repurposing Nilotinib for Cytomegalovirus Infection Prophylaxis after Allogeneic Hematopoietic Stem Cell Transplantation: A Single-Arm, Phase II Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2310-2315.	2.0	4
30	Hepatitis B reactivation among 1962 patients with hematological malignancy in Taiwan. <i>BMC Gastroenterology</i> , 2018, 18, 6.	0.8	20
31	Mayo Alliance Prognostic Model for Myelodysplastic Syndromes: Integration of Genetic and Clinical Information. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1363-1374.	1.4	20
32	Re-Examination of 2017 ELN Risk Classification By a Cohort of 739 De Novo aml Patients in Taiwan: Co-Occurring Poor-Risk Mutations May Further Predict Outcome in FLT3-ITD Patients. <i>Blood</i> , 2018, 132, 3977-3977.	0.6	1
33	Discrepant Mutational Composition between Myeloid Sarcoma and Bone Marrow Leukemia Revealed through Targeted Next Generation Sequencing. <i>Blood</i> , 2018, 132, 1395-1395.	0.6	1
34	Clinical and microbiological characteristics of bloodstream infections among patients with haematological malignancies with and without neutropenia at a medical centre in northern Taiwan, 2008-2013. <i>International Journal of Antimicrobial Agents</i> , 2017, 49, 272-281.	1.1	41
35	Cervical Papanicolaou Smears in Hematopoietic Stem Cell Transplant Recipients: High Prevalence of Therapy-Related Atypia during the Acute Phase. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1367-1373.	2.0	3
36	Reactive Follicular Hyperplasia With Perifollicular Granulomas and Increased IgG4-Positive Plasma Cells. <i>International Journal of Surgical Pathology</i> , 2017, 25, 698-699.	0.4	0

#	ARTICLE	IF	CITATIONS
37	Treatment outcomes of and prognostic factors for definitive radiotherapy with and without chemotherapy for Stage I/II nasal extranodal NK/T-cell lymphoma. <i>Journal of Radiation Research</i> , 2017, 58, 114-122.	0.8	12
38	Prognostic impacts and dynamic changes of cohesin complex gene mutations in de novo acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2017, 7, 663.	2.8	39
39	Chemotherapy alone is an alternative treatment in treating localized primary ocular adnexal lymphomas. <i>Oncotarget</i> , 2017, 8, 81329-81342.	0.8	6
40	Reduced incidence of interstitial pneumonitis after allogeneic hematopoietic stem cell transplantation using a modified technique of total body irradiation. <i>Scientific Reports</i> , 2016, 6, 36730.	1.6	18
41	Clinical outcomes of primary intraocular lymphoma patients treated with front-line systemic high-dose methotrexate and intravitreal methotrexate injection. <i>Annals of Hematology</i> , 2016, 95, 593-601.	0.8	45
42	Distinct mutation profile and prognostic relevance in patients with hypoplastic myelodysplastic syndromes (h-MDS). <i>Oncotarget</i> , 2016, 7, 63177-63188.	0.8	21
43	Soluble PD-L1: A biomarker to predict progression of autologous transplantation in patients with multiple myeloma. <i>Oncotarget</i> , 2016, 7, 62490-62502.	0.8	30
44	Splicing factor mutations predict poor prognosis in patients with de novo acute myeloid leukemia. <i>Oncotarget</i> , 2016, 7, 9084-9101.	0.8	77
45	Aberrant Patterns of Alternative Splicing Are Frequent Events and Harbor Prognostic Significance in Patients with Myelodysplastic Syndrome. <i>Blood</i> , 2016, 128, 49-49.	0.6	0
46	Clinical Features and Morbidities of Hb H Disease in Taiwan. <i>Blood</i> , 2016, 128, 4836-4836.	0.6	1
47	Clinical and Prognostic Implications of Roundabout 4 (Robo4) in Adult Patients with Acute Myeloid Leukemia. <i>PLoS ONE</i> , 2015, 10, e0119831.	1.1	6
48	High Risk of Hepatitis B Reactivation among Patients with Acute Myeloid Leukemia. <i>PLoS ONE</i> , 2015, 10, e0126037.	1.1	21
49	Higher Decorin Levels in Bone Marrow Plasma Are Associated with Superior Treatment Response to Novel Agent-Based Induction in Patients with Newly Diagnosed Myeloma - A Retrospective Study. <i>PLoS ONE</i> , 2015, 10, e0137552.	1.1	7
50	Clinical characteristics and treatment outcomes of patients with candidaemia due to <i>Candida parapsilosis</i> sensu lato species at a medical centre in Taiwan, 2000-2012. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1531-1538.	1.3	21
51	GATA2 mutations in patients with acute myeloid leukemia-paired samples analyses show that the mutation is unstable during disease evolution. <i>Annals of Hematology</i> , 2015, 94, 211-221.	0.8	23
52	High Incidences of Invasive Fungal Infections in Acute Myeloid Leukemia Patients Receiving Induction Chemotherapy without Systemic Antifungal Prophylaxis: A Prospective Observational Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0128410.	1.1	50
53	Risk factors and clinical outcomes of acute myeloid leukaemia with central nervous system involvement in adults. <i>BMC Cancer</i> , 2015, 15, 344.	1.1	48
54	Genetic Alterations and Their Clinical Implications in Older Patients with Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 4956-4956.	0.6	0

#	ARTICLE	IF	CITATIONS
55	Demographics and Long-Term Outcome of Incident Immune Thrombocytopenic Purpura: A Twelve-Years Nationwide Population-Based Study in Taiwan. <i>Blood</i> , 2015, 126, 3259-3259.	0.6	1
56	IPSSâ€” in 555 Taiwanese patients with primary MDS: Integration of monosomal karyotype can better riskâ€”stratify the patients. <i>American Journal of Hematology</i> , 2014, 89, E142-9.	2.0	16
57	<i>IDH</i> mutations are closely associated with mutations of <i>DNMT3A</i> , <i>ASXL1</i> and <i>SRSF2</i> in patients with myelodysplastic syndromes and are stable during disease evolution. <i>American Journal of Hematology</i> , 2014, 89, 137-144.	2.0	76
58	Clinical implications of the <i>SETBP1</i> mutation in patients with primary myelodysplastic syndrome and its stability during disease progression. <i>American Journal of Hematology</i> , 2014, 89, 181-186.	2.0	56
59	Microsatellite Instability Confounds Engraftment Analysis of Hematopoietic Stem-cell Transplantation. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 416-420.	0.6	13
60	Expression of cereblon protein assessed by immunohistochemical staining in myeloma cells is associated with superior response of thalidomide- and lenalidomide-based treatment, but not bortezomib-based treatment, in patients with multiple myeloma. <i>Annals of Hematology</i> , 2014, 93, 1371-1380.	0.8	54
61	Prognostic implication of gene mutations on overall survival in the adult acute myeloid leukemia patients receiving or not receiving allogeneic hematopoietic stem cell transplantations. <i>Leukemia Research</i> , 2014, 38, 1278-1284.	0.4	22
62	<i>SF3B1</i> mutations in patients with myelodysplastic syndromes: The mutation is stable during disease evolution. <i>American Journal of Hematology</i> , 2014, 89, E109-15.	2.0	34
63	Guidelines for treating iron overload in myelodysplastic syndromes: a Taiwan consensus statement. <i>International Journal of Hematology</i> , 2014, 100, 7-15.	0.7	7
64	The N-terminal CEBPA mutant in acute myeloid leukemia impairs CXCR4 expression. <i>Haematologica</i> , 2014, 99, 1799-1807.	1.7	13
65	Hierarchical cluster analysis of immunophenotype classify AML patients with NPM1 gene mutation into two groups with distinct prognosis. <i>BMC Cancer</i> , 2013, 13, 107.	1.1	11
66	Chromosomal abnormalities by conventional cytogenetics and interphase fluorescence in situ hybridization in chronic lymphocytic leukemia in Taiwan, an area with low incidenceâ€”clinical implication and comparison between the West and the East. <i>Annals of Hematology</i> , 2013, 92, 799-806.	0.8	14
67	Clinical features of patients with infections caused by <i>Candida guilliermondii</i> and <i>Candida fermentati</i> and antifungal susceptibility of the isolates at a medical centre in Taiwan, 2001-10. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2632-2635.	1.3	24
68	Clinical implications of U2AF1 mutation in patients with myelodysplastic syndrome and its stability during disease progression. <i>American Journal of Hematology</i> , 2013, 88, E277-82.	2.0	56
69	Higher bone marrow LGALS3 expression is an independent unfavorable prognostic factor for overall survival in patients with acute myeloid leukemia. <i>Blood</i> , 2013, 121, 3172-3180.	0.6	58
70	Clinicopathologic features and responses to radiotherapy of myeloid sarcoma. <i>Radiation Oncology</i> , 2013, 8, 245.	1.2	26
71	Clinical and Microbiological Characteristics of Perianal Infections in Adult Patients with Acute Leukemia. <i>PLoS ONE</i> , 2013, 8, e60624.	1.1	48
72	The clinical implication of SRSF2 mutation in patients with myelodysplastic syndrome and its stability during disease evolution. <i>Blood</i> , 2012, 120, 3106-3111.	0.6	127

#	ARTICLE	IF	CITATIONS
73	Impact of Donor Characteristics and HLA Matching on Survival of Chinese Patients with Hematologic Malignancies Undergoing Unrelated Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1939-1944.	2.0	7
74	Intracranial hemorrhage in adult patients with hematological malignancies. <i>BMC Medicine</i> , 2012, 10, 97.	2.3	58
75	Clinical characteristics of candidaemia in adults with haematological malignancy, and antimicrobial susceptibilities of the isolates at a medical centre in Taiwan, 2001-2010. <i>International Journal of Antimicrobial Agents</i> , 2012, 40, 533-538.	1.1	30
76	DNMT3A mutations in acute myeloid leukemia: stability during disease evolution and clinical implications. <i>Blood</i> , 2012, 119, 559-568.	0.6	211
77	TET2 mutation is an unfavorable prognostic factor in acute myeloid leukemia patients with intermediate-risk cytogenetics. <i>Blood</i> , 2011, 118, 3803-3810.	0.6	272
78	Invasive fungal sinusitis in patients with hematological malignancy: 15 years experience in a single university hospital in Taiwan. <i>BMC Infectious Diseases</i> , 2011, 11, 250.	1.3	98
79	Clinical characteristics and outcomes of <i>Mycobacterium tuberculosis</i> disease in adult patients with hematological malignancies. <i>BMC Infectious Diseases</i> , 2011, 11, 324.	1.3	38
80	Changes in magnetic resonance bone marrow angiogenesis on day 7 after induction chemotherapy can predict outcome of acute myeloid leukemia. <i>Haematologica</i> , 2010, 95, 1420-1424.	1.7	17
81	Distinct clinical and biologic characteristics in adult acute myeloid leukemia bearing the isocitrate dehydrogenase 1 mutation. <i>Blood</i> , 2010, 115, 2749-2754.	0.6	193
82	WT1 mutation in 470 adult patients with acute myeloid leukemia: stability during disease evolution and implication of its incorporation into a survival scoring system. <i>Blood</i> , 2010, 115, 5222-5231.	0.6	156
83	Chronic myeloid leukemia in the Asia-Pacific region: Current practice, challenges and opportunities in the targeted therapy era. <i>Leukemia Research</i> , 2010, 34, 1459-1471.	0.4	36
84	Minor histocompatibility antigen HA-1 and HA-2 polymorphisms in Taiwan: frequency and application in hematopoietic stem cell transplantation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1287-93.	1.4	4
85	Distinct clinical and biological features of de novo acute myeloid leukemia with additional sex comb-like 1 (ASXL1) mutations. <i>Blood</i> , 2010, 116, 4086-4094.	0.6	187
86	Functional polymorphism of CTLA-4 and ICOS genes in allogeneic hematopoietic stem cell transplantation. <i>Clinica Chimica Acta</i> , 2009, 403, 229-233.	0.5	33
87	HLA-DR-matched Parental Donors for Allogeneic Hematopoietic Stem Cell Transplantation in Patients with High-risk Acute Leukemia. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 423-427.	0.8	2
88	Bone marrow angiogenesis magnetic resonance imaging in patients with acute myeloid leukemia: peak enhancement ratio is an independent predictor for overall survival. <i>Blood</i> , 2009, 113, 3161-3167.	0.6	75
89	AML1/RUNX1 mutations in 470 adult patients with de novo acute myeloid leukemia: prognostic implication and interaction with other gene alterations. <i>Blood</i> , 2009, 114, 5352-5361.	0.6	318
90	AML1/RUNX1 Mutations in 470 Adult Patients with De Novo Acute Myeloid Leukemia: Prognostic Implication and Interaction with Other Gene Alterations.. <i>Blood</i> , 2009, 114, 1564-1564.	0.6	3

#	ARTICLE	IF	CITATIONS
91	Syngeneic Blood and Marrow Transplantation: A Report of 94 Cases From Chinese Society of Blood and Marrow Transplantation (CSBMT).. Blood, 2009, 114, 4295-4295.	0.6	0
92	Expression of angiopoietins and vascular endothelial growth factors and their clinical significance in acute myeloid leukemia. Leukemia Research, 2008, 32, 904-912.	0.4	55
93	Detection of BCR-ABL gene mutations in Philadelphia chromosome positive leukemia patients resistant to STI-571 cancer therapy. Leukemia Research, 2008, 32, 1724-1734.	0.4	12
94	Estimates of Relative Risks for Cancers in a Population after Prolonged Low-Dose-Rate Radiation Exposure: A Follow-up Assessment from 1983 to 2005. Radiation Research, 2008, 170, 143-148.	0.7	47
95	Receptor tyrosine kinase AXL is induced by chemotherapy drugs and overexpression of AXL confers drug resistance in acute myeloid leukemia. Cancer Letters, 2008, 268, 314-324.	3.2	187
96	Clinical Characteristics and Treatment Response of Hodgkin's Lymphoma in Taiwan. Journal of the Formosan Medical Association, 2008, 107, 4-12.	0.8	6
97	Clinical and Biological Characterization of Adult Patients with Acute Myeloid Leukemia Bearing T(7;11)(p15;p15) Analysis of 536 Patients. Blood, 2008, 112, 2535-2535.	0.6	1
98	Hierarchical Cluster Analysis of Immunophenotype in AML Patients with NPM1 Gene Mutation Reveals Two Distinct Groups with Different Prognosis.. Blood, 2008, 112, 1495-1495.	0.6	0
99	Methylation Status of miRNA Let-7a-3 in Acute Myeloid Leukemia. Blood, 2008, 112, 4482-4482.	0.6	0
100	Acquisition and Cure of Autoimmune Disease Following Allogeneic Hematopoietic Stem Cell Transplantation. Journal of the Formosan Medical Association, 2007, 106, 779-783.	0.8	3
101	Anaplastic Large Cell Lymphoma in Leukemic Transformation: Successful Treatment by Transplantation. Journal of Clinical Oncology, 2007, 25, 4490-4492.	0.8	2
102	Randomized Phase II Trial of Thalidomide Alone versus Thalidomide Plus Interferon Alpha in Patients with Refractory Multiple Myeloma. Cancer Investigation, 2007, 25, 140-147.	0.6	14
103	Leukapheresis and cranial irradiation in patients with hyperleukocytic acute myeloid leukemia: No impact on early mortality and intracranial hemorrhage. American Journal of Hematology, 2007, 82, 976-980.	2.0	86
104	Epidemiology of multiple myeloma in Taiwan. Cancer, 2007, 110, 896-905.	2.0	92
105	<i>RUNX1</i> gene mutation in primary myelodysplastic syndrome – the mutation can be detected early at diagnosis or acquired during disease progression and is associated with poor outcome. British Journal of Haematology, 2007, 139, 405-414.	1.2	122
106	Tumor Suppressor Activity of CCAAT/Enhancer Binding Protein Alpha Is Epigenetically Down-Regulated in Acute Myeloid Leukemia.. Blood, 2007, 110, 2113-2113.	0.6	2
107	Characterization of Acute Myeloid Leukemia with PTPN11 Mutation - The Mutation Is Closely Associated with NPM1 Mutation but Inversely Related to FLT3/ITD.. Blood, 2007, 110, 3490-3490.	0.6	2
108	Gene Mutations, Their Interactions and Associations with Immunophenotypes of Leukemia Cells in Patients with Primary Acute Myeloid Leukemia.. Blood, 2007, 110, 4138-4138.	0.6	0

#	ARTICLE	IF	CITATIONS
109	The usefulness of the PlateliaCandidaantigen in a patient with acute lymphocytic leukemia and chronic disseminated candidiasis. <i>Medical Mycology</i> , 2006, 44, 647-650.	0.3	7
110	Clinical implications of SOCS1 methylation in myelodysplastic syndrome. <i>British Journal of Haematology</i> , 2006, 135, 317-323.	1.2	32
111	Nucleophosmin Mutations in De novo Acute Myeloid Leukemia: The Age-Dependent Incidences and the Stability during Disease Evolution. <i>Cancer Research</i> , 2006, 66, 3310-3316.	0.4	165
112	Quantitative Assessment of Minimal Residual Disease Predicts Outcome of Patients of Acute Myeloid Leukemia with Nucleophosmin (NPM) Mutation.. <i>Blood</i> , 2006, 108, 561-561.	0.6	6
113	Significance of Marrow Angiogenesis Factors in Patients with Acute Myelogenous Leukemia.. <i>Blood</i> , 2006, 108, 4424-4424.	0.6	0
114	Prophylactic Use of Moxifloxacin in Patients Receiving Bone Marrow Transplants Was Not Associated with Increased Ciprofloxacin Resistance inEscherichia coli and Enterococci. <i>Clinical Infectious Diseases</i> , 2005, 40, 1862-1864.	2.9	2
115	Characterization of CEBPA Mutations in Acute Myeloid Leukemia: Most Patients with CEBPA Mutations Have Biallelic Mutations and Show a Distinct Immunophenotype of the Leukemic Cells. <i>Clinical Cancer Research</i> , 2005, 11, 1372-1379.	3.2	202
116	Clinical and Microbiological Characteristics ofRhizobium radiobacterInfections. <i>Clinical Infectious Diseases</i> , 2004, 38, 149-153.	2.9	147
117	Treatment outcome and pattern of failure in 77 patients with sinonasal natural killer/T-cell or T-cell lymphoma. <i>Cancer</i> , 2004, 100, 366-375.	2.0	185
118	Diffuse pulmonary infiltrates after bone marrow transplantation: the role of open lung biopsy. <i>Annals of Thoracic Surgery</i> , 2004, 78, 267-272.	0.7	42
119	Trends and antimicrobial resistance of pathogens causing bloodstream infections among febrile neutropenic adults with hematological malignancy. <i>Journal of the Formosan Medical Association</i> , 2004, 103, 526-32.	0.8	34
120	Survival-weighted health profile for long-term survivors of acute myelogenous leukemia. <i>Quality of Life Research</i> , 2003, 12, 503-517.	1.5	29
121	Reduction of leukocyte count is associated with thalidomide response in treatment of multiple myeloma. <i>Annals of Hematology</i> , 2003, 82, 558-564.	0.8	15
122	SOCS1 methylation in patients with newly diagnosed acute myeloid leukemia. <i>Genes Chromosomes and Cancer</i> , 2003, 37, 300-305.	1.5	108
123	Marrow matrix metalloproteinases (MMPs) and tissue inhibitors of MMP in acute leukaemia: potential role of MMP-9 as a surrogate marker to monitor leukaemic status in patients with acute myelogenous leukaemia. <i>British Journal of Haematology</i> , 2002, 117, 835-841.	1.2	73
124	Methylation of the p15 INK4B gene in myelodysplastic syndrome: it can be detected early at diagnosis or during disease progression and is highly associated with leukaemic transformation. <i>British Journal of Haematology</i> , 2001, 112, 148-154.	1.2	140
125	Transcriptional Regulation of Endothelial Nitric-oxide Synthase by an Interaction between Casein Kinase 2 and Protein Phosphatase 2A. <i>Journal of Biological Chemistry</i> , 1999, 274, 34669-34675.	1.6	50
126	Persistent leucocyte abnormalities in children years after previous long-term low-dose radiation exposure. <i>British Journal of Haematology</i> , 1999, 106, 954-959.	1.2	13

#	ARTICLE	IF	CITATIONS
127	High-dose therapy with peripheral blood stem cell (PBSC) support using an innovative mobilization regimen in patients with high-risk primary or chemoresponsive metastatic breast cancers. <i>Breast Cancer Research and Treatment</i> , 1998, 49, 237-244.	1.1	2
128	Acute and chronic arsenic poisoning associated with treatment of acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 1998, 103, 1092-1095.	1.2	120
129	Clonal disease of natural killer large granular lymphocytes in Taiwan. <i>British Journal of Haematology</i> , 1998, 103, 1124-1128.	1.2	14
130	Homozygous Deletion of the p16INK4A Gene Occurs More Frequently in CD2+ Than in CD2 ⁺ T-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 1998, 91, 1829-1830.	0.6	3
131	Involvement of Two Sp1 Elements in Basal Endothelial Prostaglandin H Synthase-1 Promoter Activity. <i>Journal of Biological Chemistry</i> , 1997, 272, 6943-6950.	1.6	58
132	Clonal chromosomal abnormalities as direct evidence for clonality in nasal T/natural killer cell lymphomas. <i>British Journal of Haematology</i> , 1997, 97, 621-625.	1.2	75
133	Clinical, haematological and molecular studies in patients with chromosome translocation t(7;11): a study of four Chinese patients in Taiwan. <i>British Journal of Haematology</i> , 1997, 96, 682-687.	1.2	41
134	Transcriptional Induction of Endothelial Nitric Oxide Synthase Type III by Lysophosphatidylcholine. <i>Journal of Biological Chemistry</i> , 1995, 270, 17006-17010.	1.6	104
135	Long-term disease-free survival after autologous bone marrow transplantation in a primary plasma cell leukaemia: detection of minimal residual disease in the transplant marrow by third-complementarity-determining region-specific probes. <i>British Journal of Haematology</i> , 1995, 89, 914-916.	1.2	10
136	Inactivation of the retinoblastoma gene in acute myelogenous leukaemia. <i>British Journal of Haematology</i> , 1992, 82, 502-507.	1.2	32